

STANLEY TOOLS



STANLEY TOOLS

for

CARPENTERS
and MECHANICS

Catalog No. 129



THE STANLEY RULE & LEVEL PLANT
THE STANLEY WORKS

GENERAL OFFICES:
NEW BRITAIN, CONN., U. S. A.

BRANCH OFFICES AND WAREHOUSES:

NEW YORK
100 LAFAYETTE STREET

PHILADELPHIA
617 FILBERT STREET

CHICAGO
61-67 WEST KINZIE STREET

SAN FRANCISCO
576 MONADNOCK BLDG.

SALES OFFICES:
LOS ANGELES
1202 WASHINGTON BLDG.

SEATTLE
619 MUTUAL LIFE BLDG.


CABLE ADDRESS:
"STARULECO," NEW BRITAIN

CABLE ADDRESS:
"STARULECO," NEW YORK


Copyright, 1929, The Stanley Works

Printed in U. S. A.

THE INDUSTRY BACK




**ROLLING MILLS
BRIDGEPORT, CONN.**



MAIN OFFICE AND HARDWARE

OF STANLEY TOOLS



THE STANLEY RULE & LEVEL PLANT
NEW BRITAIN, CONN.



NT, NEW BRITAIN, CONN., U. S. A.

STANLEY TOOLS

INDEX

	Page		Page
Aluminum Carpenter Squares.....	152	Electric Tools (cont.)	
“ Levels.....	26, 36	Drill Attachments.....	122
“ Mitre Box.....	143	“ Brushes.....	122
“ Planes.....	48, 52, 60, 64	“ Buffing Wheel.....	122
“ Rules.....	21	“ Drill Stands.....	120, 121
Angle Dividers.....	155	Grinding Wheels.....	122
Atha Tools.....	173, 188	Extension Bit Holders.....	92
Automotive Tools.....	189	“ Rules.....	17, 20
Awls Belt.....	133		
“ Brad.....	106, 133	“Four-Square” Household Tools.....	165 to 167
“ Scratch.....	106, 133		
“ Tinnners.....	133	Gauges, Butt.....	163
Awl Hafts.....	106	“ Marking.....	160 to 162
		“ “ and Mortise.....	161, 162
Bars, Ripping.....	167, 173	“ Metal Marking and Mortise.....	162
Beaders, Hand.....	71	“ Slitting.....	161
Belt Awls.....	133	“ Jointer.....	148
Bench Brackets.....	177	Gauging Rod.....	16
“ Dog.....	177	Glazier Chisels.....	138
“ Stop.....	177		
Bevels.....	158	Hammers, Handled.....	99 to 106
Bit Braces.....	77 to 91, 166	“ Blacksmiths.....	104
“ Assortments.....	89	“ Bricklayers.....	105
“ Brace Parts.....	200	“ Engineers.....	104
“ Gauge.....	162	“ Farriers.....	105
“ Holder-Extension.....	92	“ Machinists.....	104
Bit and Square Level.....	38	“ Nail.....	101 to 103, 166
Blacksmith's Rule.....	20	“ Riveting.....	105
Blades Ready Edge.....	68	“ Tack.....	106
Book—“How to Work with Tools and Wood”		“ Panning.....	105
	178, 179	Hand Drills.....	96 to 98
Box Scraper.....	73	“Hurwood” Awls.....	133
Boxwood Rules.....	9 to 17, 166	“ Ice Picks.....	133
Brackets, Roofing.....	177	“ Screw Drivers.....	125 to 128
Brad Awls.....	106, 133	Hollow Handle Tool Sets.....	40
Breast Drills.....	94, 95	Hollows and Rounds.....	61
Butt Gauges.....	163		
Burnisher.....	73	Ice Picks.....	133
		Jointer Gauge.....	148
Cabinet Scrapers.....	71, 72		
Cabinets, Tool.....	181 to 187	Levels, Aluminum.....	26, 36
Caliper Rules.....	15	“ Camera.....	38
Carpenters Aluminum Squares.....	152	“ Line.....	38
“ Steel Squares.....	150 to 154	“ Machinists.....	37
Center Punches.....	170, 171	“ Masons.....	26, 27, 33, 36
Chalk Line Reels.....	106	“ Metallic.....	34, 35
Chests, Tool.....	181 to 187	“ Pocket.....	37, 38
Chisels, Brick.....	173	“ Wood.....	27 to 38, 166
“ Carpenters.....	135 to 140	“ Bit and Square.....	38
“ Cutting (Electricians).....	173	Level Glasses.....	33
“ Floor and Clapboard.....	173	Level Sights.....	39
“ Glaziers.....	138	Leveling Stands.....	39
“ in Sets.....	137, 139, 140	Level Tester.....	30
“ Machinists.....	172		
“ Ripping.....	173	Machinists Chisels.....	172
Clapboard Siding Gauge.....	162	“ Levels.....	37
“ Marker.....	162	“ Punches.....	172
Combination Squares.....	157	Mallets.....	180
Corner Bit Braces.....	91	Metric Rules.....	16, 17, 22 to 24
Cornering Tools.....	73	Miscellaneous Rules.....	16, 17
Countersinks.....	176	Mitre Boxes.....	142 to 145
Cutter and Chisel Grinder.....	148	“ Aluminum.....	143
		“ Metal Cutting.....	145
		“ Box Parts.....	201, 202
Doweling Jig.....	148	“ Cutter.....	147
Dowel and Rod Turning Machine.....	148	“ Machine.....	146
“ Sharpener.....	176	“ Sander.....	147
		“ Squares.....	156, 157
Electric Tools.....	107 to 122	“ Vise.....	146
Auger Bits.....	122		
Bench Grinder.....	117	Nail Sets.....	170, 171
Drills.....	107 to 116	Nosing Tool.....	61



STANLEY TOOLS

	Page
Odd Jobs.....	155
Parts of Bit Braces.....	200
" of Mitre Boxes.....	201, 202
" of Planes.....	191 to 199
Pattern Makers Shrinkage Rules.....	16
Pencil Clasp.....	155
Picture Frame Tools.....	146, 147
Plans "How to Make".....	178
Plan Assortments.....	179
Planes.....	41 to 71, 76, 167
Aluminum.....	48, 52, 60, 64
"Bailey" Iron.....	43 to 45
" Wood.....	51
Beading.....	58 to 62
"Bed Rock".....	46, 47
Belt Makers.....	76
Bench Rabbet.....	50
Block.....	52 to 51, 56, 57, 167
" Cabinet Makers.....	76
" Double End Bull Nose.....	56, 57
" Skew Cutter.....	57
" Steel.....	52, 57
Carriage Makers Rabbet.....	50
Chamfer Adjustable.....	76
Circular.....	68
Combination.....	58 to 62
Core Box.....	62
Corner Rounding.....	66
Curve Rabbet.....	63
Dado.....	58 to 62, 65, 66
Dovetail.....	63
Edge.....	76
Edge Trimming.....	57
"Fifty Five".....	58, 59
Filletster.....	58 to 61, 64, 65
"Forty Five".....	60, 61
"Gage" Iron.....	49
Low Angle.....	53, 56, 57
Matching.....	58 to 63
Rabbet.....	58 to 67
Router.....	69
Scraper.....	70, 71
Scrub.....	50
Shoot Board.....	145
Skew Cutter.....	55, 64
Steel.....	48, 52, 55
"Union".....	55, 56
Weather-strip.....	66, 168
Plane Irons.....	56, 190
Plumb Bobs.....	164
Plumbs and Levels.....	25 to 36, 165
" " Aluminum.....	26, 36
" " Masons.....	26, 27, 33, 36
" " Metallic.....	34, 35
" " Wood.....	27 to 33, 166
Punches, Center.....	170, 171
" Machinists.....	172
Rafter Bevel.....	158
Ratchet Bit Braces.....	80 to 86, 88, 91
" Screw Drivers.....	131

	Page
Ready Edge Blades.....	68
Ripping Bars.....	167, 173
Roofing Brackets.....	177
Rule Angle Tool.....	155
Rules, Aluminum.....	21
" Architects.....	10
" Blacksmiths.....	20
" Blindmans.....	11, 13
" Boxwood.....	9 to 17, 166
" Caliper.....	15
" Extension.....	17, 20
" Metric.....	16, 17, 22 to 24
" Miscellaneous.....	16, 17
" Shrinkage.....	16
" Zig Zag.....	18 to 24, 166
Saw.....	167
Saw Sets.....	134
Scraper Burnisher.....	73
" Irons.....	72, 73
" Plane Irons.....	70, 71
Scrapers, Box.....	73
" Cabinet.....	71, 72
" Hand.....	73
" Planes.....	70, 71
Scratch Awls.....	106, 133
Screw Driver Bits.....	176
Screw Drivers.....	124 to 132, 167
" Assortments.....	132
" Cabinet.....	126, 129, 131
" Electricians.....	124 to 127
" Machinists.....	124, 128
" Radio.....	130
" Ratchet.....	131
" Small Blade.....	127, 129
" Square Shanks.....	124
Shoot Board.....	145
Shrinkage Rules.....	16
Spoke Shaves.....	74, 75
" Irons.....	74, 75
Squares, Carpenters Aluminum.....	152
" Carpenters Steel.....	150 to 154
" Combination.....	157
" Try and Mitre.....	156 to 158, 166
Steel Squares.....	150 to 154
Tack Hammers.....	106
Tinners Awls.....	133
Tool Cabinets, Boxes and Chests.....	181 to 187
" Sets, Hollow Handle.....	40
Toothing Cutters.....	70, 71
Trammel Points.....	164
Try Squares.....	156 to 158
"Union" Planes.....	55, 56
Vises.....	166, 174, 175
Weather-strip Tool.....	168
Yard Sticks.....	17
Zig Zag Rules.....	18 to 24, 167



STANLEY TOOLS

FOREWORD

We are proud to present our new General Tool Catalog No. 129. In it, we do not try to explain how to use our tools, but to show what the tools are and what they will do.

For the tool user we print a separate catalog, our No. 34, in which we describe the tools very carefully and explain their uses. We also prepare booklets and circulars for the tool user describing particular tools, No. 55 and No. 45 Combination Planes, Steel Squares, Mitre Boxes, Doweling Jigs, etc.

For any tools shown in either the No. 129 and No. 34 Catalogs we will supply electrotypes which will print with good results on any quality of paper.

QUALITY

For more than three-quarters of a century Stanley Tools have been made under the sound policy of Quality first. Conditions change, but the policy is to continue to supply the best quality of tools at the lowest price possible.

GUARANTEE

Every article is carefully inspected before shipment; any article showing a defect in workmanship or material will be replaced free of charge if returned to us.

TRADE MARKS AND NAMES

All persons are cautioned against using any of our trade marks and trade names, except for the purpose of identifying our goods. Among our trade marks and trade names are the words, "Stanley," "Bailey," "Bed Rock," "Victor," "Defiance," "Odd-Jobs," "Zig Zag," "Hurwood," "Everlasting," and "Four-Square." Our trade marks also include all letters and numbers arbitrarily adopted by us to identify goods of our manufacture.

BOXES AND LABELS

We caution all persons against imitating the boxes in which the goods described in this catalog are packed. The boxes are of a special color, with labels of a special color. These colors, as well as the shape and general design of the labels, have been adopted by us to identify and distinguish our own goods.

Correspondence should be addressed to the

STANLEY RULE & LEVEL PLANT

THE STANLEY WORKS - NEW BRITAIN, CONN.

Stanley Tools are a division of the Stanley Works, manufacturers of Wrought Hardware, Hot and Cold Rolled Steel and Box Strapping. The main plants, both Tool and Hardware, are located at New Britain, Conn. Branch plants are operated at Niles, Ohio; Newark, N. J.; Plantsville, Conn.; South Shaftsbury, Vt.; Hamilton, Ontario, and Roxton Pond, Quebec; Steel Rolling Mills at Bridgeport, Conn. There is one company and one management. In back of any Stanley product are the resources and service of this great Stanley Industry.

THE STANLEY RULE & LEVEL PLANT

THE STANLEY WORKS

NEW BRITAIN

CONNECTICUT





RULES

Section 1



Digitized by the Internet Archive
in 2023 with funding from
Columbia University Libraries

STANLEY TOOLS


BOXWOOD RULES

Points of Superiority of STANLEY Rules—

1. The selection and seasoning of the wood.
2. The weight of the metal in the joints and trimmings.
3. The accuracy of the graduations.
4. The use of brass to prevent rusting, in all joints, plates, bindings etc.
5. The careful finishing.


The Distinguishing Feature of all Boxwood Rules is the Main Joint

THE ROUND JOINT



Is used in the less expensive Rules. In this form, one plate is embedded in each leg of the rule. The leg and plate are pinned together.

THE ARCH JOINT




Is practically of the same construction as the Square Joint. The plates, however, are larger, more graceful, and cover more of the surface of the wood, which adds to the life of the rule.

THE SQUARE JOINT



Has two plates to each leg, one on each outside face of the wood. These are held securely together by rivets which go through the two plates and leg. This is a much stronger joint than the Round Joint.

THE DOUBLE ARCH JOINT



Is the same as the Arch Joint, but is repeated at the folding joint as well as the central joint, which again adds to the strength of the rule.

Other important Features of the Boxwood Rule are the Middle Joint and the Binding.

THE MIDDLE PLATE JOINT



The Middle Plates are set in the center of the wood and pinned.

HALF BOUND



A Half Bound Rule has a protective brass binding pinned along the outside edges of the legs only.

THE EDGE PLATE JOINT



The Edge Plates are fastened to the outer edges by rivets which go through both the wood and plates holding them firmly together. This makes a stronger joint than the Middle Plates.

FULL BOUND



A Full Bound Rule has a protective brass binding pinned to both the inside and outside edges of each leg.

“ENGLISH” AND METRIC GRADUATIONS

Boxwood Rules can be furnished with “English” graduations, i.e.: numbers reading from left to right. They can also be furnished with the “English and Metric” graduations, i.e.: metric graduations on one side and inches (from left to right) on the other side. When ordering rules with “English” markings add “E” to the class number of the rules, i.e., 61E. When ordering rules with “English and Metric” markings add “EM” i.e., 61EM.

DRAFTING SCALES

Are used for laying out or reading drawings where a scale of $\frac{1}{4}$, $\frac{1}{2}$, etc., to the foot is used.



STANLEY TOOLS

BOXWOOD RULES


TWO FOOT

FOUR FOLD

1 INCH WIDE


ROUND JOINT, MIDDLE PLATES

SQUARE JOINT



Extra Heavy Figures

No.	Graduated (Inches)	Weight Per Doz. (Lbs.)	Price Per Doz.
68A	8ths & 16ths	1 $\frac{1}{4}$	\$2.25



Edge Plates, Drafting Scales

No.	Graduated (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
63	8ths & 10ths 12ths & 16ths	$\frac{3}{4}$	\$4.95



Regular Figures


No.	Graduated (Inches)	Weight Per Doz. (Lbs.)	Price Per Doz.
68	8ths & 16ths	1 $\frac{1}{4}$	\$2.25



Half Bound, Drafting Scales


No.	Graduated (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
84	8ths & 10ths 12ths & 16ths	1	\$8.70

SQUARE JOINT, MIDDLE PLATES



Extra Heavy Figures


No.	Graduated (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
61A	8ths & 16ths	$\frac{5}{8}$	\$3.75



Full Bound, Drafting Scales


No.	Graduated (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
62	8ths & 10ths 12ths & 16ths	1 $\frac{1}{8}$	\$10.00

ARCHITECTS RULE—ARCH JOINT



Regular Figures

No.	Graduated (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
61	8ths & 16ths	$\frac{5}{8}$	\$3.75



Edge Plates, Drafting Scales

The inside edges are beveled so that the Drafting Scales lie close to the surface being scaled.

No.	Graduated (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
53 $\frac{1}{2}$	8ths & 10ths 12ths & 16ths	$\frac{5}{8}$	\$10.00

Nos. 68A and 68 are Packed 12 in a Box. All others are Packed 6 in a Box




STANLEY TOOLS

BOXWOOD RULES

TWO FOOT


FOUR FOLD

1 INCH WIDE




Arch Joint—Middle Plates—Drafting Scales

No.	Graduated (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
51	8ths & 10ths 12ths & 16ths	$11\frac{1}{16}$	\$4.90



Arch Joint—Edge Plates—Drafting Scales

No.	Graduated (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
53	8ths & 10ths 12ths & 16ths	$\frac{3}{4}$	\$6.30




Arch Joint—Full Bound—Drafting Scale

No.	Graduated (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
54	8ths & 10ths 12ths & 16ths	$11\frac{1}{8}$	\$12.15


TWO FOOT

FOUR FOLD

 $\frac{3}{4}$ INCH WIDE

Square Joint—Edge Plates

No.	Graduated (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
$63\frac{1}{2}$	8ths & 10ths 16ths	$\frac{3}{4}$	\$5.25



Square Joint—Full Bound

No.	Graduated (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
$62\frac{1}{2}$	8ths & 10ths 16ths	1	\$10.00


TWO FOOT

FOUR FOLD

 $1\frac{3}{8}$ INCHES WIDE

BLINDMAN'S

Made expressly for persons with poor eyesight and for working in poorly lighted places. The figures are twice as large as those on the other rules. Both the figures and graduations are extra wide and black.



Square Joint—Edge Plates

No.	Graduated (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
7	8ths & 16ths	1	\$10.95

All Packed 6 in a Box



STANLEY TOOLS

BOXWOOD RULES


TWO FOOT

FOUR FOLD

13/8 INCHES WIDE


SQUARE JOINT

ARCH JOINT




Middle Plates. Drafting Scales

No.	Graduated (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
70	8ths & 16ths	1	\$5.50



Edge Plates. Drafting Scales


No.	Graduated (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
72	8ths & 10ths 16ths	1	\$6.95



Full Bound. Drafting Scales

No.	Graduated (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
72 1/2	8ths & 10ths 16ths	1 1/2	\$12.55


ARCH JOINT 1 1/2 INCH WIDE



Middle Plates. English Marking


The extra width makes this a very sturdy rule.

No.	Graduated (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
73 1/4	8ths & 10ths 12ths & 16ths	1 1/2	\$6.45




Middle Plates. Drafting Scales

No.	Graduated (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
73	8ths & 10ths 16ths	1	\$6.95



Edge Plates. Drafting Scales


No.	Graduated (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
75	8ths & 10ths 16ths	1	\$8.30



Full Bound. Drafting Scales

No.	Graduated (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
76	8ths & 10ths 16ths	1 1/2	\$14.00

DOUBLE ARCH JOINT



Full Bound. Drafting Scales

This is the finest and longest wearing Boxwood Rule.

No.	Graduated (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
78 1/2	8ths & 10ths 16ths	1 3/4	\$16.65

All Packed 6 in a Box



STANLEY TOOLS

BOXWOOD RULES

THREE FOOT


FOUR FOLD

This length is popular with paper hangers, in lumber mills, etc. It is rapidly becoming popular for general use.

ARCH JOINT

The Arch Joint makes these Rules especially strong at the folding joint.


1 INCH WIDE



Middle Plates—Extra Heavy Figures


No.	Graduated (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
66½A	8ths & 16ths	1	\$7.75

1 INCH WIDE



Edge Plates—Extra Heavy Figures

No.	Graduated (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
66¼A	8ths & 16ths	1	\$9.20



Middle Plates

No.	Graduated (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
66½	8ths & 16ths	1	\$7.75



Edge Plates

No.	Graduated (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
66¼	8ths & 16ths	1	\$9.20

1 3/8 INCHES WIDE



Full Bound


No.	Graduated (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
66¾	8ths & 16ths	5/8	\$19.90



Middle Plates

No.	Graduated (Inches) from Left to Right	Weight ½ Doz. (Lbs.)	Price Per Doz.
173E	8ths & 10ths 12ths & 16ths	1½	\$7.85

1 1/2 INCHES WIDE




Middle Plates

No.	Graduated (Inches) from Left to Right	Weight ½ Doz. (Lbs.)	Price Per Doz.
173¼E	8ths & 10ths 12ths & 16ths	1¾	\$7.85

SQUARE JOINT

1 3/8 INCHES WIDE



Middle Plates—Blindman's Figures

No.	Graduated (Inches) from Left to Right	Weight ½ Doz. (Lbs.)	Price Per Doz.
170BE	8ths & 16ths	1	\$8.95

All Packed 6 in a Box




STANLEY TOOLS

BOXWOOD RULES

FOUR FOOT FOUR FOLD 1½ INCHES WIDE


This is the longest Boxwood Rule. It is a useful rule for measuring heights, long measurements, etc. The arch joint makes it especially strong at the folding joint. All edges are protected by a brass binding.



Arch Joint. Full Bound

No.	Graduated (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
94	8ths & 16ths	3	\$36.40

TWO FOOT TWO FOLD 1½ INCHES WIDE



Square Joint

A Popular Manual Training Rule

No.	Graduated (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
18	8ths & 16ths	1	\$5.25



Arch Joint. Full Bound. Drafting and Octagonal Scales

No.	Graduated (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
5	8ths & 10ths 16ths	1½	\$13.30

All Packed 6 in a Box




STANLEY TOOLS

BOXWOOD CALIPER RULES

The Caliper Slide is made of brass and machined to accurately fit the "T" slot in the leg of the rule. All Caliper Rules are regularly made with the Caliper left hand as shown in the illustrations. The Caliper Slide is graduated in 16ths and 32nd inches.

For \$.50 extra per dozen they can be furnished with the Caliper right hand—with the Caliper slide in the other leg of the rule and with the Caliper Head turned the other way.


SIX INCH TWO FOLD 7/8 INCH WIDE



Square Joint

No.	Graduated (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
36	8ths & 10ths 12ths & 16ths	3/8	\$6.60

1 1/2 INCHES WIDE



Square Joint

Extra width provides greater Caliper capacity.

No.	Graduated (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
13 1/2	8ths & 16ths	1/2	\$9.50


ONE FOOT FOUR FOLD 1 INCH WIDE



Arch Joint. Edge Plates

No.	Graduated (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
32	8ths & 10ths 12ths & 16ths	5/8	\$10.10


1 INCH WIDE



Arch Joint. Full Bound

No.	Graduated (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
32 1/2	8ths & 10ths 12ths & 16ths	3/4	\$14.45


ONE FOOT TWO FOLD 1 3/8 INCHES WIDE



Square Joint

No.	Graduated (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
36 1/2	8ths & 10ths 12ths & 16ths	7/8	\$9.50


TWO FOOT FOUR FOLD 1 INCH WIDE



Square Joint. Full Bound

No.	Graduated (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
62C	8ths & 10ths 12ths & 16ths	1 1/4	\$19.60

1 3/8 INCHES WIDE



Arch Joint. Edge Plates

No.	Graduated (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
83C	8ths & 10ths 12ths & 16ths	1 1/2	\$17.45

All Packed 6 in a Box



STANLEY TOOLS

MISCELLANEOUS RULES

PATTERN MAKERS BOXWOOD SHRINKAGE RULES

Two Foot 1½ Inches Wide Brass Tips

Graduated 8ths, 10ths, 12ths, and 16ths of inches, or 8ths and 16ths only, if so ordered.

To allow for shrinkage, patterns must be made larger than castings are wanted. Shrinkage rules are graduated to allow for this shrinkage in different metals.



No.	Shrinkage in Inches Per Foot	Price Per Doz.	No.	Shrinkage in Inches Per Foot	Price Per Doz.
30½A	1/16	\$19.15	30½F	3/16	\$19.15
30½B	1/12	19.15	30½K	7/32	19.15
30½C	1/10	19.15	30½G	1/4	19.15
30½E	1/8	19.15	30½L	5/16	19.15
30½H	5/32	19.15	30½M	3/8	19.15

Weight ½ Dozen, 1 Lb.

Average Shrinkage of Castings

Metal	Shrinkage Per Foot	Metal	Shrinkage Per Foot
Cast Iron.....	1/8 in.	Aluminum.....	3/16 in.
Brass.....	3/16 "	Britannia.....	1/32 "
Steel.....	1/4 "	Lead.....	5/16 "
Mal. Iron.....	1/8 "	Copper.....	3/16 "
Zinc.....	5/16 "	Bismuth.....	5/32 "
Tin.....	1/12 "		

METER RULES

Maple—One Meter Long—1 Inch Wide

Metric Graduations on one side and 8ths of inches on the other.



No. and Description	Weight Per Doz. (Lbs.)	Price Per Doz.
141 with Brass Tips	4	\$8.40
142 without Tips	3¾	5.75

GAUGING ROD

Maple—Brass Tip—Three Feet Long ½ Inch Square

Graduations on one side gives the capacity of a barrel from 1 to 120 gallons. The opposite side is graduated to show the quantity of liquid in a barrel having a capacity of 42 gallons and a bung diameter of 22 inches. The third side is graduated in regular inches and tenths of inches. The fourth side is blank.




No.	Weight Per Doz. (Lbs.)	Price Per Doz.
45	3	\$8.65

SHIP CARPENTERS BEVEL

Boxwood—Double Brass Tongues—Brass Trimmings

One Foot Long—Tongues 7 inches and 4 inches. Graduated 8ths and 16ths inches.



No.	Weight Per Doz. (Lbs.)	Price Per Doz.
42	3	\$7.20

COTTON STAPLE SCALE

Boxwood—3 Inches Long—1 Inch Wide

Beveled Edges—one edge graduated in 16ths, the other in millimeters.

Used to measure cotton fibres.



No.	Weight Per Doz. (Lbs.)	Price Per Doz.
299	1/4	\$4.25

No. 30½ is Packed 6 in a Box. All others are Packed 12 in a Package




STANLEY TOOLS

MISCELLANEOUS RULES

DESK RULES

Boxwood—One Foot Long— $\frac{3}{4}$ Inch Wide

One edge is beveled. This is a popular school rule.



Graduated 8ths and 16ths of inches Both Sides


No.	Weight Per Doz. (Lbs.)	Price Per Doz.
98	1	\$1.85

Graduated Metric on one Side, Inches on the other.

No.	Weight Per Doz. (Lbs.)	Price Per Doz.
98M	1	\$2.30

MANUAL TRAINING BENCH RULES

Brass Tips—Guaranteed 8ths and 16ths of Inches.



One Foot Long— $1\frac{1}{8}$ Inches Wide

No. and Description	Weight Per Doz. (Lbs.)	Price Per Doz.
34 $\frac{1}{4}$ —Maple	1 $\frac{3}{4}$	\$4.60
34 $\frac{1}{2}$ —Boxwood	1 $\frac{3}{4}$	5.75

Two Feet Long— $1\frac{1}{4}$ Inches Wide

No. and Description	Weight Per Doz. (Lbs.)	Price Per Doz.
34—Maple	2 $\frac{1}{2}$	\$5.75

MEASURING STICKS

Maple—Brass Tips— $1\frac{1}{4}$ Inches Wide


Graduated 8ths and 16ths of Inches



No.	Length (Feet)	Weight Per Doz. (Lbs.)	Price Per Doz.
71	3	4 $\frac{1}{2}$	\$10.65
	4	6	13.25
	5	7 $\frac{1}{2}$	18.65
	6	9	28.10

Maple—Brass Tips— $1\frac{1}{2}$ Inches Wide

Graduated 8ths and 16ths of Inches



No.	Length (Feet)	Weight Per Doz. (Lbs.)	Price Per Doz.
80	3	4 $\frac{1}{4}$	\$11.45

Packed 12 in a Paper Package except Nos. 450 and 550 which are Packed as ordered. No. 71, 6 in a Paper Package

EXTENSION STICKS

Maple—Brass Trim—1 Inch Wide

Graduated 8ths of Inches

When extended to the required length, the sections can be secured by the set screws.



No.	Length (Feet)	Weight Per Doz. (Lbs.)	Price Per Doz.
240	2 to 4	6 $\frac{1}{2}$	\$20.70
360	3 " 6	9	23.65
480	4 " 8	11	26.55
510	5 " 10	14	32.60
612	6 " 12	17	41.40

YARD STICKS

Graduated 8ths of Inches on one side and fractions of Yards on the other.

Nos. 41 and 50 have Brass Tips.




No. and Description	Width (Inches)	Weight Per Doz. (Lbs.)	Price Per Doz.
33—Maple	$\frac{3}{4}$	2	\$3.80
41	1	3 $\frac{3}{4}$	5.50
50—Hickory (Flexible)	$\frac{3}{4}$	2	7.95

STEEL YARD MEASURES

**Tempered Steel—Nickel Plated— $\frac{3}{4}$ Inch Wide
 $\frac{1}{16}$ Inch Thick**

Graduated in inches up to 9 inches and fractions of a yard ($\frac{1}{4}$, $\frac{3}{8}$, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, $\frac{7}{8}$).

Unmounted



No.	Weight Each (Lbs.)	Price Per Doz.
450	$\frac{3}{8}$	\$16.40

Mounted

Same as No. 450 but countersunk in wood so that it can be screwed to the edge of counter. Furnished with screws.



No.	Length Overall (Inches)	Weight Each (Lbs.)	Price Per Doz.
550	38 $\frac{3}{4}$	1	\$20.50



STANLEY TOOLS

STANLEY "ZIG ZAG" RULES

Stanley "Zig Zag" Rules are noted for their accuracy, wearing qualities and fine finish.

The Wood is carefully selected for strength and straight grain. The Tips, Strike Plates and Joints are Brass Plated

The Concealed Joint type has Strike Plates to prevent wear on the wood when the rule is opened and closed

For the Rivet Joint type the Rivet itself serves as a strike plate. All Rules have Direction Arrows and are graduated in 16ths of inches both sides. Rules are finished in yellow or white enamel.

SIX INCH FOLD— $\frac{5}{8}$ INCH WIDE CONCEALED JOINTS, REGULAR MARKING




Yellow Enamel Finish

No.	Length (Feet)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
02	2	$\frac{1}{2}$	\$2.70
03	3	$\frac{3}{4}$	4.05
04	4	1	5.40
05	5	$1\frac{1}{4}$	6.70
06	6	$1\frac{1}{2}$	8.05
08	8	2	10.75

White Enamel Finish

No.	Length (Feet)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
102	2	$\frac{1}{2}$	\$2.90
103	3	$\frac{3}{4}$	4.30
104	4	1	5.75
105	5	$1\frac{1}{4}$	7.20
106	6	$1\frac{1}{2}$	8.60
108	8	2	11.50

RIVET JOINTS—REGULAR MARKING



Yellow Enamel Finish

No.	Length (Feet)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
403	3	$\frac{3}{4}$	\$3.75
404	4	1	5.00
405	5	$1\frac{1}{4}$	6.20
406	6	$1\frac{1}{2}$	7.45
408	8	2	9.95

White Enamel Finish

No.	Length (Feet)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
503	3	$\frac{3}{4}$	\$4.05
504	4	1	5.35
505	5	$1\frac{1}{4}$	6.70
506	6	$1\frac{1}{2}$	8.05
508	8	2	10.70

RIVET JOINTS—"F" MARKING

Graduated in inches with the figures 1, 2, 3, etc., beginning on the inside of the rule. The figures 12, 24, 36, etc., are made extra large.



Yellow Enamel Finish

No.	Length (Feet)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
403F	3	$\frac{3}{4}$	\$3.75
404F	4	1	5.00
405F	5	$1\frac{1}{4}$	6.20
406F	6	$1\frac{1}{2}$	7.45
408F	8	2	9.95

White Enamel Finish

No.	Length (Feet)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
503F	3	$\frac{3}{4}$	\$4.05
504F	4	1	5.35
505F	5	$1\frac{1}{4}$	6.70
506F	6	$1\frac{1}{2}$	8.05
508F	8	2	10.70

All Packed 6 in a Box



STANLEY TOOLS

"VICTOR" "ZIG ZAG" RULES

Next in quality to the Stanley "Zig Zag" Rules are the "Victor" "Zig Zag" Rules. They do not have direction arrows or strike plates.

These Rules are graduated in 16ths of inches both sides and finely finished in yellow or white enamel. The Joints and Tips are Brass Plated.

SIX INCH FOLD— $\frac{5}{8}$ INCH WIDE RIVET JOINTS—REGULAR MARKING



Yellow Enamel Finish

No.	Length (Feet)	Weight (Lbs.)	Price Per Doz.
803	3	1 Doz. $1\frac{1}{2}$	\$2.90
804	4	$\frac{1}{2}$ " 1	3.85
805	5	$\frac{1}{2}$ " $1\frac{1}{4}$	4.50
806	6	$\frac{1}{2}$ " $1\frac{1}{2}$	5.15
808	8	$\frac{1}{2}$ " 2	7.30

White Enamel Finish

No.	Length (Feet)	Weight (Lbs.)	Price Per Doz.
853	3	1 Doz. $1\frac{1}{2}$	\$3.15
854	4	$\frac{1}{2}$ " 1	4.25
855	5	$\frac{1}{2}$ " $1\frac{1}{4}$	5.00
856	6	$\frac{1}{2}$ " $1\frac{1}{2}$	5.75
858	8	$\frac{1}{2}$ " 2	8.05

CONCEALED JOINTS—REGULAR MARKING



Yellow Enamel Finish


No.	Length (Feet)	Weight (Lbs.)	Price Per Doz.
703	3	1 Doz. $1\frac{1}{2}$	\$2.90
704	4	$\frac{1}{2}$ " 1	3.85
705	5	$\frac{1}{2}$ " $1\frac{1}{4}$	4.50
706	6	$\frac{1}{2}$ " $1\frac{1}{2}$	5.15
708	8	$\frac{1}{2}$ " 2	7.30

White Enamel Finish

No.	Length (Feet)	Weight (Lbs.)	Price Per Doz.
753	3	1 Doz. $1\frac{1}{2}$	\$3.15
754	4	$\frac{1}{2}$ " 1	4.25
755	5	$\frac{1}{2}$ " $1\frac{1}{4}$	5.00
756	6	$\frac{1}{2}$ " $1\frac{1}{2}$	5.75
758	8	$\frac{1}{2}$ " 2	8.05

RIVET JOINTS—"F" MARKING

Graduated in inches with the figures 1, 2, 3, etc., beginning on the inside of the rule. The figures 12, 24, 36, etc., are made extra large.



Yellow Enamel Finish

No.	Length (Feet)	Weight (Lbs.)	Price Per Doz.
803F	3	1 Doz. $1\frac{1}{2}$	\$2.90
804F	4	$\frac{1}{2}$ " 1	3.85
805F	5	$\frac{1}{2}$ " $1\frac{1}{4}$	4.50
806F	6	$\frac{1}{2}$ " $1\frac{1}{2}$	5.15
808F	8	$\frac{1}{2}$ " 2	7.30

White Enamel Finish

No.	Length (Feet)	Weight (Lbs.)	Price Per Doz.
853F	3	1 Doz. $1\frac{1}{2}$	\$3.15
854F	4	$\frac{1}{2}$ " 1	4.25
855F	5	$\frac{1}{2}$ " $1\frac{1}{4}$	5.00
856F	6	$\frac{1}{2}$ " $1\frac{1}{2}$	5.75
858F	8	$\frac{1}{2}$ " 2	8.05

Packed 6 in a Box except 3 Foot, which are Packed 12 in a Box



STANLEY TOOLS

SPECIAL "ZIG ZAG" RULES

HOOK RULES

Six Inch Folds—5/8 Inch Wide

The "Hook" feature is of particular value when measuring at heights or lengths beyond one's normal reach.

STANLEY

Same quality and finish as the regular Stanley "Zig Zag" Rules.

Concealed Joints—Regular Marking



No. and Description	Length (Feet)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
H 06—Yellow	6	1 1/2	\$8.60
H106—White	6	1 1/2	9.20

"VICTOR"

Same quality and finish as the regular "Victor" "Zig Zag" Rules.

Rivet Joints—Regular Marking



No. and Description	Length (Feet)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
H806—Yellow	6	1 1/2	\$5.75
H808 "	8	2	7.85
H856—White	6	1 1/2	6.35
H858 "	8	2	8.60

"VICTOR" EXTRA NARROW RULES CONCEALED JOINTS—FOUR INCH FOLDS

1/16 Inch Wide

Regular Marking

Finished in durable yellow or white enamel.



No. and Description	Length (Feet)	Weight Per Doz. (Lbs.)	Price Per Doz.
342—Yellow	2	3/4	\$2.90
343 "	3	1 1/4	4.35
344 "	4	1 1/2	5.75
642—White	2	3/4	3.05
643 "	3	1 1/4	4.60
644 "	4	1 1/2	6.15


Nos. 342-3-4 and 642-3-4 Packed 12 in a Box. All others are Packed 6 in a Box

EXTENSION RULES

CONCEALED JOINTS—SIX INCH FOLDS
5/8 Inch Wide

Regular Marking

These Rules have an extra leg called an Extension Slide which makes it an inside caliper. No. 204 will caliper 4 ft., 6 in. No. 206, 6 ft., 6 in. Yellow enamel finish.




No.	Length (Feet)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
204	4	1 1/4	\$8.45
206	6	1 3/4	11.35

ENGINEER'S RULES

RIVET JOINTS—SIX INCH FOLDS
5/8 Inch Wide

Graduated 10ths and 100ths of feet on one side and 16ths of inches on the other. A valuable rule for engineers, architects and others who use decimal measurements. Yellow enamel finish.




No.	Length (Feet)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
814	4	1	\$3.85
815	5	1 1/4	4.80
816	6	1 1/2	5.75

BLACKSMITHS RULE

RIVET JOINT—5/8 INCH WIDE

Made of Spring Brass. Designed for measuring hot metal. The Rule can be cooled by plunging it in water without injuring it.



No.	Length (Feet)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
17	2	1 1/8	\$11.50



STANLEY TOOLS

ALUMINUM "ZIG ZAG" RULES

"STRAIGHT EDGE"

Recommended for electricians, plumbers, steel workers, etc.

A straight line can be drawn along the entire edge of these rules as readily as with a straight edge. It is impossible to do this with any other folding rule.


The Joints (Pat. app. for) are made so that separate springs are unnecessary. The large locking area hold the legs rigid even when the rule is opened to its full length.

ROLLED ALUMINUM

Six Inch Folds— $\frac{5}{8}$ Inch Wide—Regular Marking

Made from a *rolled*, heat treated, aluminum alloy. This Rule is flexible yet possesses a high resistance to bending and breaking. The Joints are made from nickel silver—nothing to rust.

"Blindman's" figures. Graduated in 16ths inches both sides. Figures and Graduations are machine cut. They are filled with a lasting black material which makes a sharp contrast against the white satin finish of the rule.




No.	Length Feet	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
124	4	$1\frac{1}{2}$	\$16.15
125	5	$1\frac{1}{4}$	20.10
126	6	2	24.15

SHEET ALUMINUM

Six Inch Folds— $\frac{1}{2}$ Inch Wide—Regular Marking

Made from a *sheet*, heat treated, aluminum alloy. They are tempered to make them stiff and to prevent bending. The Joints (Pat. app. for) are made from hardened steel and possess unusual wearing qualities.

The Figures and Graduations are coined or raised (an exclusive, patented feature), and left the natural finish. The balance of the rule is finished in a black, baked enamel with brass plated trimmings. The rubbing which the rules get, from being carried in the pocket, only serves to make the graduations brighter.



No.	Length Feet	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
423	3	$1\frac{1}{2}$	\$12.00
424	4	2	16.15
425	5	$2\frac{1}{2}$	20.10
426	6	3	24.15

All packed 6 in a Box



STANLEY TOOLS

METRIC "ZIG ZAG" RULES

The Wood for each leg is carefully selected for strength and straight grain. Furnished with Strike Plates which prevent wear on the wood. All rules have Direction Arrows. Joints and Tips are brass plated. Finished in durable yellow or white enamel.

CONCEALED JOINTS


Graduated Metric on Both Sides

ONE METER LONG—10 FOLD



No. and Description	Width (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
313M—Yellow	$\frac{1}{16}$	$\frac{5}{8}$	\$4.40

ONE METER LONG—10 FOLD



No. and Description	Width (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
723M—Yellow	$\frac{5}{8}$	1	\$4.20

ONE METER LONG—6 FOLD



No. and Description	Width (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
713M—Yellow	$\frac{5}{8}$	$\frac{3}{4}$	\$3.05

TWO METERS LONG—12 FOLD




No. and Description	Width (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
733M—Yellow	$\frac{5}{8}$	$1\frac{3}{8}$	\$5.35

CONCEALED JOINTS

Graduated Metric and Burgos on One Side, Inches on the Other

ONE METER LONG—10 FOLD




No. and Description	Width (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
321M—Yellow	$\frac{1}{16}$	$\frac{5}{8}$	\$4.60

ONE METER LONG—10 FOLD




No. and Description	Width (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
721M—Yellow	$\frac{5}{8}$	1	\$4.40

ONE METER LONG—6 FOLD



No. and Description	Width (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
711M—Yellow	$\frac{5}{8}$	$\frac{3}{4}$	\$3.40

FOUR FEET LONG—8 FOLD



No. and Description	Width (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
734M—Yellow	$\frac{5}{8}$	1	\$3.80

All Packed 6 in a Box



STANLEY TOOLS

METRIC “ZIG ZAG” RULES

The Wood for each leg is carefully selected for strength and straight grain. All Rules have Direction Arrows. The Joints and Tips are brass plated. Finished in durable yellow or white enamel.

RIVET JOINTS

Graduated Metric on One Side, Inches on the Other

ONE METER LONG—10 FOLD



No. and Description	Width (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
822M—Yellow	7/16	5/8	\$4.20

CONCEALED JOINTS


Graduated Metric and Inches on Both Sides

ONE METER LONG—10 FOLD



No. and Description	Width (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
716M—Yellow	7/16	1	\$3.70

ONE METER LONG—6 FOLD




No. and Description	Width (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
812M—Yellow	5/8	3/4	\$3.05

ONE METER LONG—6 FOLD



No. and Description	Width (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
715M—Yellow	5/8	3/4	\$2.75

TWO METERS LONG—10 FOLD



No. and Description	Width (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
814M—Yellow	5/8	1 1/2	\$5.35

TWO METERS LONG—12 FOLD



No. and Description	Width (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
717M—Yellow	5/8	1 1/2	\$4.95

Packed 6 in a Box



STANLEY TOOLS

METRIC "ZIG ZAG" RULES

The Wood for each leg is carefully selected for strength and straight grain. The Concealed Joint type have Strike Plates to prevent wear on the wood. Joints and Tips are brass plated. Finished in durable yellow or white enamel.

CONCEALED JOINTS

Graduated Metric on One Side, Inches on the Other.

ONE METER LONG—10 FOLD



No. and Description	Width (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
311M—Yellow	$\frac{7}{16}$	$\frac{3}{4}$	\$4.40

ONE METER LONG—10 FOLD




No. and Description	Width (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
722M—Yellow	$\frac{5}{8}$	1	\$4.20
772M—White	$\frac{5}{8}$	1	4.40

ONE METER LONG—6 FOLD



No. and Description	Width (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
712M—Yellow	$\frac{5}{8}$	$\frac{3}{4}$	\$3.05
762M—White	$\frac{5}{8}$	$\frac{3}{4}$	3.25

TWO METERS LONG—12 FOLD



No. and Description	Width (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
714M—Yellow	$\frac{5}{8}$	$1\frac{1}{2}$	\$5.35
764M—White	$\frac{5}{8}$	$1\frac{1}{2}$	5.60

RIVET JOINTS


Graduated Metric on One Side, Inches on the Other

THREE FEET LONG—6 FOLD




No. and Description	Width (Inches)	Weight 1 Doz. (Lbs.)	Price Per Doz.
803M—Yellow	$\frac{5}{8}$	$1\frac{1}{2}$	\$2.70

FOUR FEET LONG—8 FOLD




No. and Description	Width (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
804M—Yellow	$\frac{5}{8}$	1	\$3.60

FIVE FEET LONG—10 FOLD



No. and Description	Width (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
805M—Yellow	$\frac{5}{8}$	$1\frac{1}{8}$	\$4.50

SIX FEET LONG—12 FOLD



No. and Description	Width (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
806M—Yellow	$\frac{5}{8}$	$1\frac{1}{2}$	\$5.40

Packed 6 in a Box Except Nos. 803M and 853M which are Packed 12 in a Box





LEVELS

Section
2

STANLEY TOOLS

ALUMINUM PLUMBS AND LEVELS

These Levels are light in weight and easy to handle. They will not rust or warp. The patented "Truss" construction makes them exceptionally strong. The Tops and Bottoms are milled and ground to insure two perfectly parallel surfaces.


The Glasses are so arranged that one or more of them are always available with which to plumb or level. All Glasses are "matched", and marked by two heavy, indelible black lines. Glass Covers protect the Glasses and keep out dirt.

FOR CARPENTERS

NON-ADJUSTABLE—6 PROVED GLASSES (2 DOUBLE PLUMBS AND 1 DOUBLE LEVEL)

SIZE $2\frac{3}{16}$ " x $1\frac{1}{16}$ "


The Glasses are set solid in plaster in Brass Cases. This permanent setting makes adjustment unnecessary



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
233	18	$1\frac{1}{2}$	\$4.75
	24	2	6.00

ADJUSTABLE—6 PROVED GLASSES (2 DOUBLE PLUMBS AND 1 DOUBLE LEVEL)

SIZE $2\frac{7}{16}$ " x $1\frac{1}{16}$ "




No.	Length (Inches)	Weight Each (Lbs.)	Price Each
232	24	$2\frac{5}{8}$	\$6.00
	26	$2\frac{3}{4}$	6.25
	28	$2\frac{7}{8}$	6.50
	30	3	6.75

FOR MASONS

ADJUSTABLE—6 PROVED GLASSES (2 DOUBLE PLUMBS AND 1 DOUBLE LEVEL)

SIZE $2\frac{13}{16}$ " x $1\frac{3}{16}$ "



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
235	42	$4\frac{1}{4}$	\$10.00

All Packed 1 in a Box



STANLEY TOOLS


MASONS WOOD PLUMBS AND LEVELS

Designed especially for Masons. These Levels are made of properly seasoned wood and are light in weight and easy to handle.


The "Matched Proved" Glasses are set solid in non-adjustable cases, and are marked by two heavy indelible black lines which makes it easy to locate the Bubble.

The Glasses are so arranged that one or more of them are always available with which to plumb or level. All Glasses are protected by heavy Glass Covers.

Painted a distinctive orange color.




Showing the arrangement of glasses in Nos.
252-253-254 Levels



Showing the arrangement of glasses in Nos.
250-251 levels

LIGHT WOOD— $27\frac{1}{16}$ " \times $1\frac{3}{16}$ " STOCK UNBOUND

Six "Proved" Glasses. (Four Single Plumbs, one Double Level.) "Handy Grip"



No.	Length (Inches)	Weight $\frac{1}{6}$ Doz. (Lbs.)	Price Each
252	42	5	\$4.00
	48	$5\frac{1}{2}$	4.25

ALUMINUM TIPS

Six "Proved" Glasses. (Four Single Plumbs and one Double Level.) "Handy Grip"



No.	Length (Inches)	Weight $\frac{1}{6}$ Doz. (Lbs.)	Price Each
254	48	$5\frac{1}{2}$	\$4.75

FULL ALUMINUM BOUND


Six "Proved" Glasses. (Four Single Plumbs and one Double Level.) "Handy Grip"



No.	Length (Inches)	Weight $\frac{1}{6}$ Doz. (Lbs.)	Price Each
253	42	$5\frac{1}{4}$	\$6.00
	48	6	6.50

UNBOUND

Six "Proved" Glasses. (Two Double-Plumbs, one Double Level.) "Handy Grip"



No.	Length (Inches)	Weight $\frac{1}{6}$ Doz. (Lbs.)	Price Each
250	42	5	\$4.00
	48	$5\frac{1}{2}$	4.25

FULL ALUMINUM BOUND

Six "Proved" Glasses. (Two Double Plumbs, one Double Level.) "Handy Grip"

No.	Length (Inches)	Weight $\frac{1}{6}$ Doz. (Lbs.)	Price Each
251	48	6	\$4.75

All Packed Two in a Box



STANLEY TOOLS

WOOD PLUMBS AND LEVELS

Made of properly seasoned wood.

A durable orange color gives them a very distinctive appearance.

The "Matched Proved" Glasses are so arranged that one or more Glasses are always available with which to level or plumb. The Cases are painted white and the Glasses are marked with two heavy indelible black lines. This makes it possible to quickly locate the Bubble. Glass Covers protect the Glasses and keep out dirt.

LIGHT WOOD, $2\frac{7}{16}$ " x $1\frac{1}{16}$ " STOCK

Two Proved Glasses (One Plumb, One Level) "Handy Grip"



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
257	18	1	\$1.20

Four Proved Glasses (Two Single Plumbs, One Double Level) "Handy Grip"



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
257	24	$1\frac{3}{8}$	\$2.25
	26	$1\frac{1}{2}$	2.30
	28	$1\frac{5}{8}$	2.35
	30	$1\frac{3}{4}$	2.40


FULL ALUMINUM BOUND

Four Proved Glasses (Two Single Plumbs, One Double Level) "Handy Grip"



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
258	24	$1\frac{1}{2}$	\$4.00
	26	$1\frac{5}{8}$	4.10
	28	$1\frac{3}{4}$	4.20
	30	$1\frac{7}{8}$	4.30

ARRANGEMENT OF GLASSES



The cases holding the level and plumb glasses are set solid in plaster in a brass case. This permanent setting makes adjustment unnecessary.

All Packed 1 in a Box



STANLEY TOOLS

WOOD PLUMBS AND LEVELS

NON-ADJUSTABLE—PROVED GLASSES

Made of properly seasoned Cherry with a fine hand-rubbed finish. All Levels have the "Handy Grip" for convenience in handling. The Level and Plumb Glasses are set solid in plaster and cannot be adjusted.

STOCK $2\frac{3}{8}'' \times 1\frac{1}{16}''$

LEVEL ONLY



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
102	10	$\frac{3}{4}$	\$.85
	12	$\frac{7}{8}$.85
	14	1	1.00
	16	$1\frac{1}{8}$	1.00
Doz. Assorted		Per Doz. 11	Per Doz. \$10.35



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
103	18	$1\frac{1}{4}$	\$1.20
	20	2	1.20
	22	$2\frac{1}{8}$	1.30
	24	$2\frac{1}{4}$	1.30
Dozen Assorted		Per Doz. 23	Per Doz. \$14.20

PLUMB AND LEVEL



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
104	12	$\frac{3}{4}$	\$1.30
	14	$\frac{7}{8}$	1.30
	16	$1\frac{1}{8}$	1.35
	18	$1\frac{1}{4}$	1.35
Doz. Assorted		Per Doz. 17	Per Doz. \$15.10

Brass Tips



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
104 $\frac{1}{2}$	12	1	\$2.05
	14	$1\frac{1}{8}$	2.05
	16	$1\frac{3}{8}$	2.10
	18	$1\frac{1}{2}$	2.10
Doz. Assorted		Per Doz. 19	Per Doz. \$23.65

STOCK $2\frac{3}{4}'' \times 1\frac{1}{16}''$

PLUMB AND LEVEL



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
00	18	$1\frac{3}{8}$	\$1.75
	20	$1\frac{1}{2}$	1.75
	22	$1\frac{5}{8}$	1.80
$\frac{1}{2}$ Doz. Assorted		$\frac{1}{2}$ Doz. 15 $\frac{1}{2}$	Per Doz. \$20.05



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
0	24	$1\frac{5}{8}$	\$1.90
	26	2	1.90
	28	$2\frac{1}{8}$	1.95
	30	$2\frac{1}{4}$	1.95
$\frac{1}{2}$ Doz. Assorted		$\frac{1}{2}$ Doz. 18	Per Doz. \$22.35



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
02	24	$2\frac{3}{4}$	\$2.40
	26	3	2.40
	28	$3\frac{1}{8}$	2.55
	30	$3\frac{1}{4}$	2.55
$\frac{1}{2}$ Doz. Assorted		$\frac{1}{2}$ Doz. 19	Per Doz. \$28.65

Brass Tips



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
03	24	3	\$2.70
	26	$3\frac{1}{4}$	2.70
	28	$3\frac{3}{8}$	2.85
	30	$3\frac{3}{4}$	2.85
$\frac{1}{2}$ Doz. Assorted		$\frac{1}{2}$ Doz. 20	Per Doz. \$32.65

Packed 12 in a Case Except Nos. 00, 0, 02 and 03 Packed 6 in a Case



STANLEY TOOLS

WOOD PLUMBS AND LEVELS

ADJUSTABLE

PROVED GLASSES

STOCK $2\frac{3}{4}'' \times 1\frac{13}{16}''$

Made of seasoned Hardwood with a fine hand-rubbed finish. All have the "Handy Grip" for convenience in handling. The Level Glass is set in plaster in a metal case, one end of which is held against a spiral spring by an adjusting screw. The complete case is fastened in the level by two screws. The Plumb Glass is set in a case flanged at one end, and secured to a cap so that there is leeway to rotate the case for the proper adjustment.


CHERRY



Brass Tips


No.	Length (Inches)	Weight Each (Lbs.)	Price Each
3	24	3	\$3.00
	26	$3\frac{1}{4}$	3.00
	28	$3\frac{1}{2}$	3.10
	30	$3\frac{3}{4}$	3.10
$\frac{1}{2}$ Doz. Assorted		$\frac{1}{2}$ Doz. 22	Per Doz. \$35.65

CHERRY



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
2	24	$2\frac{3}{4}$	\$2.65
	26	3	2.65
	28	$3\frac{1}{4}$	2.80
	30	$3\frac{3}{4}$	2.80
$\frac{1}{2}$ Doz. Assorted		$\frac{1}{2}$ Doz. 22	Per Doz. \$32.05

CHERRY—3-PLY



Brass Tips, Brass Lips

No.	Length (Inches)	Weight Each (Lbs.)	Price Each
5	24	$3\frac{1}{4}$	\$3.90
	26	$3\frac{3}{8}$	3.90
	28	$3\frac{5}{8}$	4.15
	30	$3\frac{3}{4}$	4.15
$\frac{1}{2}$ Doz. Assorted		$\frac{1}{2}$ Doz. 23	Per Doz. \$46.80

MAHOGANY



Brass Tips, Brass Lips


No.	Length (Inches)	Weight Each (Lbs.)	Price Each
9	24	3	\$3.85
	26	$3\frac{1}{4}$	3.85
	28	$3\frac{1}{2}$	4.05
	30	$3\frac{3}{4}$	4.05
$\frac{1}{2}$ Doz. Assorted		$\frac{1}{2}$ Doz. 21	Per Doz. \$45.70

Packed 6 in a Case

LEVEL TESTER

This is an accurate standard with which to test levels after a broken level or plumb glass has been replaced by a new one. It can be used to advantage by the dealer to satisfy a customer of the correctness of a new level.

Made of Iron. Japanned. Tops and Legs machined true.



No.	Length (Inches)	Width (Inches)	Weight Each (Lbs.)	Price Each
178	$31\frac{3}{4}$	$1\frac{5}{8}$	6	\$3.60

Packed 1 in a Box



STANLEY TOOLS


WOOD PLUMBS AND LEVELS

All have a fine hand-rubbed finish and are provided with the "Handy Grip" for convenience in handling.

DUPLEX ADJUSTABLE STOCK 23³/₄" x 1³/₁₆"

They have three glasses: a Level Glass set in the top, a Plumb Glass and a second Level Glass set in the side. The second level glass can be readily reversed to form a second plumb. Duplex Plumbs and Levels have the glasses close to one surface of the Level to give an increased angle of vision.

CHERRY



Brass Tips, Proved Glasses

No.	Length (Inches)	Weight Each (Lbs.)	Price Each
30	24	3 ¹ / ₈	\$3.90
	26	3 ¹ / ₄	3.90
	28	3 ¹ / ₂	4.15
	30	3 ³ / ₄	4.15
1 ¹ / ₂ Doz. Assorted		1 ¹ / ₂ Doz. 23	Per Doz. \$46.80

MAHOGANY



MAHOGANY—3-PLY



Brass Tips, Brass Lips, Proved Glasses

No.	Length (Inches)	Weight Each (Lbs.)	Price Each
25	24	3	\$4.95
	26	3 ¹ / ₄	4.95
	28	3 ¹ / ₂	5.20
	30	3 ³ / ₄	5.20
1 ¹ / ₂ Doz. Assorted		1 ¹ / ₂ Doz. 23	Per Doz. \$59.65

Brass Tips, Brass Lips, Proved Glasses

No.	Length (Inches)	Weight Each (Lbs.)	Price Each
50	24	3	\$4.65
	26	3 ¹ / ₄	4.65
	28	3 ¹ / ₂	4.95
	30	3 ³ / ₄	4.95
1 ¹ / ₂ Doz. Assorted		1 ¹ / ₂ Doz. 23	Per Doz. \$56.20

ADJUSTABLE TWO PLUMBS STOCK 23³/₄" x 1³/₁₆"

The Level Glass is set in plaster in a metal case, one end of which is held against a special spring by an adjusting screw. The complete case is fastened in the Level by two screws. The Plumb Glass is set in a case flanged at one end and secured to a cap so that there is leeway to rotate the case for proper adjustment.

CHERRY



Brass Tips, Proved Glasses

No.	Length (Inches)	Weight Each (Lbs.)	Price Each
13	24	2 ¹ / ₂	\$3.70
	26	2 ³ / ₄	3.70
	28	3	3.90
	30	3 ¹ / ₄	3.90

MAHOGANY—3 PLY



Brass Tips, Brass Lips, Proved Glasses

No.	Length (Inches)	Weight Each (Lbs.)	Price Each
15	24	2 ¹ / ₂	\$4.45
	26	2 ³ / ₄	4.45
	28	3	4.65
	30	3 ¹ / ₄	4.65

Packed 6 in a Case



STANLEY TOOLS

WOOD PLUMBS AND LEVELS

ADJUSTABLE—BRASS BOUND—BRASS TIPS

All of these Levels have a fine hand-rubbed finish and are provided with the "Handy Grip" for convenience in handling.

The life of these Levels is greatly increased by having the edges brass bound. This prevents the surface and edges from becoming damaged. The four edges are each protected by one piece of brass of special form, dovetailed the entire length into the wood and through the solid brass tips.

The Level Glass is set in plaster in a metal case, one end of which is held against a special spring by an adjusting screw. The complete case is fastened in the Level by two screws. The Plumb Glass in Nos. 98, 1093 and 1193 is set in a case flanged at one end and secured in the Level by two adjusting screws. In Nos. 93 and 95 the Plumb Glass is set in a case flanged at one end and secured to a cap made so that there is leeway to rotate the case.

STOCK 2 1/8" x 1 1/16"

ROSEWOOD



Ground Glasses, Single Plumb, Brass Lips

Important: In the 6 inch size only of No. 98 Level, the size of stock is 1 9/16" x 1 5/16" and the glasses are non-adjustable.

No.	Length (Inches)	Weight Each (Lbs.)	Price Each
98	6	7/8	\$3.00
	9	1 1/4	3.70
	12	1 1/2	4.45
	18	2	6.10

MAHOGANY



Proved Glasses, Single Plumb

No.	Length (Inches)	Weight Each (Lbs.)	Price Each
1093	12	1 1/8	\$2.85
	18	1 5/8	3.55
	24	2	4.15

MAHOGANY



Proved Glasses, Two Plumbs

No.	Length (Inches)	Weight Each (Lbs.)	Price Each
1193	12	1 1/8	\$4.00
	18	1 5/8	4.60
	24	2	5.20

STOCK 2 3/4" x 1 3/16"

MAHOGANY



Proved Glasses, Single Plumb

No.	Length (Inches)	Weight Each (Lbs.)	Price Each
93	24	3 1/2	\$4.95
	26	3 3/4	5.20
	28	4	5.40
	30	4 1/4	5.65

MAHOGANY



Ground Glasses, Single Plumb, Brass Lips

No.	Length (Inches)	Weight Each (Lbs.)	Price Each
95	24	3 3/4	\$7.35
	26	4	7.65
	28	4 1/4	7.95
	30	4 1/2	8.35

All Packed 1 in a Box



STANLEY TOOLS

MASONS WOOD PLUMBS AND LEVELS

CHERRY **STOCK 2 3/4" x 1 3/8"** **NON-ADJUSTABLE** **PROVED GLASSES**
These Levels have a fine hand-rubbed finish, and the "Handy Grip" for convenience in handling.



No.	Length (Inches)	Weight 1/2 Doz. (Lbs.)	Price Each
7 1/2	36	20	\$3.30
8	42	24	3.90

COMBINED PLUMB RULES AND LEVELS

Made from properly seasoned Pine. They have a cherry stain with a fine hand-rubbed finish. A 3 3/4 inch opening is provided for plumb bob line. Provided with "Handy Grip" for convenience in handling.

Pine, 3 5/8" x 1 3/8" Stock. Proved Glasses. Adjustable Level. Non-Adjustable Plumb



No.	Length (Inches)	Weight 1/2 Doz. (Lbs.)	Price Each
35	42	28	\$3.40

White Wood, 3 3/4" x 1 1/16" Stock. Adjustable. Proved Glasses. Double Plumb. Single Level



No.	Length (Inches)	Weight 1/2 Doz. (Lbs.)	Price Each
45 1/2	48	30	\$5.25

SPECIAL WOOD PLUMB AND LEVEL

EXTRA SMALL STOCK (1 7/8" x 3/4")
Cherry Non-Adjustable Proved Glasses




No.	Length (Inches)	Weight Each (Lbs.)	Price Each
107	9	3/8	\$1.00
	12	1/2	1.05

LEVEL GLASSES

PROVED

These Glasses are arch shaped. The high or crowning point is determined or "proved" by a special process.



No.	Length (Inches)	Weight Per Doz. (Lbs.)	Price Per Doz.
208	1	1/4	\$1.15
	1 1/4	1/4	1.15
	1 1/2	1/4	1.15
	1 3/4	1/4	1.15
	2	1/2	1.30
	2 1/4	1/2	1.35
	2 1/2	1/2	1.45
	3	5/8	1.60
	3 1/2	5/8	1.65
	4	5/8	2.05
Assorted	12 glasses	3/4	1.50

GROUND

These Glasses are straight. The crowning point is ground out on the inside. The Bubble is very sensitive.



No.	Length (Inches)	Weight Per Doz. (Lbs.)	Price Per Doz.
209	1	1/4	\$5.05
	1 1/4	1/4	5.05
	1 1/2	1/4	5.05
	1 3/4	1/4	5.05
	2	1/2	7.00
	2 1/2	1/2	7.50
	3	5/8	8.05
	3 1/2	5/8	9.00
	4	7/8	13.60

Packed 6 in a Box Except No. 107 which is Packed 12 in a Case, and Nos 208 and 209, which are Packed 12 in a Box



STANLEY TOOLS

METALLIC PLUMBS AND LEVELS

Popular Levels with carpenters, plumbers and millwrights. They are made from special iron castings of "I" beam construction insuring lightness, strength and rigidity. The tops and bottoms are milled and wet ground to insure two perfectly parallel surfaces.

The Proved Glasses are set in removable Metal Cases which fit on supports cast in the frame of the Level. They are so arranged that either the top or bottom of the Level can be used to plumb and level.

Levels with Grooved Bottoms are particularly adapted for leveling shaftings, piping, etc.

JAPANNED

NICKEL TRIM


ADJUSTABLE

PROVED GLASSES


Flat Bottom



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
36	6	$\frac{7}{8}$	\$1.95



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
36	9	$1\frac{1}{4}$	\$2.40



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
36	12	2	\$2.65



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
36	18	3	\$3.15




No.	Length (Inches)	Weight Each (Lbs.)	Price Each
36	24	$4\frac{1}{4}$	\$3.55

Grooved Bottom



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
36G	6	$\frac{7}{8}$	\$2.10



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
36G	9	$1\frac{1}{4}$	\$2.55



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
36G	12	2	\$2.80



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
36G	18	3	\$3.40



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
36G	24	$4\frac{1}{4}$	\$3.85

All Packed 1 in a Box



STANLEY TOOLS

METALLIC PLUMBS AND LEVELS

Recommended for carpenters, plumbers and mill wrights. Made from special iron castings of "I" beam construction insuring lightness, strength and rigidity. The Tops and Bottoms are milled and wet ground to insure two perfectly parallel surfaces. Full Nickel Plated. Fitted with "Eclipse" Covers.

The "Eclipse" Cover is an outer tube fitting over the Level Cases, which can be turned either to expose the Level Glass or to completely protect it when not in use.

Can be furnished either with Flat or Grooved Bottoms. The latter are particularly useful for leveling shafting, piping, etc.


NICKEL PLATED

ADJUSTABLE

GROUND GLASSES

ECLIPSE COVERS

Flat Bottoms



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
37	6	$\frac{7}{8}$	\$2.70



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
37	9	$1\frac{1}{4}$	\$3.30



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
37	12	$2\frac{1}{16}$	\$3.75




No.	Length (Inches)	Weight Each (Lbs.)	Price Each
37	18	$3\frac{1}{8}$	\$4.60




No.	Length (Inches)	Weight Each (Lbs.)	Price Each
37	24	$4\frac{1}{4}$	\$5.20


Grooved Bottoms



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
37G	6	$\frac{7}{8}$	\$2.85




No.	Length (Inches)	Weight Each (Lbs.)	Price Each
37G	9	$1\frac{3}{8}$	\$3.45



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
37G	12	2	\$4.00



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
37G	18	3	\$4.80



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
37G	24	$4\frac{1}{8}$	\$5.55

All Packed 1 in a Box



STANLEY TOOLS


ALUMINUM PLUMBS AND LEVELS

Especially adapted for carpenters. They are light in weight, strong and will not rust or warp. The Tops and Bottoms are milled and ground to insure two perfectly parallel surfaces.

NICKEL TRIM ADJUSTABLE PROVED GLASSES ECLIPSE COVERS

Three Proved Glasses (One Level and Two Plumbs)

The "Eclipse" Covers can be turned to protect the Glasses when not in use.



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
237	12	1	\$4.30



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
237	18	1½	\$5.25



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
237	24	2	\$6.25

NICKEL TRIM NON-ADJUSTABLE PROVED GLASSES

Four Proved Glasses (Two Levels and Two Plumbs)

There is one Level Glass in the top of the frame and another directly beneath it, so that the user can level equally as well from above or below the work.

The patented "Truss" form of construction makes this Level exceptionally strong.



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
236	24	1¾	\$6.00

All Packed 1 in a Box



STANLEY TOOLS

METALLIC LEVELS

MACHINISTS ECLIPSE LEVELS


NICKEL PLATED

GROUND GLASSES


ECLIPSE COVERS

The Bottoms are accurately milled. The Ground Glasses are extra long and of large diameter, making a very practical Level for the machinist. The Glasses are set in Metal Cases, and attached with a positive screw adjustment. Furnished with "Eclipse" Covers which can be turned to protect the Glasses when not in use.

The "V" or Grooved Bottom Levels are designed for leveling shaftings, pipes, etc.



End View of a Flat Bottom Level



Flat Bottom


No.	Length (Inches)	Weight Each (Lbs.)	Price Each
34	4	$\frac{1}{2}$	\$1.75
	6	$\frac{3}{4}$	2.20



End View of a "V" or Grooved Bottom Level

"V" Bottom

No.	Length (Inches)	Weight Each (Lbs.)	Price Each
34G	4	$\frac{3}{8}$	\$1.80
	6	$\frac{5}{8}$	2.25



Flat Bottom

No.	Length (Inches)	Weight Each (Lbs.)	Price Each
34	8	$1\frac{1}{8}$	\$2.85
	10	$1\frac{3}{8}$	3.20

"V" Bottom

No.	Length (Inches)	Weight Each (Lbs.)	Price Each
34G	8	$1\frac{5}{16}$	\$3.00
	10	$1\frac{3}{16}$	3.30

SQUARE IRON LEVELS

PROVED GLASSES NICKEL PLATED

Popular Machinists Levels. The Proved Glass is set solid in plaster. An opening in the side of the Level makes the Glass easy to read.



No.	Length (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Each
38 $\frac{1}{2}$	4	$1\frac{1}{2}$	\$.85
39 $\frac{1}{2}$	6	$3\frac{1}{2}$	1.05

HEXAGON POCKET LEVELS

PROVED GLASSES NICKEL PLATED

Handy to carry and accurate enough for all ordinary work. The Proved Glass is set solid in plaster.



No.	Length (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Each
31	2	$\frac{1}{8}$	\$.55
	2 $\frac{1}{2}$	$\frac{1}{4}$.60
	3	$\frac{1}{2}$.70
	3 $\frac{1}{2}$	$\frac{5}{8}$.85

Packed 1 in a Box Except Nos. 38 $\frac{1}{2}$, 39 $\frac{1}{2}$ and 31 which are Packed 6 in a Box



STANLEY TOOLS

MISCELLANEOUS LEVELS

ALUMINUM LINE LEVELS

Used to determine grades, to lay foundations, brick walls, tile pipe, to work ditches, trim hedges, etc.


The patented Guards on the Hooks make it practically impossible to shake the Level from a line.

The lightness of these Levels (less than $\frac{1}{2}$ ounce) and the extra long case (a $\frac{1}{4}$ inch more than most levels of this type) tends to eliminate sag in the line.

The Proved Glass is set solid in plaster.


LINE AND SURFACE LEVEL $\frac{3}{4}$ Round Tubing

The flat bottom makes it adaptable for surface leveling.



No.	Length (Inches)	Weight Each (Ounce)	Price Per Doz.
87	3 $\frac{1}{4}$	$\frac{1}{2}$	\$9.00

LINE LEVEL ONLY Round Tubing



No.	Length (Inches)	Weight Each (Ounce)	Price Per Doz.
187	3 $\frac{1}{4}$	$\frac{1}{2}$	\$6.00

CAMERA LEVEL

Handy for leveling cameras, clocks, etc. Proved Glasses. Made of Brass and Japanned.



No.	Weight Per Doz. (Lbs.)	Price Per Doz.
181	$\frac{1}{2}$	\$6.00

POCKET LEVELS

Can be attached to any straight edge or carpenter's square.

Proved Glass. Made of Iron and Japanned.




No. and Description	Weight Per Doz. (Lbs.)	Price Per Doz.
40 Japan Top Plate	2	\$2.85
41 Brass Top Plate	1 $\frac{3}{4}$	2.95

BIT AND SQUARE LEVEL

Can be attached to the shank of a bit, either horizontally, vertically or at an angle of 45 degrees. Can also be attached to a square.

Proved Glass. Made of Brass.



No.	Weight Each (Lbs.)	Price Each
44	$\frac{1}{8}$	\$0.55

Nos. 87 and 187 Packed 6 on a Card. Nos. 181, 40 and 41 Packed 12 in a Box. No. 44 Packed 1 in a Box




STANLEY TOOLS

LEVEL SIGHTS

Used with a level as an inexpensive substitute for surveyor's instruments for leveling and aligning walls, running grades, fences, etc. Wrought Brass. Black Finish.


FOR WOOD AND METAL LEVELS

Can be used on any wood or metal level from $\frac{7}{8}$ to $1\frac{3}{8}$ inches in thickness




No.	Weight Per Pair (Lbs.)	Price Per Pair
138	$\frac{3}{8}$	\$1.15

FOR WOOD LEVELS ONLY



No.	Weight Per Pair (Lbs.)	Price Per Pair
1	$\frac{5}{16}$	\$1.15

FOR METAL LEVELS ONLY



No.	Weight Per Pair (Lbs.)	Price Per Pair
2	$\frac{1}{4}$	\$1.15

ADJUSTABLE LEVELING STANDS




FOR WOOD AND METAL LEVELS

Used with a level and a pair of level sights. For ordinary work it makes a very satisfactory and inexpensive substitute for the more expensive surveyor's instruments.

With this Stand one can determine levels from a given point to another, when locating or setting the profiles or foundations, determining grades for drains, ditches, etc.

This Stand can be used on any reasonably flat surface such as a box or wall. The Swivel Part of the Stand can be made exactly level by means of the adjusting screws. It can also be fastened to a stake or crow bar and adjusted to a horizontal position even though the support may not be exactly perpendicular.

Full Nickel Plated.



*Illustrations Show How
No. 338 Leveling Stand
May be Used*



No.	Weight Each (Lbs.)	Price Each
338	$2\frac{1}{2}$	\$3.10

LEVELING SET No. 39

A Leveling Set consisting of one No. 338 Leveling Stand, one No. 36-12 inch Metal Level and one pair of No. 2 Level Sights can be supplied under class number 39. Price Per Set \$7.00. Weight of Set, $4\frac{1}{2}$ lbs.


All Packed 1 in a Box except the Level Sights which are Packed 1 Pair in a Box



STANLEY TOOLS

HOLLOW HANDLE TOOL SETS

10 TOOLS




Polished Cocobolo Handle, fitted with steel Strike Plate. Nickel Plated Shell, Case Hardened Jaws.

10 Tools: 1 each, Gimlet, File, Saw, Chisel, Reamer, Scratch Awl, 2 each Brad Awls and Screw Drivers.

Extra saws, 6¾ in. long, can be furnished at \$0.15 each.

No. and Description	Length (In.)	Length of Tools (In.)	Weight Each (Lbs.)	Price Each
300 Cocobolo	7¾	4	1	\$3.75

8 TOOLS




Polished Handles, Nickel Plated Shell, Case Hardened Jaws.

8 Tools: 1 each, Gimlet, File, Saw, Chisel, Reamer, Screw Driver and 2 Brad Awls.

Extra Saws, 6¾ in. long, can be furnished at \$0.15 each.

No. and Description	Length (In.)	Length of Tools (In.)	Weight ½ Doz. (Lbs.)	Price Each
301 Cocobolo	7¾	4	4¼	\$2.80
302 Hardwood	7¾	4	4	2.55

10 TOOLS




Polished Handle, Nickel Plated Shell, Case Hardened Jaws.

10 Tools: 1 each, Gimlet, Chisel, Reamer, Scratch Awl, Tack Puller, 2 Screw Drivers and 3 Brad Awls.

No. and Description	Length (In.)	Length of Tools (In.)	Weight ½ Doz. (Lbs.)	Price Each
303 Cocobolo	5¾	3½	2¾	\$2.20
304 Maple	5¾	3½	2⅝	1.50

12 TOOLS



Polished Handle, Nickel Plated Ferrule. Tools are held in the Ferrule.

12 Tools: 1 each, Chisel, Reamer, Scratch Awl, Screw Driver, Tack Puller, Belt Awl and 6 Brad Awls.

No. and Description	Length (In.)	Length of Tools (In.)	Weight ½ Doz. (Lbs.)	Price Each
305 Cocobolo	4¼	1⅝	1⅝	\$1.90
306 Maple	4¼	1⅝	1⅜	1.65

No. 300 Packed 1 in a Box, All others Packed 6 in a Box






PLANES

Section
3

STANLEY TOOLS


STANLEY "BAILEY" ADJUSTABLE BENCH PLANES



STANLEY PLANES ARE STANDARD PLANES EVERYWHERE

LOOK FOR THESE IDENTIFICATION MARKS

The Label on the Box



Registered

The Brands on the Plane



The Tag on the Plane



RECOGNIZED EVERYWHERE AS—

The Complete Line—They are made in all sizes of Smooth, Jack, Fore and Jointer Planes. There are Iron Planes, Steel Planes, Aluminum Planes and Wood Planes in the Stanley Line.

The Line that is asked for—By the Trade who sell tools, by the Artisan and Wood Workers who use tools and the Manual Training Instructors who teach the use of tools.

The Quality Line—For sixty years the name Stanley on a Plane has been an accepted guarantee of quality, because Stanley has constantly used better materials and better workmanship and constantly built to better designs, for example:


THE PLANE IRON OR CUTTER

The shaded cutting edge (A) is made from crucible steel of extra high carbon content. The remainder of the cutter (B) is made from a lower carbon crucible steel and acts as a backing for the cutting edge (A). Both parts (A and B) are welded together when originally cast in the ingot. They positively cannot be separated.

This type of construction permits the use of a higher carbon content steel for the cutting edge than is practical in any other construction. The soft backing of steel (B) yields readily to the pressure of the cap and lever and permits a firmer seat on the frog. Easier honing or grinding is possible than if the entire bevel was high carbon steel.

In the heat treatment the utmost care is used. All cutters are individually hardened and tempered.


The Trade can Sell Quality in a Plane by the name Stanley because an industry with Sixty Years Experience is Behind Every Plane.




STANLEY TOOLS

STANLEY “BAILEY” ADJUSTABLE IRON PLANES SMOOTH BOTTOM


The Handles and Knobs are made from Rosewood. The Cutters are adjustable endwise and sidewise.



No. and Description	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
1 Smooth	5½	1¼	1¼	\$2.95
2 “	7	1⅝	2½	3.75
3 “	8	1¾	3½	3.90
4 “	9	2	3¾	4.20
4½ “	10	2⅜	5	4.90



No. and Description	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
5 Jack	14	2	5	\$4.80
5¼ “	11½	1¾	3¾	4.35
5½ “	15	2¼	6	5.55



No. and Description	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
6 Fore	18	2⅜	7	\$6.25
7 Jointer	22	2⅝	8	7.15
8 “	24	2⅝	9½	8.50


All Packed 1 in a Box. For Prices of Plane Irons (Cutters) and Parts see Pages 190 and 191




STANLEY TOOLS

STANLEY "BAILEY" ADJUSTABLE IRON PLANES CORRUGATED BOTTOMS


The Handles and Knobs are made from Rosewood. The Cutters are adjustable endwise and sidewise.



No. and Description	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
2C Smooth	7	1 $\frac{5}{8}$	2 $\frac{1}{2}$	\$4.00
3C "	8	1 $\frac{3}{4}$	3 $\frac{1}{2}$	4.15
4C "	9	2	3 $\frac{3}{4}$	4.45
4 $\frac{1}{2}$ C "	10	2 $\frac{3}{8}$	4 $\frac{7}{8}$	5.10



No. and Description	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
5C Jack	14	2	4 $\frac{3}{4}$	\$5.05
5 $\frac{1}{4}$ C "	11 $\frac{1}{2}$	1 $\frac{3}{4}$	3 $\frac{3}{4}$	4.60
5 $\frac{1}{2}$ C "	15	2 $\frac{1}{4}$	5 $\frac{7}{8}$	5.85



No. and Description	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
6C Fore	18	2 $\frac{3}{8}$	6 $\frac{7}{8}$	\$6.50
7C Jointer	22	2 $\frac{3}{8}$	7 $\frac{3}{4}$	7.45
8C "	24	2 $\frac{5}{8}$	9 $\frac{1}{4}$	8.95


All Packed 1 in a Box. For Prices of Plane Irons (Cutters) and Parts see Pages 190 and 191



STANLEY TOOLS


STANLEY "BED ROCK" ADJUSTABLE IRON PLANES

A Line of Stanley Planes—(1) With unusual rigidity in the fitting of the Cutter, Frog and Bottom
(2) Especially designed for Manual Training use.




LOOK FOR THESE IDENTIFICATION MARKS

The Label on the Box



Registered

The Brands on the Plane



No Vibration—The cutter, frog and bottom are so designed, machined and fitted that they are practically one solid piece of metal. This prevents any chance of vibration.

Shape of Sides—Particular attention is called to the shape of the sides. This construction adds greatly to the strength of the plane and affords a large bearing surface when the plane is used on its side.

Frog Construction—The frog may be adjusted either forward or backward without removing the lever and cutter. It is only necessary to slacken the tension of the two frog clamping screws "B", and with a screwdriver adjust the frog as desired by means of the adjusting screw "C" in the center, and then tighten the frog clamping screws. (See cut.)

The frog is held to its seat by means of two pins (A) which are of large diameter. Each of these has a tapered hole near the lower end into which two frog clamping screws (B) fit. The center of the tapered hole in these pins (A) is slightly above the center line of the frog-clamping screws (B). When these screws are set, they produce the effect of a wedge and draw the pins downward, and clamp the frog absolutely rigid in its place.



STANLEY TOOLS

"BED ROCK" ADJUSTABLE IRON PLANES

These Planes have Rosewood Handles and Knobs. The Cutters are adjustable endwise and sidewise. Furnished with either Smooth or Corrugated Bottoms.




Illustration shows the corrugated bottom of a No. 603C Plane

SMOOTH BOTTOMS

No. and Description	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
602 Smooth	7	1 $\frac{5}{8}$	2 $\frac{3}{4}$	\$4.15
603 "	8	1 $\frac{3}{4}$	3 $\frac{1}{2}$	4.30
604 "	9	2	4	4.65
604 $\frac{1}{2}$ "	10	2 $\frac{3}{8}$	5 $\frac{1}{4}$	5.35

CORRUGATED BOTTOMS

No. and Description	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
603C Smooth	8	1 $\frac{3}{4}$	3 $\frac{1}{2}$	\$4.50
604C "	9	2	4	4.90
604 $\frac{1}{2}$ C "	10	2 $\frac{3}{8}$	5 $\frac{1}{8}$	5.65




Illustration shows the corrugated bottom of a No. 605C Plane

SMOOTH BOTTOMS

No. and Description	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
605 Jack	14	2	5	\$5.25
605 $\frac{1}{4}$ "	11 $\frac{1}{2}$	1 $\frac{3}{4}$	4	4.80
605 $\frac{1}{2}$ "	15	2 $\frac{3}{4}$	6 $\frac{1}{4}$	6.10

CORRUGATED BOTTOMS

No. and Description	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
605C Jack	14	2	4 $\frac{7}{8}$	\$5.55
605 $\frac{1}{2}$ C "	15	2 $\frac{1}{4}$	6 $\frac{1}{8}$	6.45




Illustration shows the corrugated bottom of a No. 606C Plane

SMOOTH BOTTOMS

No. and Description	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
606 Fore	18	2 $\frac{3}{8}$	7	\$6.85
607 Jointer	22	2 $\frac{3}{8}$	8	7.80
608 "	24	2 $\frac{5}{8}$	10	9.30

CORRUGATED BOTTOMS

No. and Description	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
606C Fore	18	2 $\frac{3}{8}$	6 $\frac{7}{8}$	\$7.20
607C Jointer	22	2 $\frac{3}{8}$	7 $\frac{3}{4}$	8.20
608C "	24	2 $\frac{5}{8}$	9 $\frac{3}{4}$	9.75

All Packed 1 in a Box. For Prices of Plane Irons (Cutters) and Parts see Pages 190 and 192




STANLEY TOOLS

ADJUSTABLE STEEL BENCH PLANES

These Planes are made like the Stanley “Bailey” Iron Bench Planes except that they have a pressed Steel Bottom and a malleable iron Frog and Lever Cap. These combined features make these Planes practically indestructible and give them a different appearance.

The pressed Steel Bottom is reinforced by cross pieces which make it exceptionally rigid. The other parts of the Plane are assembled to this bottom to make a perfectly balanced tool.

Rosewood Handles and Knobs.




No. and Description	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
S4 Smooth	9	2	3 1/8	\$4.75
S5 Jack	14	2	4	5.40

Packed 1 in a Box. For Prices of Plane Irons and Parts see Pages 190 and 191

ADJUSTABLE ALUMINUM BENCH PLANES

These Planes are the same as the Stanley “Bailey” Iron Bench Planes except that the Bottoms and Frogs are made of Aluminum. They are light in weight and rust proof.

Rosewood Handles and Knobs.



No. and Description	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
A4 Smooth	9	2	2 1/2	\$5.65
A5 Jack	14	2	3	6.45
A6 Fore	18	2 3/8	4 3/8	8.65

Packed 1 in a Box. For Prices of Plane Irons and Parts see Pages 190 and 191



STANLEY TOOLS

"GAGE" IRON SELF-SETTING PLANES

The Self-Setting Features are:

(1) The relation of the edge of the Steel Cap to the edge of the Iron is automatically adjusted when setting the Plane for coarse or fine work.

(2) After the Plane Iron and Cap are once set they can be removed and replaced in exactly the same position. The Steel Cap on the Lever can be adjusted to the Cutting Iron to make either a single or double iron as desired for fine or rough work.

The Cutter is held so rigidly that it will not chatter.

The Frog is fitted to the Plane and then permanently attached so that a continuous cutter seat is obtained to the plane mouth.

The Handles and Knobs are made of Rosewood.




Illustration shows the corrugated bottom of a No. G3C Plane

SMOOTH BOTTOMS

No. and Description	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
G3 Smooth	8 $\frac{3}{4}$	1 $\frac{3}{4}$	2 $\frac{3}{4}$	\$4.05
G4 "	9	2	3 $\frac{1}{8}$	4.45

CORRUGATED BOTTOMS

No. and Description	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
G3C Smooth	8 $\frac{3}{4}$	1 $\frac{3}{4}$	2 $\frac{3}{4}$	\$4.30
G4C "	9	2	3 $\frac{1}{8}$	4.65




Illustration shows the corrugated bottom of a No. G5C Plane

SMOOTH BOTTOMS

No. and Description	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
G5 Jack	14	2	4	\$5.10

CORRUGATED BOTTOMS

No. and Description	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
G5C Jack	14	2	3 $\frac{3}{4}$	\$5.35




Illustration shows the corrugated bottom of a No. G6C Plane

SMOOTH BOTTOMS

No. and Description	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
G6 Fore	18	2 $\frac{1}{4}$	5 $\frac{1}{2}$	\$6.55
G7 Jointer	22	2 $\frac{1}{2}$	6 $\frac{3}{4}$	7.45

CORRUGATED BOTTOMS

No. and Description	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
G6C Fore	18	2 $\frac{1}{4}$	5 $\frac{3}{8}$	\$6.85
G7C Jointer	22	2 $\frac{1}{2}$	6 $\frac{5}{8}$	7.80

All Packed 1 in a Box. For Prices of Plane Irons (Cutters) and Plane Parts see Pages 190 and 193




STANLEY TOOLS

BENCH RABBET PLANES

Valuable Planes for all woodworkers. They are adapted for any kind of work where rabbets are to be cut. The Cutter is fitted with a Cap Iron, and is adjustable endwise and sidewise, like the cutter of a regular Bench Plane. The Bottoms are made of malleable iron and are practically indestructible. Rosewood Handles and Knobs.


REGULAR TYPE



No. and Description	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
10½ Smooth	9¼	2⅛	3¼	\$5.20
10 Jack	13	2⅛	4¼	6.25

TILTING HANDLE AND KNOB

The Handle and Knob can be tilted to either side and held by a set screw so that the Plane can be worked close to perpendicular surfaces. Fitted with Spurs that can be used to rabbet across the grain.



No. and Description	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
10¼ Jack	13	2⅛	4¼	\$7.50

SCRUB PLANES

A time and labor saving Plane. It is possible to bring a board or plank down to rough dimensions much faster and more accurately with this Plane, than with a saw or hatchet. The extra heavy, narrow cutter has a rounded cutting edge which makes it a fast and easy working plane.

Strong and durable construction. Sides and Lever Japanned. Beech Handle and Knob.



No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
40	9½	1¼	2⅛	\$2.25
40½	10½	1½	2½	3.00

All Packed 1 in a Box. For Prices of Plane Irons and Parts see Pages 190 and 196




STANLEY TOOLS

STANLEY "BAILEY" ADJUSTABLE WOOD PLANES


The Bottoms, Knobs and Handles are made from thoroughly seasoned, selected Beech. The Cutters are adjustable endwise and sidewise. The Frog is held in place by two screws which pass through the top iron and screw into brass lugs. The lugs are screwed into the wood bottom and securely pinned.




No. and Description	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
22 Smooth	8	1 3/4	2 1/2	\$3.00
24 "	9	2	3	3.15



No. and Description	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
35 Smooth	9	2	3 1/4	\$3.70
36 "	10	2 3/8	4	4.15



No. and Description	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
26 Jack	15	2	3 3/4	\$3.25
27 1/2 "	15	2 1/4	4 3/4	3.75



No. and Description	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
28 Fore	18	2 3/8	5 1/2	\$4.15
31 Jointer	24	2 3/8	6 1/4	4.45
32 "	26	2 5/8	7 1/2	4.80

Packed 1 in a Box, Except Nos. 26, 27 1/2, 28, 31 and 32 Packed 1 in a Paper Package

For Prices of Plane Irons (Cutters) and Plane Parts see Pages 190 and 194



STANLEY TOOLS

STANLEY “BAILEY” ADJUSTABLE BLOCK PLANES

The Cutter rests on its seat at an angle of 20 degrees, and is adjustable endwise and sidewise. The Throat is adjustable for coarse or fine work. All have the “Handy” Grip.



JAPANNED TRIMMINGS

No.	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
9½	6	1⅝	1½	\$2.20
15	7	1⅝	1⅝	2.35



NICKEL PLATED TRIMMINGS

No.	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
16	6	1⅝	1½	\$2.50
17	7	1⅝	1⅝	2.70

“KNUCKLE JOINT” LEVER

These Planes have a patented, steel Lever or Cap which snaps into position and locks the Cutter when replaced. Its distinctive shape fits the hand comfortably.


IRON



Showing design of Steel
Lever or Cap

No.	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
18	6	1⅝	1½	\$2.85
19	7	1⅝	1⅝	3.10


STEEL



These Planes are practically indestructible. The Bottom and Adjustable Front are made of steel, otherwise they are the same as No. 18.

No.	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
S18	6	1⅝	1¼	\$3.45

ALUMINUM



These Planes are light in weight and rust proof. The Bottom and Adjustable Front are made of Aluminum, otherwise they are the same as No. 18.

No.	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
A18	6	1⅝	1	\$3.45

All Packed 1 in a Box. For Prices of Plane Irons and Plane Parts see Pages 190 and 195




STANLEY TOOLS

ADJUSTABLE LOW ANGLE IRON BLOCK PLANES

The Cutter rests on its seat at an angle of 12 degrees. The low angle of the Cutter makes it easy to plane across hardwood. The Cutter is adjustable endwise by means of the steel adjusting screw. The Bottoms and Sides are milled and ground.

ADJUSTABLE THROAT



NICKEL PLATED TRIMMINGS. "HANDY" GRIP


No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
60	6	1 $\frac{3}{8}$	1 $\frac{1}{8}$	\$2.55

JAPANNED TRIMMINGS. "HANDY" GRIP

No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
60 $\frac{1}{2}$	6	1 $\frac{3}{8}$	1 $\frac{1}{8}$	\$2.35
65 $\frac{1}{2}$	7	1 $\frac{5}{8}$	1 $\frac{3}{8}$	2.50

ADJUSTABLE THROAT "Knuckle Joint" Lever

Nickel Plated Trimmings. "Handy" Grip. Fitted with a patented, steel lever or cap which snaps into position and locks the cutter when replaced. Its distinctive shape fits the hand comfortably.



No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
65	7	1 $\frac{5}{8}$	1 $\frac{3}{8}$	\$3.00

NON-ADJUSTABLE THROAT

Nickel Trimmings. Rosewood Knob. "Handy" Grip.




No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
61	6	1 $\frac{3}{8}$	1	\$2.25
63	7	1 $\frac{5}{8}$	1 $\frac{1}{4}$	2.65

SPECIAL ADJUSTABLE LOW ANGLE IRON PLANES

Designed for cutting across the grain on heavy wood, where more power is required than can be obtained from the use of a regular Block Plane.


Rosewood Handle and Knob. Nickel Plated Trimmings.

The cutter adjustment on this Plane is exactly like a Block Plane.



No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
62	14	2	3 $\frac{3}{4}$	\$5.40

This Plane has an overhead cutter adjustment.



No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
164	9	2	3 $\frac{3}{4}$	\$4.90

All Packed 1 in a Box. For Prices of Plane Irons (Cutters) and Parts see Pages 190 and 195



STANLEY TOOLS


BLOCK PLANES ADJUSTABLE

The Cutter is adjustable endwise by means of a steel adjusting screw. The Bottom and Sides are milled and ground.
Japanned Trimmings. Rosewood Knob.




No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
220	7	1 5/8	1 1/4	\$1.65

Designed especially for manual training use. The Cutter is adjustable endwise by means of a steel adjusting screw. The Bottom and Sides are milled and ground.
Japanned Trimmings. Rosewood Knob. "Handy" Grip.



No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
203	5 1/2	1 3/8	1	\$1.45

The Cutter is adjustable endwise by a lever. The Bottom and Sides are milled and ground.
Japanned Trimmings. Rosewood Knob.



No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
120	7	1 5/8	1 3/8	\$1.60


The Cutter is adjustable endwise by a lever. The Bottom is milled and ground.
Japanned Sides and Trimmings.



No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
103	5 1/2	1 3/8	7/8	\$1.15

NON-ADJUSTABLE

The Bottom and Sides are milled and ground.
Japanned Trimming. Rosewood Knob.



No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
110	7	1 5/8	1 3/8	\$1.15

The Bottom is milled and ground.
Japanned Sides and Trimmings.



No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
102	5 1/2	1 3/8	7/8	\$1.80

All Packed 1 in a Box. For Prices of Plane Irons and Parts see Pages 190 and 195




STANLEY TOOLS

"UNION" ADJUSTABLE IRON AND WOOD PLANES


In ordering prefix name "Union" to the number, i.e., Union No. 2, etc.

IRON PLANES



Smooth Bottom

No. and Description	Length (Inches)	Width of Cutter (Inches)	Price Each
2 Smooth	7	1 $\frac{5}{8}$	\$3.55
3 "	8	1 $\frac{3}{4}$	3.70
4 "	9	2	4.00
4 $\frac{1}{2}$ "	10	2 $\frac{3}{8}$	4.65



Smooth Bottom


No. and Description	Length (Inches)	Width of Cutter (Inches)	Price Each
5 Jack	14	2	\$4.55
5A "	15	2 $\frac{1}{4}$	5.25
6 Fore	18	2 $\frac{3}{8}$	5.90
7 Jointer	22	2 $\frac{3}{8}$	6.75
8 "	24	2 $\frac{5}{8}$	8.05



Corrugated Bottom


No. and Description	Length (Inches)	Width of Cutter (Inches)	Price Each
3G Smooth	8	1 $\frac{3}{4}$	\$3.90
4G "	9	2	4.20
4 $\frac{1}{2}$ G "	10	2 $\frac{3}{8}$	4.80
5G Jack	14	2	4.80
5AG "	15	2 $\frac{1}{4}$	4.35
6G "	18	2 $\frac{3}{8}$	6.15
7G Jointer	22	2 $\frac{3}{8}$	7.05
8G "	24	2 $\frac{5}{8}$	8.50

WOOD PLANES




Iron Top

No. and Description	Length (Inches)	Width of Cutter (Inches)	Price Each
22 Smooth	8	1 $\frac{3}{4}$	\$3.50
24 "	9	2	3.90



Iron Top-Handled

No. and Description	Length (Inches)	Width of Cutter (Inches)	Price Each
35 Smooth	9	2	\$3.50



Iron Top-Handled

No. and Description	Length (Inches)	Width of Cutter (Inches)	Price Each
26 Jack	15	2	\$3.05
27A "	15	2 $\frac{1}{4}$	3.50
28 Fore	18	2 $\frac{3}{8}$	3.90
31 Jointer	24	2 $\frac{3}{8}$	4.20

UNION PLANE IRONS For Wood and Iron Planes

In ordering be sure to give the number of the Plane as well as the size of the Cutter.

Size		1 $\frac{5}{8}$	1 $\frac{3}{4}$	2	2 $\frac{1}{4}$	2 $\frac{3}{8}$	2 $\frac{5}{8}$
Double	{ Price Each }	\$.85	\$.90	\$.95	\$1.10	\$1.20	\$1.20
Single	{ Price Each }	.50	.55	.60	.70	.75	.75

Planes Packed 1 in a Box. Plane Irons Packed as Ordered



STANLEY TOOLS

"UNION" IRON BLOCK PLANES AND SCRAPERS


ADJUSTABLE

Adjustable Throat,
Japanned Trimmings.



No.	Length (Inches)	Width of Cutter (Inches)	Price Each
9½ 15	6 7	1⅝ 1⅝	\$2.05 2.20

Knuckle Joint Lever, Adjustable Throat,
Nickel Plated Trimmings.




No.	Length (Inches)	Width of Cutter (Inches)	Price Each
138 139	6 7	1⅝ 1⅝	\$2.70 2.90

Low Angle, Adjustable Throat,
Nickel Plated Trimmings.



No.	Length (Inches)	Width of Cutter (Inches)	Price Each
85 86	6 7	1⅝ 1⅝	\$2.20 2.35


Japanned Trimmings.



No.	Length (Inches)	Width of Cutter (Inches)	Price Each
227	7	1⅝	\$1.55

DOUBLE END—NON ADJUSTABLE


Japanned Trimmings.



No.	Length (Inches)	Width of Cutter (Inches)	Price Each
137	8	1⅝	\$1.55


ADJUSTABLE

Japanned.



No.	Length (Inches)	Width of Cutter (Inches)	Price Each
103	5½	1⅝	\$1.05

Japanned Trimmings.



No.	Length (Inches)	Width of Cutter (Inches)	Price Each
120	7	1⅝	\$1.50


NON ADJUSTABLE

Japanned.



No.	Length (Inches)	Width of Cutter (Inches)	Price Each
102	5½	1⅝	\$0.75

Japanned Trimmings.



No.	Length (Inches)	Width of Cutter (Inches)	Price Each
110	7	1⅝	\$1.05

CABINET SCRAPER

Double Handle—Iron Bottom. Japanned.



No.	Length (Inches)	Width of Cutter (Inches)	Price Each
63	11	2¾	\$1.70

All Packed 1 in a Box



STANLEY TOOLS

MISCELLANEOUS BLOCK PLANES

NON-ADJUSTABLE

Handy, little Planes.
Sides and Trimmings Japanned. No. 100 has an Iron Handle.



No.	Length (Inches)	Width of Cutter (Inches)	Wgt. Each (Lbs.)	Wgt. 1/2 Doz. (Lbs.)	Price Each
100	3 1/2	1	3/8		\$0.55
101	3 1/2	1		1 3/4	.45

DOUBLE END ADJUSTABLE

This Plane has two mouths and a reversible cutter seat. The Plane is shown with the cutter seat and adjustment in position for ordinary work. It can be converted into a Bull Nose Plane by throwing over the adjusting screw which reverses the cutter seat. The Cutter is adjustable endwise. The Bottom and Sides are ground and milled.

Rosewood Knob. Japanned Trimmings. "Handy" Grip.



No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
131	8	1 5/8	1 3/4	\$2.70

DOUBLE END NON-ADJUSTABLE

This Plane has two mouths and two cutter seats. The Plane is shown with the cutter in position for ordinary work. The Cutter and Lever Cap can be reversed to form a Bull Nose Plane. The Bottom and Sides are ground and milled.

Rosewood Knob. Japanned Trimmings.




No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
130	8	1 5/8	1 5/8	\$1.65

BLOCK AND RABBIT

A detachable side changes it from a Block Plane to a Rabbit Plane. The Skew Cutter is adjustable endwise.

The Sides and Bottoms are ground and milled true. Rosewood Knob. Nickel Plated Trimmings.




No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
140	7	1 5/8	1 5/8	\$2.95

SCHOOL BLOCK PLANE

Designed especially for manual training classes. It is practically unbreakable, has few adjustments and fits the boy's hand comfortably.

Made entirely of Steel. Low angle—Cutter rests on its seat at an angle of 12°. Screw adjustment for cutter. Non-Adjustable Throat. "Handy" Grip. Steel Knob. Japanned Finish.



No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
118	6	1 5/8	1 1/4	\$3.25

EDGE TRIMMING BLOCK

For trimming or squaring the edge of boards up to 7/8 inch for a square or close fit. The Cutter works on a skew. Wood blocks of various bevels may be attached enabling the user to make a slanting cut.

Japanned.



No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
95	6	1 1/8	1 1/4	\$1.80


All Packed 1 in a Box except No. 101 which is Packed 6 in a Box. For Prices of Plane Irons and Plane Parts see Pages 190 and 195



STANLEY TOOLS

STANLEY "FIFTY-FIVE" PLANE

"A Planing Mill Within Itself"



This Tool will accommodate cutters of almost any shape and size. It can be used as a:

- (1) Beading and Center Beading Plane.

(2) Plow Plane.

(3) Dado Plane.

(4) Rabbet and Filletster Plane.
- (5) Match Plane.

(6) Sash Plane.

(7) Slitting Plane.

(8) Superior Moulding Plane.

It is fitted with patented adjustable spurs for working across the grain.

The regular equipment sent with the Plane comprises fifty-five cutters.

Forty-one additional cutters are carried in stock. Cutters of practically any form can be used in the Plane. Special cutters not included in those shown here can be made from blanks or ordered from us by furnishing a sketch.

All metal parts of the Plane are Nickel Plated. The Handle and Fences are made of selected Rosewood, and every part is well finished.

No. and Description	Weight, Each (Lbs.)	Price Each
55 with 55 Cutters	15	\$30.00

For Honed Cutters, add extra, net \$3.00

A special instruction booklet covering use of this Plane is packed with each. A copy of this booklet will be sent on request.

The Plane and its Cutters are Packed in a neat, substantial Box. For Prices of Plane Parts see Page 197



STANLEY TOOLS

STANLEY "FIFTY-FIVE" PLANE

"A Planing Mill Within Itself"

REGULAR CUTTERS FOR "FIFTY-FIVE" PLANE

The following fifty-five cutters are furnished with each Plane. The prices are given in case duplicates should be required:




No.	Size	Style	Price Each	No.	Size	Style	Price Each	No.	Size	Style	Price Each
1	1 1/2 in.	Sash Tool	\$1.00	23	1/4 in.	Beading Tool	\$0.30	57	1 in.	Round	\$0.40
5	1/4 in.	Match Tool	1.00	24	5/16 in.	" " "	.40	62	1 1/2 in.	Quarter Hollow	.90
6	3/16 in.	" " "	1.00	25	3/8 in.	" " "	.40	64	3/4 in.	" " "	1.00
8		Slitting Tool	.60	26	7/16 in.	" " "	.50	73	5/8 in.	" " Round	.90
9		Filletster	.50	27	1/2 in.	" " "	.50	75	7/8 in.	" " "	1.00
10	1/8 in.	Plow Dado Tool	.30	28	5/8 in.	" " "	.60	82	1 1/2 in.	Reverse Ogee	.90
11	3/16 in.	" " "	.30	32	3/4 in.	Fluting Tool	.60	84	3/4 in.	" " "	1.00
12	1/4 in.	" " "	.30	34	3/8 in.	" " "	.60	86	1 in.	" " "	1.00
13	5/16 in.	" " "	.30	36	1/2 in.	" " "	.60	93	5/8 in.	Roman Ogee	.90
14	3/8 in.	" " "	.40	38	3/4 in.	" " "	.60	95	7/8 in.	" " "	1.00
15	7/16 in.	" " "	.40	40	3/4 in.	Chamfer Tool	.60	102	1 1/2 in.	Grecian Ogee	.90
16	1/2 in.	" " "	.40	41	3/4 in.	" " "	.60	104	3/4 in.	" " "	1.00
17	5/8 in.	" " "	.40	43	1/2 in.	Hollow	.40	106	1 in.	" " "	1.00
18	3/4 in.	" " "	.40	44	5/8 in.	" " "	.40	113	5/8 in.	1/4 Rd. with Bead	.90
18 1/2	13/16 in.	" " "	.50	45	3/4 in.	" " "	.40	115	7/8 in.	" " "	1.00
19	7/8 in.	" " "	.50	47	1 in.	" " "	.40	212	1 1/8 in.	Reeding Tl. 2 Bd.	.40
21	1 1/8 in.	Beading Tool	.30	53	1 1/2 in.	Round	.40	222	3/16 in.	" " 2 "	.40
22	3/16 in.	" " "	.30	54	5/8 in.	" " "	.40	232	3/4 in.	" " 2 "	.40
				55	3/4 in.	" " "	.40				

For Honed Cutters add extra net per set \$3.00

SPECIAL CUTTERS FOR "FIFTY-FIVE" PLANE

These Cutters are carried in stock and may be ordered by number:



No.	Size	Style	Price Each	No.	Size	Style	Price Each	No.	Size	Style	Price Each
2	1 1/2 in.	Sash Tool	\$1.00	71	3/8 in.	Quarter Round	\$0.90	111	3/8 in.	1/4 Rd. with Bead	\$0.90
29	3/4 in.	Beading Cutter	.60	72	1/2 in.	" " "	.90	112	1/2 in.	" " "	.90
31	3/16 in.	Fluting Tool	.60	74	3/4 in.	" " "	1.00	114	3/4 in.	1/4 " " "	1.00
33	5/16 in.	" " "	.60	76	1 in.	" " "	1.00	116	1 in.	1/4 " " "	1.00
35	7/16 in.	" " "	.60	81	3/8 in.	Reverse Ogee	.90	213	1 1/8 in.	Reeding Tl. 3 "	.60
37	5/8 in.	" " "	.60	83	5/8 in.	" " "	.90	214	1 1/8 in.	" " 4 "	.80
42	3/8 in.	Hollow	.40	85	7/8 in.	" " "	1.00	215	1 1/8 in.	" " 5 "	1.00
46	7/8 in.	" " "	.40	91	3/8 in.	Roman Ogee	.90	223	3/16 in.	" " 3 "	.60
52	3/8 in.	Round	.40	92	1 1/2 in.	" " "	.90	224	3/16 in.	" " 4 "	.80
56	7/8 in.	" " "	.40	94	3/4 in.	" " "	1.00	225	3/16 in.	" " 5 "	1.00
61	3/8 in.	Quarter Hollow	.90	96	1 in.	" " "	1.00	233	1/4 in.	" " 3 "	.60
63	5/8 in.	" " "	.90	101	3/8 in.	Grecian Ogee	.90	234	1/4 in.	" " 4 "	.80
65	7/8 in.	" " "	1.00	103	5/8 in.	" " "	.90	235	3/4 in.	" " 5 "	1.00
66	1 in.	" " "	1.00	105	7/8 in.	" " "	1.00				


For Honed Cutters add extra net per set \$3.00



STANLEY TOOLS

STANLEY "FORTY-FIVE" PLANE

"Seven Tools in One"



A Plane that can be used as a:

- | | |
|---------------------------------------|---------------------|
| (1) Beading and Center Beading Plane. | (5) Match Plane. |
| (2) Plow Plane. | (6) Sash Plane. |
| (3) Dado Plane. | (7) Slitting Plane. |
| (4) Rabbet and Filletster Plane. | |

The Plane is fitted with Spurs for use across the grain, and can be used either right or left hand. Twenty-three Cutters are regularly furnished with each Plane. All metal parts are Nickel Plated. The Handle, Knob and Fence are made of selected Rosewood.

No. and Description	Weight, Each (Lbs.)	Price Each
45 with 23 Cutters	9½	\$15.00

For Honed Cutters, add extra net, \$1.50

ALUMINUM "FORTY-FIVE" PLANE

This Plane is exactly like the regular No. 45 Plane except that it is made of Aluminum. It is exceptionally light in weight and is rust proof. The Cutters for this plane are the same as used with the regular No. 45 Plane.

No. and Description	Weight, Each (Lbs.)	Price Each
A45 with 23 Cutters	7½	\$18.50

For Honed Cutters, add extra net, \$1.50

The Plane and its Cutters are Packed in a neat, substantial Box. For Prices of Plane Parts see Page 197




STANLEY TOOLS

"FORTY-FIVE" PLANE

"Seven Tools in One"

TWENTY-THREE CUTTERS REGULARLY SUPPLIED WITH PLANES

The price is given in case duplicates should be required




No.	Size	Style	Price Each	No.	Size	Style	Price Each	No.	Size	Style	Price Each
1	1 1/2 in.	Sash Tool	\$1.00	13	5/16 in.	Plow Dado Tool	\$0.30	21	1/8 in.	Beading Tool	\$0.30
5	1/4 "	Match Tool	1.00	14	3/8 "	" " "	.40	22	3/16 "	" " "	.30
6	3/16 "	" " "	1.00	15	7/16 "	" " "	.40	23	1/4 "	" " "	.30
8	"	Slitting Tool	.60	16	1/2 "	" " "	.40	24	5/16 "	" " "	.40
9	1 1/4 "	Filletster	.50	17	5/8 "	" " "	.40	25	3/8 "	" " "	.40
10	1/8 "	Plow Dado Tool	.30	18	3/4 "	" " "	.40	26	7/16 "	" " "	.50
11	3/16 "	" " "	.30	18 1/2	13/16 "	" " "	.50	27	1/2 "	" " "	.50
12	1/4 "	" " "	.30	19	7/8 "	" " "	.50				

For Honed Cutters, add extra net per set, \$1.50

SPECIAL CUTTERS FOR "FORTY-FIVE" PLANE

Carried in stock and may be ordered by number.



No.	Size	Style	Each	No.	Size	Style	Each
2	1 1/2 in.	Sash Tool	\$1.00	212	1/8 in.	Reeding Tool 2 Beads	\$0.40
28	5/8 "	Beading Tool	.60	213	" "	" " 3 "	.40
29	3/4 "	" " "	.60	214	1/8 "	" " 4 "	.80
31	3/16 "	Fluting Tool	.60	215	1/8 "	" " 5 "	1.00
32	1/4 "	" " "	.60	222	3/16 "	Reeding Tool 2 Beads	.40
33	5/16 "	" " "	.60	223	3/16 "	" " 3 "	.60
34	3/8 "	" " "	.60	224	3/16 "	" " 4 "	.80
35	7/16 "	" " "	.60	225	3/16 "	" " 5 "	1.00
36	1/2 "	" " "	.60	232	1/4 "	Reeding Tool 2 Beads	.40
37	5/8 "	" " "	.60	233	1/4 "	" " 3 "	.60
38	3/4 "	" " "	.60	234	1/4 "	" " 4 "	.80
				235	1/4 "	" " 5 "	1.00

For Honed Cutters, add extra net per set, \$1.50


SPECIAL BOTTOMS FOR "FORTY-FIVE" PLANE



No. 8 Hollow



No. 8 Round



No. 5 Nosing Tool

To work Hollows and Rounds or a Nosing Cutter in the No. 45 Plane specially formed bottoms are furnished. called Hollows, Rounds or Nosing Tool. A Hollow and its Cutter will form a *Round*. A Round and its Cutter will form a *Hollow*. A Nosing Tool and its Cutter will form what might be called a Round as in shaping the edges of stair treads. Hollows and Rounds are made and sold in four sizes or sets, each set comprises 1 Hollow with Cutter, 1 Round with Cutter. A Nosing Tool includes one Cutter.

No. and Description	Width of Cutter (Inches)	Works Circles (Inches)	Price Per Set
6 Hollow and Round	1 1/2	3/4	\$2.25
8 " " "	5/8	1	2.25
10 " " "	3/4	1 1/4	2.40
12 " " "	1	1 1/2	2.40
5 Nosing Tool	1 1/16	1 1/4	1.90




STANLEY TOOLS

MISCELLANEOUS PLANES

LIGHT COMBINATION

A small combination plane for light work. Can be used as a Plow, Beading, Matching or Rabbet Plane. Fitted with Spurs, Depth Gauge, Shaving Deflector and Fence. The Fence has a 5 inch adjustment. Nickel Plated.




No.	Length (In.)	15 Cutters			Wgt. Each (Lbs.)	Price Each
		Plow and Dado (In.)	Beading (In.)	Tonguing (In.)		
50	9 1/4	1/4-5/16 3/8-7/16 1/2-5/8 3/4	1/8-3/16 1/4-5/16 3/8-7/16 1/2	1/4	3 3/4	\$8.35

For Honed Cutters add extra, net \$0.75

SKEW CUTTER COMBINATION

Can be used as a Plow, Dado, Filletster, Matching and Rabbet Plane. Fitted with Spurs, Depth Gauge and Fence. The Fence has a Rosewood Face. Nickel Plated. Rosewood Handle and Knob.



No.	Length (In.)	12 Cutters			Wgt. Each (Lbs.)	Price Each
		Plow and Dado (In.)	Tonguing (In.)	Filletster (In.)		
46	10 1/2	3/16-1/4 5/16-3/8 1/2-5/8 13/16-7/8 1 1/4	1/4 and one Slitting Cutter	1 1/2	5 3/4	10.65


For Honed Cutters, add extra, net \$0.50

Extra Cutters for Planes 46, 50, 143

The cutters for Planes Nos. 46, 50 and 143 have the same prices as the No. 55 Plane Cutters of the same size. In ordering extra cutters give the Number of the Plane and Size of the Cutter.

BULL NOSE COMBINATION

Can be used as a Plow, Matching, Rabbet and Slitting Plane. Two interchangeable front parts make it either a regular or a Bull Nose Plane. With the Bull Nose attachment it will work into a 1/2" hole as in sash fitting, stair work, etc. Fitted with Depth Gauge and Fence. Fence has a Rosewood Face. Nickel Plated, Rosewood Handle.



No.	Length (In.)	10 Cutters		Wgt. Each (Lbs.)	Price Each
		Plow (In.)	Tonguing (In.)		
143	9 1/4	1/8-3/16 1/4-5/16 3/8-7/16 1/2-5/8	1/4 and one Slitting Cutter	4 1/8	\$8.05


For Honed Cutters, add extra, net \$0.50

CORE BOX PLANE

For making circular core boxes either straight or tapered. The sides of the Plane are at right angles, consequently the point of the Plane will cut on the circumference of the circle when the sides rest on the edges of the cut.

Nickel Plated, Beech Handle and Knob.

Furnished with one pair of Sections, to work semi-circles 1 to 5 in.



Additional Section

No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
57	10	7/8	5 3/4	\$8.50

Additional Sections for Core Box Plane

Section No.	To Work Semi-Circle	Weight Each (Lbs.)	Price Per Section
2	5 Ins. to 7 1/2 Ins.	2 3/4	\$1.90
3	7 1/2 " to 10 "	3	1.90

All Packed 1 in a Box with the Cutters. For Prices of Plane Parts see Pages 197 and 199



STANLEY TOOLS


MISCELLANEOUS PLANES

TONGUE AND GROOVE MATCH PLANES

Swinging Fence

Furnished with two plow cutters of the same width, and one extra wide cutter. The Fence can be set to expose either two cutters for cutting the tongue, or reversed to leave only one exposed for cutting the groove. The extra wide cutter is used for cutting the tongue when the board is too thick for the smaller cutters.

Nickel Plated. Rosewood Knob.



- No. 48 cuts $\frac{5}{16}$ " Groove on Boards $\frac{3}{4}$ " to $1\frac{1}{4}$ "
Centers on $\frac{7}{8}$ "
- No. 49 cuts $\frac{3}{16}$ " Groove on Board $\frac{1}{2}$ " to $\frac{3}{4}$ "
Centers on $\frac{1}{2}$ "

No.	Length (Inches)	Weight Each (Lbs.)	Price Each
48	8 $\frac{3}{4}$	2 $\frac{1}{2}$	\$5.10
49	8	2 $\frac{1}{8}$	5.10


DOVETAIL PLANE

The only Plane manufactured that will cut a dovetail.

It will cut any size grooves and tongues to fit, with sides at flare of 20 degrees, where the width of the neck is more than $\frac{1}{4}$ inch and the depth of the groove not more than $\frac{3}{4}$ of an inch. The tongue and groove are cut separately and can be made with parallel or tapering sides.

Furnished with three Groove Cutters and one Tongue Cutter.

Nickel Plated.




No.	Length (Inches)	Weight Each (Lbs.)	Price Each
444	9	5	\$10.65

TONGUE AND GROOVE MATCH PLANES

Double End

These Planes have two cutters, a plow and a tongue tool, both governed by one permanent fence. The tongue tool has one edge wider than the other, which overhangs one side when tonguing on center. Both the tongue and groove are cut by working the tool in the same direction, the Plane is merely reversed end for end.

Nickel Plated.



- No. 146 cuts $\frac{1}{8}$ " Groove on Boards $\frac{3}{8}$ " to $\frac{1}{2}$ "
Centers on $\frac{3}{8}$ "
- No. 147 cuts $\frac{3}{16}$ " Groove on Boards $\frac{1}{2}$ " to $\frac{3}{4}$ "
Centers on $\frac{5}{8}$ "
- No. 148 cuts $\frac{1}{4}$ " Groove on Boards $\frac{3}{4}$ " to 1"
Centers on $\frac{7}{8}$ "


No.	Length (Inches)	Weight Each (Lbs.)	Price Each
146	9	1 $\frac{3}{4}$	\$3.90
147	9	2 $\frac{1}{8}$	4.15
148	9	2 $\frac{3}{4}$	4.35

CURVE RABBIT

This Plane will cut rabbets on outside or inside of curved or straight edges.

It has two adjustable cutters: the upper cutter acts as a spur for the lower and also cuts the side of the rabbet; the lower skew cutter cuts the bottom of the rabbet. Fitted with an Adjustable Depth Gauge and Fence.

Nickel Plated.



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
196	6	2	\$7.15

All Packed 1 in a Box. For Prices of Parts see Pages 197 and 198




STANLEY TOOLS

BABBET AND FILLETSTER PLANES

DUPLEX, FILLETSTER AND RABBET PLANE


This Plane has two Seats for the Cutter: one for regular work; and the other for bullnose work. It is fitted with a Spur and a removable Depth Gauge. The adjustable Fence can be used on either side of the Plane. By removing the Fence and Arm the Plane can be used for several purposes and in many positions. When used in the rear seat the Cutter is adjustable endwise.

Iron. Japanned. Nickel Trimmings



No.	Width of Cutter (Inches)	Length (Inches)	Weight Each (Lbs.)	Price Each
78	1½	8½	3	\$3.15


Aluminum—Nickel Trimmings



No.	Width of Cutter (Inches)	Length (Inches)	Weight Each (Lbs.)	Price Each
A78	1½	8½	1¼	\$4.05

SKREW CUTTER FILLETSTER AND RABBET PLANE

Fitted with an extra wide Skew Cutter, two adjustable Spurs, a Fence and Depth Gauge. The Fence and Depth Gauge can be attached to either side. To use as a Skew Cutter-Rabbet Plane the Fence and Arms should be removed.



No.	Width of Cutter (Inches)	Length (Inches)	Weight Each (Lbs.)	Price Each
289	1⅞	8½	3¾	\$3.70

All Packed 1 in a Box. For Prices of Plane Irons and Parts see Page 198




STANLEY TOOLS

RABBET, DADO AND FILLETSTER PLANES

IRON DADO PLANES


These Planes are fitted with a Skew Cutter, an adjustable Depth Gauge and two adjustable Spurs. Japanned, Nickel Trimmings.



No.	Width of Cutter (Inches)	Length (Inches)	Weight Each (Lbs.)	Price Each
39	$\frac{1}{4}$	8	$1\frac{3}{4}$	\$2.85
39	$\frac{3}{8}$	8	$1\frac{3}{4}$	3.00
39	$\frac{1}{2}$	8	$1\frac{7}{8}$	3.25
39	$\frac{5}{8}$	8	$1\frac{7}{8}$	3.40
39	$\frac{3}{4}$	8	2	3.55
39	$\frac{13}{16}$	8	$2\frac{1}{8}$	3.75
39	$\frac{7}{8}$	8	$2\frac{3}{8}$	3.75
39	1	8	$2\frac{1}{2}$	3.90

IRON RABBET PLANES


These Planes will lie flat on either side. They can be used either right or left hand, to plane into corners or against perpendicular surfaces. Fitted with a Spur and a detachable Depth Gauge. Japanned, Nickel Trimmings.



No.	Width of Cutter (Inches)	Length (Inches)	Weight Each (Lbs.)	Price Each
190	$1\frac{1}{2}$	8	$2\frac{1}{2}$	\$2.85
191	$1\frac{1}{4}$	8	$2\frac{1}{4}$	2.70
192	1	8	2	2.55

IRON RABBET AND FILLETSTER PLANE

A Plane that will lie perfectly flat on either side. Fitted with a Fence, two Spurs and an adjustable Depth Gauge. The front part of the plane can be detached for bull nose work. The Cutter is adjustable endwise. Japanned, Nickel Trimmings.



No.	Width of Cutter (Inches)	Length (Inches)	Weight Each (Lbs.)	Price Each
278	1	$6\frac{3}{4}$	2	\$3.15

All Packed 1 in a Box. For Prices of Plane Irons and Parts see Page 198



STANLEY TOOLS


MISCELLANEOUS PLANES

WEATHER STRIP RABBET PLANE

This Plane is designed for installing metal weather stripping. It can also be used for all kinds of rabbet work within its limits.

Fitted with a right and left hand Depth Gauge and an adjustable Fence with Stop Collars. Body and Fence Japanned, Nickel Plated Trimings.

Wider Cutters up to 1 inch can be furnished if desired at \$0.50 each.




No.	Width of Cutter (Inches)	Length (Inches)	Weight Each (Lbs.)	Price Each
378	$1\frac{1}{16}$	8	$2\frac{5}{8}$	\$3.65

SPECIAL DADO PLANES

Used for blind wire grooving as well as for many other similar purposes. Fitted with a double Spur. A Depth Gauge allows a groove up to $\frac{1}{2}$ inch in depth to be cut which is the limit of the plane. The Fence is adjustable.

Body and Fence Japanned. Nickel Plated Trimings.

In ordering give number (239) and size of cutter.




No.	Width of Cutter (Inches)	Length (Inches)	Weight Each (Lbs.)	Price Each
239	$\frac{1}{8}$	$7\frac{1}{2}$	$1\frac{1}{2}$	\$5.05
239	$\frac{5}{32}$	$7\frac{1}{2}$	$1\frac{1}{2}$	5.20
239	$\frac{3}{16}$	$7\frac{1}{2}$	$1\frac{5}{8}$	5.20

WEATHER STRIP PLOW PLANE

This Plane is especially designed for weather stripping work. It is also adapted for all plow work within its limits.

Fitted with a Depth Gauge and an adjustable Fence. Body and Fence Japanned. Nickel Plated Trimings.



No.	7 Cutters Width (Inches)	Length (Inches)	Weight Each (Lbs.)	Price Each
238	$\frac{1}{8}-\frac{5}{32}-\frac{3}{16}$ $\frac{7}{32}-\frac{1}{4}$ $\frac{9}{16}-\frac{3}{8}$	$7\frac{1}{2}$	$1\frac{1}{8}$	\$7.00

CORNER ROUNDING PLANES

Designed for rounding corners on base board casings, shelves, etc.

Made in three sizes to cut $\frac{1}{4}$, $\frac{3}{8}$ and $\frac{1}{2}$ inch circles. Cutters are sharpened ready for use.

In ordering give number (144) and size of cutter.



No.	Curve of Cutter (Inches)	Length (Inches)	Weight Each (Lbs.)	Price Each
144	$\frac{1}{4}$ Rd.	$7\frac{1}{2}$	$1\frac{1}{8}$	\$1.60
144	$\frac{3}{8}$ Rd.	$7\frac{1}{2}$	$1\frac{1}{8}$	1.60
144	$\frac{1}{2}$ Rd.	$7\frac{1}{2}$	$1\frac{1}{8}$	1.60

All Packed 1 in a Box. For Prices of Plane Parts see Page 198



STANLEY TOOLS

RABBET PLANES


CABINET MAKERS RABBET

For fine cabinet work or any work that requires extreme accuracy.

They will lie perfectly flat on either side, and can be worked either right or left hand. The Throat opening is adjustable for coarse or fine work. The Cutters are adjustable endwise. The Front can be removed to make a Chisel Plane.


"Handy" Grip. Nickel Plated.

Bull Nose Pattern



No.	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
90	4	1	1½	\$3.90

Regular Pattern




No.	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
92	5½	¾	1	\$3.90
93	6½	1	1½	4.65
94	7½	1¼	2	5.35

BULL NOSE RABBET

For working into corners and other difficult places.

The Throat is adjustable. Japanned Top and Lever.



No.	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
75	4	1½	⅝	\$0.70

SIDE RABBET

For side rabbeting in trimming dados, mouldings and grooves of all kinds.

They have a reversible nose piece so that they can be worked into corners.

Full Nickel Plated.

Right Hand


Fitted with a Depth Gauge. Rosewood Knob. Nickel Plated.



No.	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
98	4	½	½	\$2.10

Left Hand


Fitted with a Depth Gauge. Rosewood Knob. Nickel Plated.



No.	Length (Inches)	Width Cutter (Inches)	Weight Each (Lbs.)	Price Each
99	4	½	½	\$2.10

Right and Left Hand

Nickel Plated



No.	Length (Inches)	Width Cutters (Inches)	Weight Each (Lbs.)	Price Each
79	5½	½	1	\$2.40

All Packed 1 in a Box. For Prices of Plane Irons (Cutters) and Parts see Page 198




STANLEY TOOLS

CIRCULAR PLANES

These Planes have flexible steel faces which can be adjusted to plane convex and concave surfaces. The Cutters, are adjustable endwise and sidewise.

No. 113

The Face is fastened at its center to the Plane Body, and adjusted at the end by means of a screw and lever. It has a graduated scale for setting the Face. Japanned.




No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
113	10	1 3/4	3 3/4	\$7.15

No. 20

The Face is fastened at each end to the Plane Body and adjusted by a screw at the center.

The Frame provides a good hand hold for both hands. Japanned.



No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
20	10	1 3/4	4	\$8.05


Packed 1 in a Box. For Prices of Plane Irons and Parts, see Pages 190 and 196

READY EDGE BLADES

These Blades are attached by screws to specially constructed plane irons. A plane iron cap of special design fits over this and is held in place by a cap screw.

They assure a sharp cutting edge at all times. Whenever an old blade becomes dull a new one can be quickly substituted—no long, expensive delays for honing.

Furnished with Double Plane Irons in 1 3/4, 2 and 2 3/8 inch sizes for use on Stanley "Bailey" and Bed Rock Planes.



DOUBLE PLANE IRONS WITH FIVE READY EDGE BLADES

No.	Sizes (Inches)	Weight (Lbs.) Each	Price Each
295	1 3/4	3/8	\$2.00
	2	1/2	2.00
	2 3/8	9/16	2.00
296	Package of 5 blades		0.80

DISPLAY PACKAGE

Printed in two colors on heavy cardboard stock. Size 6 1/2 in. long, 7 in. wide

No.	Contains 6 individual boxes of Double Plane Iron with 5 Blades		Weight (Lbs.)	Price
297	Four	2 Inch	2 7/8	\$12.00
	One	1 3/4 "		
	One	2 3/8 "		



STANLEY TOOLS


ROUTER PLANES

For surfacing the bottom of grooves or other depressions parallel with the surface of the work. A wooden bottom of any size can be attached to Nos. 71, 71½ and 171, to router on large openings.

OPEN THROAT

The Cutters are adjustable, and can be held on the front of the cutter post for regular work or on the back, for bull-nose work. An attachment is furnished for closing the throat, for use on narrow surfaces, and regulating depth of cut. Maple Knobs, Nickel Plated.

Three cutters are furnished: ¼" and ½" Router Cutters and a patented (3 piece) "V" or Smoothing Cutter.




No.	Length (Inches)	Weight Each (Lbs.)	Price Each
71	7½	2⅝	\$3.90

CLOSED THROAT

The Cutters are adjustable and can be held on the front of the cutter post for regular work or on the back for bull-nose work. Maple Knobs, Nickel Plated.

Three cutters are furnished: ¼" and ½" Router Cutters and a patented (3 piece) "V" or Smoothing Cutter.




No.	Length (Inches)	Weight Each (Lbs.)	Price Each
71½	7½	2⅛	\$3.10

WITH FENCE

This Plane will cut to a depth up to ⅝ inch and a width of 3 inches with the Fence. The Cutter can be instantly set to work from either end of the Plane or across it. The Cutter is cushioned by a spring which prevents taking a heavier chip than can be carried. A Fence regulates the position of the cut and is governed by a positive stop.

Rosewood Handles. Japanned. Nickel Plated Trimmings.

Three Cutters are furnished: ⅜", ½" and ⅝" Router Cutters.



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
171	11	3	\$5.70

SMALL SIZE

Its small size makes it useful for very narrow work in cabinet and pattern making. It is also used for letting in lock plates, etc.

Can be used for either regular or bull-nose work. By reversing the cutter it can be used as a depth gauge. Nickel Plated



No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
271	3	¼	⅜	\$0.70

Packed 1 in a Box. For Prices of Plane Parts see Page 198




STANLEY TOOLS

SCRAPER PLANES

Double Grip, Rosewood Handle. Blades are adjustable endwise and for angles. Japanned.

IRON BOTTOM



No.	Length (Inches)	Width of Blade (Inches)	Weight Each (Lbs.)	Price Each
12	6¼	2⅞	3½	\$4.70
Extra Blades				0.45


HARDWOOD BOTTOM



No.	Length (Inches)	Width of Blade (Inches)	Weight Each (Lbs.)	Price Each
12½	6¼	2⅞	4	\$6.40
Extra Bottoms				0.50
Extra Blades				0.45


HARDWOOD BOTTOM

Bottom is cut so that the end grain of wood provides the bearing surface. Extra height of bottom gives the Blade greater spring.



No.	Length (Inches)	Width of Blade (Inches)	Weight Each (Lbs.)	Price Each
12¾	6¼	2⅞	4	\$7.15
Extra Bottoms				1.25
Extra Blades				0.45

IRON BOTTOM



No.	Length (Inches)	Width of Blade (Inches)	Weight Each (Lbs.)	Price Each
12¼	6¼	2	3⅛	\$4.05
Extra Blades				0.45

TOOTHING CUTTERS

For Planes Nos. 12, 12½, 12¾.

Order by Teeth	Width (Inches)	Weight ½ Doz. (Lbs.)	Price Each
Fine Teeth	2⅞	1¾	\$0.80
Coarse "	2⅞	1¾	.80

SCRAPER BLADES

For Planes Nos. 12, 12½, 12¾. Specially tempered. When burnished a greater "hook" can be given than is practical with the blades regularly furnished.

No.	Width (Inches)	Weight ½ Doz. (Lbs.)	Price Each
12B	2⅞	1¾	\$0.50

All Packed 1 in a Box except Blades which are Packed 6 in a Box. For Prices of Scraper Parts see Page 199




STANLEY TOOLS

SCRAPER PLANES

SINGLE HANDLE

Rosewood Handle and Knob. Blade is adjustable endwise and for angles. Japanned.



No.	Length (Inches)	Width of Blade (Inches)	Weight Each (Lbs.)	Price Each
112	9	2 $\frac{7}{8}$	4	\$4.15
Extra Blades				0.45

CABINET MAKERS

Rosewood Handle and Knob can be tilted right or left. Cutter seat is adjustable so that the mouth may be made wide or narrow as desired. Blade is adjustable endwise and for angles. Rabbet Mouth enables it to be worked into corners or against perpendicular surfaces. Japanned.



No.	Length (Inches)	Width of Blade (Inches)	Weight Each (Lbs.)	Price Each
85	8	2	2 $\frac{5}{8}$	\$4.45
Extra Blades				0.45

SPECIAL BLADES FOR SCRAPER PLANE No. 112

SCRAPER BLADES

Specially tempered. When burnished a greater "hook" can be given than is practical with the blades regularly furnished.

No.	Width (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Each
12B	2 $\frac{7}{8}$	1 $\frac{3}{4}$	\$0.50

TOOTHING CUTTERS

Order by Teeth	Width (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Each
Fine Teeth	2 $\frac{7}{8}$	1 $\frac{3}{4}$	\$0.80
Coarse "	2 $\frac{7}{8}$	1 $\frac{3}{4}$.80

Packed 1 in a Box except Scraper Blades, which are Packed 6 in a Box. For Prices of Scraper Parts see Page 199

HAND BEADERS

For beading, reeding or fluting straight or irregular surfaces—also adapted for light routing. It is fitted with two gauges; one for straight, the other for curved work. Nickel Plated.

With each tool are furnished 8 cutters sharpened at both ends as follows:


6 Single Beads— $\frac{1}{8}$, $\frac{3}{16}$, $\frac{1}{4}$, $\frac{5}{16}$, $\frac{3}{8}$, $\frac{1}{2}$ inch.

2 Routers— $\frac{1}{8}$ and $\frac{1}{4}$ inch.

2 Fluting Tools— $\frac{3}{4}$, $\frac{1}{4}$ inch.

1 $\frac{5}{8}$ inch Blank which can be filed as desired.

4 Reeding Tools—2 Beads $\frac{1}{4}$ inch, 3 Beads $\frac{3}{16}$ inch, 3 Beads $\frac{1}{8}$ inch, 4 Beads $\frac{1}{8}$ inch.



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
66	11 $\frac{1}{2}$	1 $\frac{3}{8}$	\$1.80

Packed 1 in a Box



STANLEY TOOLS

SCRAPERS

DOUBLE HANDLE IRON BOTTOM

The Blade may be sprung to a slight curve by adjusting a thumb screw. This causes the Blade to cut easily. The raised Handles protect the user's hands. Body and Handles are cast in one piece. Japanned.



No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
80	11½	2¾	1¾	\$1.40
Extra Blades (Per Doz.)				\$3.45

MALLEABLE IRON BOTTOM


Designed especially for manual training use. This Scraper is exactly like No. 80, except that it is made of malleable iron, and is stronger.



No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
80M	11½	2¾	1¾	\$1.75

ROSEWOOD BOTTOM

Especially adapted for the finest cabinet work. The Rosewood Bottom is detachable, and when worn can be replaced readily. The raised Handles protect the user's hands. Body and Handles are cast in one piece. Nickel Plated.




No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
81	10	2½	2¼	\$2.50
Extra Blades (Per Doz.)				\$3.45

SINGLE HANDLE ADJUSTABLE

By means of the Swiveling Blade and Handles, this Scraper can be held in several positions or angles. It can be used in corners, inside of cabinets and for all kinds of floor scraping.

Tropical Hardwood Handle and Hand Rest. Japanned.



No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
283	9½	2⅞	2	\$2.00
Extra Blades (Per Doz.)				\$3.45

ADJUSTABLE

The Handle is adjustable and can be tilted to give the Blade any angle desired. Special blades of different forms and widths can be held securely in any position so that the tool can be worked into many positions inaccessible to other scrapers.

Polished Hardwood Handles and Knob. Japanned. Nickel Plated Trimmings.



No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
82	14½	3	1¾	\$1.80
Extra Blades (Per Doz.)				\$3.45

NON-ADJUSTABLE

This Scraper can be used for all kinds of scraping, but particularly for scraping floors.

Polished Hardwood Handle. Japanned. Blade is sharpened at both ends.



No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
282	13	3	1⅝	\$1.50
Extra Blades (Per Doz.)				\$3.45

All Packed 1 in a Box



STANLEY TOOLS


MISCELLANEOUS TOOLS

HAND SCRAPERS

Made from high grade Steel and carefully heat treated to give them the correct temper.

No. 0

Great care is exercised in the selection of steel and heat treatment of these blades, to make them superior tools.



No.	Width (Inches)	Length (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
0	2	4	7/8	\$4.80
	2	6	1 1/2	4.90
	2 1/2	5	1 3/4	4.95
	2 1/2	6	1 7/8	5.25
	3	4	1 1/2	4.90
	3	5	2	5.25
	3	6	2 1/4	6.15
	3 1/2	6	2 1/2	6.60

No. 600

A good scraper for all ordinary work.

No.	Width (Inches)	Length (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
600	2 1/2	5	1 1/2	\$2.55
	3	4	1 3/8	2.50
	3	5	1 5/8	2.95
	3	6	2	3.45

SCRAPER BLADE BURNISHER

Used to turn the edges on Scraper Blades. The oval shaped Blade is forged from Swedish tool steel and carefully heat treated.

Polished Hardwood Handle.



No.	Blade (Inches)	Overall (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
176	3 1/2	8	1 1/8	\$8.10
186	5	9 1/2	1 3/4	9.00

BOX SCRAPER

For removing stencils and other markings from boxes, floors, etc. The Handle is hinged. The Bottom of the scraper and the edge of the cutter are slightly curved away from the center so that the user can scrape any uneven surface clean.

Polished Hardwood Handle. Japanned.




No.	Length (Inches)	Width of Blade (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
70	13	2	6	\$13.65
Extra Blades (Per Doz.)				\$2.75

DOUBLE HANDLE SCRAPER

ROLLER BOTTOM

The Roller back of the Blade acts as a support to relieve the strain on the wrists.

Polished Hardwood Handles. Nickel Plated.



No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
83	9 1/2	3 7/8	1 1/4	\$1.65
Extra Blades (Per Doz.)				\$3.45

CORNERING TOOLS

They have a different size cutter at each end. Their form is such that no depth gauge is required.



No.	Cutter (Inches)	Length (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
28	1/8 - 1/8	5 1/2	5/8	\$4.60
29	3/8 - 1/4	5 1/2	3/4	4.90

All Packed 6 in a Box except No. 83 which is Packed 1 in a Box




STANLEY TOOLS

SPOKE SHAVES

The Cutters are made from high grade steel, correctly tempered and sharpened.


ADJUSTABLE CUTTERS

The Cutters in these Spoke Shaves are adjustable endwise and sidewise by means of the adjusting screws. Japanned. No. 151M is exactly like No. 151 except that it is made of Malleable Iron and is stronger.



Raised Handle

No.	Length (Inches)	Width of Cutter (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
151	10	2 1/8	4 1/4	\$8.90
151M	10	2 1/8	4 1/4	11.55
Extra Blades				\$2.10




Straight Handle

No.	Length (Inches)	Width of Cutter (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
152	10	2 1/8	5	\$8.90
Extra Blades				\$2.10

DOUBLE IRON-IMPROVED

They have a Cutter and Cap Iron, fastened by a thumb screw so as to bring an even pressure on the cutting edge. They can be adjusted without the use of a screw driver. Japanned.



Raised Handle

No.	Length (Inches)	Width of Cutter (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
51	10	2 1/8	4 1/8	\$6.25
Extra Blades				\$2.10



Straight Handle

No.	Length (Inches)	Width of Cutter (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
52	10	2 1/8	4	\$6.25
Extra Blades				\$2.10

ADJUSTABLE MOUTH

The Mouth of these Spoke Shaves can be opened or closed for coarse or fine work. Japanned.



Raised Handle

No.	Length (Inches)	Width of Cutter (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
53	10	2 1/8	4 1/4	\$8.10
Extra Blades				2.10



Straight Handle

No.	Length (Inches)	Width of Cutter (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
54	10	2 1/8	4 1/2	\$8.10
Extra Blades				\$2.10

DOUBLE IRON-LIGHT

Designed for light work. The Cutter and Cap Iron are fastened by a thumb screw. Japanned.



Convex Bottom-Straight Handle

No.	Length (Inches)	Width of Cutter (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
63	9	1 3/4	2 1/4	\$3.85
Extra Blades				\$1.65



Straight Bottom-Straight Handle

No.	Length (Inches)	Width of Cutter (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
64	9	1 3/4	2 3/4	\$3.90
Extra Blades				\$1.65

All Packed 6 in a Box



STANLEY TOOLS

SPOKE SHAVES

All are Japanned except Nos. 67, 71, 84 and 85


EXTRA LIGHT



Straight Handle

No.	Length (Inches)	Width of Cutter (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
63X	9	1½	2¾	\$5.10
Extra Blades				\$1.65

DOUBLE IRON



Straight Handle

No.	Length (Inches)	Width of Cutter (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
58	10	2⅞	3¼	\$5.50
Extra Blades				\$2.10

TWO CUTTERS

This Spoke Shave has two Cutters and two Cutter Seats, one hollow and one straight.




Straight Handle

No.	Length (Inches)	Width of Cutter (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
60	11	1½	4¼	\$8.85
Extra Blades				\$1.75

UNIVERSAL

Handles are detachable; either one can be screwed into the top of the stock to work into corners or panels. Two Bottoms are furnished; one for straight and the other for circular work. It has a movable Width Gauge for use in rabbeting.

Rosewood Handles. Nickel Plated.



No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Per Doz.
67	9¼	1½	¾	\$24.15
Extra Blades				\$4.45

HOLLOW FACE




Raised Handle

No.	Length (Inches)	Width of Cutter (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
55	10	2⅞	4	\$6.00
Extra Blades				\$2.10

ADJUSTABLE CHAMFER

Will work chamfers up to 1½ inches.



Straight Handle

No.	Length (Inches)	Width of Cutter (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
65	10½	1½	4¾	\$10.90
Extra Blades				\$1.65

RABBET

A convenient tool for finishing panels, rabbets, etc. No. 71 is made of Solid Bronze and is fitted with a gauge.




Straight Handle

No. and Description	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Per Doz.
68 Iron	10¾	2⅞	1¼	\$14.85
71 Bronze	10¾	2⅞	1¾	41.50
Extra Blades				\$5.55

RAZOR EDGE

The Cutter is hollow ground and has an exceptionally keen cutting edge. The Cutter is adjustable for a narrow or wide opening of the Mouth.



Straight Boxwood Handle

No.	Length (Inches)	Width of Cutter (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
84	11½	2	¾	\$19.00
85	12	2½	1	20.00
Extra Blades				\$7.80

Packed 6 in a Box except Nos. 67, 68, 71 which are Packed 1 in a Box and Nos. 84 and 85 which are Packed 3 in a Box




STANLEY TOOLS

MISCELLANEOUS PLANES

CABINET MAKERS EDGE PLANE

A Chisel Plane for Piano Makers, Cabinet Workers, etc. The cutting edge is located at the extreme end of the Plane. The Cutter rests on a solid seat for practically its entire length. The Cutter is adjustable endwise. The Sides and Bottom are milled and ground true.

Japanned Lever. Nickel Plated Trimmings. Rosewood Knob.




No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
97	10	2¼	2½	\$4.30

BELT MAKERS PLANE

For chamfering the ends of a belt before they are fastened together. The throat is adjustable. The Cutter is adjustable endwise.

Japanned. Hardwood Handle.




No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
11	5¾	2⅝	3½	\$4.20

CABINET MAKERS BLOCK PLANE

For Piano Makers and workmen in kindred trades, who require an extra fine tool for finishing hard wood, etc. The sides and bottom are square with each other so that the Plane will lie perfectly flat on either side, and can be worked either right or left hand. The metallic Handle can be attached to the top of either side. It can be used with a shoot board in planing mitres, etc. The Mouth and Cutter are adjustable.

Rosewood Knob.




No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
9	9	2	4¼	\$8.40

ADJUSTABLE CHAMFER PLANE

This Plane will do perfect chamfer or stop-chamfer work. It has a ninety degree V bottom which acts as a mitre guide. To this is attached an adjustable Front, with a flat bottom which carries the Cutter. This Front can be set for different sizes of chamfer. The Front can be readily detached and a Bull-Nose Front (furnished with the Plane), can be substituted.

Japanned Lever. Nickel Plated Trimming. Rosewood Handle and Knob.



No.	Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
72	9	1⅝	3¼	\$4.60

All Packed 1 in a Box. For Prices of Plane Irons and Parts see Pages 190, 196, 198 and 199





BIT BRACES

Section
4


STANLEY TOOLS

BIT BRACES

Stanley Bit Braces have long occupied a prominent place in artisans tool sets. They include braces of every design. Their powerful construction, ease of operation and adaptability to any type of bit has made them the foremost in quality for this class of tools.


TYPES OF RATCHETS

Concealed




Keeps out moisture and dirt and retains the lubricant. Drop Forged Clutch is backed by four springs which insure smooth and easy operation and prevent back turning. Ratchet is operated by a sleeve ring. All parts are interchangeable.

Box




Gear Teeth are cut on a heavy spindle, and encased to protect the user's hands. Ratchet is operated by a cam ring.

Open



Gear is cut from a separate piece of steel and pinned to the spindle. Ratchet is operated by a cam ring. There are two types: Nos. 915 and 945 have 12 Ratchet positions; Nos. 955, 965 and 965N have 8 Ratchet positions.


Latch Pawl




Gear is cut from a separate piece of steel and pinned to the spindle. Pawls are operated by hand.

TYPES OF HEADS


Metal Clad, Bronze Bushed, Ball Bearing



Semi Clad, Bronze Bushed, Ball Bearing



Metal Clad




Plain



TYPES OF SHELLS

Ball Bearing, Steel



Ball Bearings enable the user to fasten the bit firmer, easier and quicker. Thread and Knurl are machine cut. Nose Ring is forged, machined and hardened.

Steel



Made of Steel. Accurately machined inside and out so that the bit will turn true. Thread and Knurl are machine cut.

Malleable Iron



Made of Malleable Iron. Thread and Knurl are machine cut.

TYPES OF JAWS

Universal



Forged, hardened and coined to size to insure perfect centering of the bit. For round shank bits and drills up to 1/2 inch and taper shanks as large as Clark's No. 2 Expansive Bit.

Interlocking



Forged, hardened and machined. Especially adapted for taper shank bits which they firmly hold up to Clark's No. 2 Expansive Bit.

Spring Alligator Forged



Hardened and machined to size to insure perfect centering of the bit. For taper shank bits up to Clark's No. 2 Expansive.

Spring Alligator Cast



Hardened and machined. For regular size taper shank bits also small and medium size drills.

Pin Alligator



Cast and hardened. Will firmly hold all ordinary size taper shank bits.



STANLEY TOOLS


RATCHET BIT BRACES

The Aristocrat of Bit Braces


NEW STYLE CONCEALED RATCHET, BALL BEARING SHELL

A truly beautiful tool as well as an exceptionally strong one. It has an entirely new type of ratchet mechanism which makes its operation quiet and sensitive. The Head and Shell are equipped with Ball Bearings to increase the ease of operation. Great care is taken in polishing and nickel plating to produce the mirror finish. Everything possible has been done to make this the best Bit Brace on the market.

Nickel Plated. Metal-Clad, Bronze Bushed Ball Bearing Head. Cocobolo Head and Handle. Forged Universal Jaws will take round bits and drills from $\frac{1}{8}$ to $\frac{1}{2}$ inch and taper shanks as large as Clark's No. 2 Expansive Bit.



RATCHET CONSTRUCTION



All operative parts are made of Steel and are practically indestructible. 16 divisions in one revolution permits operation in small spaces, prevents any "back turning" and makes a quiet, sensitive and easy operating ratchet.

The Pawls operate at right angles to the gear rotation. There can be no slip or release of the ratchet in the locked position.

No.	Sweep (Inches)	Weight $\frac{1}{6}$ Doz. (Lbs.)	Price Each
810	10	7	\$7.80
	12	$7\frac{3}{8}$	8.05
	14	8	8.20

Extra Jaws \$0.50 Per Pair

Packed 2 in a Box. For Prices of Bit Brace Parts, see Page 200



STANLEY TOOLS

RATCHET BIT BRACE


BOX RATCHET

New and Improved Chuck Construction


This construction provides the best seat and grip for taper shank bits known. The bit rests in a socket (solid driving seat) in the chuck; the jaws center the bit and prevent it from slipping. The Jaws are made and fitted so that it is impossible for them to jam, slip or come out under the heaviest loads.

All parts of the chuck body are made of steel and machined to insure strength, smooth operation and interchangeability.

Nickel Plated. Cocobolo Head and Handle. Metal-Clad, Bronze Bushed, Ball Bearing Head. Forged and Blued Interlocking Jaws.



Showing Chuck Construction



No.	Sweep (Inches)	Weight $\frac{1}{6}$ Doz. (Lbs.)	Price Each
919	6	5	\$5.00
	8	5 $\frac{1}{4}$	5.00
	10	6 $\frac{1}{4}$	5.10
	12	7	5.35
	14	7 $\frac{1}{4}$	5.55

Extra Jaws \$0.50 Per Pair

Packed 2 in a Box. For Prices of Bit Brace Parts see Page 200




STANLEY TOOLS

RATCHET BIT BRACES

Sturdily constructed Bit Braces built for the hardest use. The Ball Bearing Shells and Heads increase their ease of operation.

CONCEALED RATCHET, BALL BEARING SHELL

Nickel Plated. Metal-Clad, Bronze Bushed, Ball Bearing Head. Cocobolo Head and Handle. Forged Universal Jaws will take round bits and drills from 1/8 to 1/2 inch and taper shanks as large as Clark's No. 2 Expansive Bit.




No.	Sweep (Inches)	Weight 1/6 Doz. (Lbs.)	Price Each
811	10	7	\$7.00
	12	7 1/2	7.25
	14	8	7.50

Extra Jaws \$0.50 Per Pair

BOX RATCHET, BALL BEARING SHELL

Nickel Plated. Metal-Clad, Bronze Bushed, Ball Bearing Head. Cocobolo Head and Handle. Forged Universal Jaws will take round bits and drills from 1/8 to 1/2 inch and taper shanks as large as Clark's No. 2 Expansive Bit.



No.	Sweep (Inches)	Weight 1/6 Doz. (Lbs.)	Price Each
813	8	6 1/4	\$6.05
	10	7	6.20
	12	7 1/2	6.35
	14	7 3/4	6.65
	16	8 1/4	7.00

Extra Jaws \$0.50 Per Pair

All Packed 2 in a Box. For Prices of Bit Brace Parts, see Page 200




STANLEY TOOLS

RATCHET BIT BRACES

CONCEALED RATCHET

Nickel Plated. Metal-Clad, Bronze Bushed, Ball Bearing Head. Cocobolo Head and Handle. Forged Universal Jaws will take round bits and drills from $\frac{1}{8}$ to $\frac{1}{2}$ inch and taper shanks as large as Clark's No. 2 Expansive Bit.




No.	Sweep (Inches)	Weight $\frac{1}{6}$ Doz. (Lbs.)	Price Each
901	8	6	\$6.05
	10	6 $\frac{3}{4}$	6.20
	12	7	6.35
	14	7 $\frac{1}{2}$	6.65

Extra Jaws \$0.50 Per Pair

BOX RATCHET

Nickel Plated. Semi-Clad, Bronze Bushed, Ball Bearing Head. Cocobolo Head and Handle. Forged Universal Jaws will take round bits and drills from $\frac{1}{8}$ to $\frac{1}{2}$ inch and taper shanks as large as Clark's No. 2 Expansive Bit.



No.	Sweep (Inches)	Weight $\frac{1}{6}$ Doz. (Lbs.)	Price Each
903	6	5 $\frac{3}{4}$	\$5.20
	8	6	5.20
	10	6 $\frac{1}{2}$	5.25
	12	7	5.50
	14	7 $\frac{1}{2}$	5.70

Extra Jaws \$0.50 Per Pair

All Packed 2 in a Box. For Prices of Bit Brace Parts, see Page 200




STANLEY TOOLS

RATCHET BIT BRACES

CONCEALED RATCHET

Nickel Plated. Semi-Clad, Bronze Bushed, Ball Bearing Head. Cocobolo Head and Handle. Forged Alligator Jaws.




No.	Sweep (Inches)	Weight $\frac{1}{6}$ Doz. (Lbs.)	Price Each
921	8	$5\frac{3}{8}$	\$5.15
	10	$6\frac{3}{8}$	5.25
	12	$6\frac{3}{4}$	5.45
	14	7	5.70

Extra Jaws \$0.50 Per Pair

BOX RATCHET

Nickel Plated. Semi-Clad, Ball Bearing Head. Cocobolo Head and Handle. Forged Alligator Jaws.




No.	Sweep (Inches)	Weight $\frac{1}{6}$ Doz. (Lbs.)	Price Each
923	6	$5\frac{1}{4}$	\$4.70
	8	$5\frac{5}{8}$	4.70
	10	$6\frac{1}{4}$	4.80
	12	$6\frac{3}{4}$	5.00
	14	7	5.25

Extra Jaws \$0.50 Per Pair

BOX RATCHET

Nickel Plated. Metal-Clad, Ball Bearing Head. Cocobolo Head and Handle. Forged Alligator Jaws.



No.	Sweep (Inches)	Weight $\frac{1}{6}$ Doz. (Lbs.)	Price Each
913	8	$5\frac{3}{4}$	\$4.90
	10	$6\frac{1}{4}$	5.05
	12	$6\frac{3}{4}$	5.20
	14	7	5.50

Extra Jaws \$0.50 Per Pair

All Packed 2 in a Box. For Prices of Bit Brace Parts, see Page 200




STANLEY TOOLS

RATCHET BIT BRACES

BOX RATCHET

Nickel Plated. Metal-Clad Head. Black Hardwood Head and Handle. Alligator Jaws.




No.	Sweep (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Each
915	8	14 $\frac{1}{4}$	\$3.65
	10	16 $\frac{1}{4}$	3.75
	12	17 $\frac{1}{4}$	3.90

Extra Jaws \$0.50 Per Pair

OPEN RATCHET

Nickel Plated. Red Hardwood Head and Handle. Alligator Jaws.




No.	Sweep (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Each
945	6	13 $\frac{3}{4}$	\$2.95
	8	14 $\frac{3}{4}$	2.95
	10	16 $\frac{1}{2}$	3.00
	12	17 $\frac{1}{2}$	3.05

Extra Jaws \$0.50 Per Pair

OPEN RATCHET

Polished. Red Hardwood Head and Handle. Alligator Jaws.



No.	Sweep (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Each
955	8	13	\$2.60
	10	14 $\frac{1}{4}$	2.65
	12	16 $\frac{1}{4}$	2.70

Extra Jaws \$0.50 Per Pair

All Packed 6 in a Box. For Prices of Bit Brace Parts, see Page 200




STANLEY TOOLS

RATCHET BIT BRACES

OPEN RATCHET

Nickel Plated. Black Hardwood Head and Handle. Alligator Jaws.




No.	Sweep (Inches)	Weight ½ Doz. (Lbs.)	Price Each
965N	8	12½	\$2.00
	10	14	2.05
	12	16	2.15

Extra Jaws \$0.30 Per Pair.

OPEN RATCHET

Polished. Red Hardwood Head and Handle. Alligator Jaws.




No.	Sweep (Inches)	Weight ½ Doz. (Lbs.)	Price Each
965	8	12½	\$1.85
	10	14	1.90
	12	16	1.95

Extra Jaws \$0.30 Per Pair.

"LATCH PAWL" RATCHET

Polished. Red Hardwood Head and Handle. Alligator Jaws.




No.	Sweep (Inches)	Weight ½ Doz. (Lbs.)	Price Each
975	8	12¼	\$1.75
	10	13¼	1.80
	12	15¼	1.85

Extra Jaws \$0.30 Per Pair

"LATCH PAWL" RATCHET

Nickel Plated. Red Hardwood Head and Handle. Alligator Jaws.



No.	Sweep (Inches)	Weight ½ Doz. (Lbs.)	Price Each
975N	10	13¼	\$1.95

Extra Jaws \$0.30 Per Pair

All Packed 6 in a Box. For Prices of Bit Brace Parts, see Page 200




STANLEY TOOLS

NON RATCHET, SLEEVE TYPE BIT BRACES

NICKEL PLATED

Semi-Clad Ball Bearing Head. Cocobolo Head and Handle. Forged Alligator Jaws.




No.	Sweep (Inches)	Weight 1/6 Doz. (Lbs.)	Price Each
924	6	4 1/8	\$3.55
	8	4 3/8	3.55
	10	5 1/4	3.65

Extra Jaws \$0.50 Per Pair

NICKEL PLATED

Metal-Clad Head. Black Hardwood Head and Handle. Alligator Jaws.




No.	Sweep (Inches)	Weight 1/2 Doz. (Lbs.)	Price Each
916	8	11 3/4	\$2.30
	10	14 1/4	2.35

Extra Jaws \$0.50 Per Pair

NICKEL PLATED

Red Hardwood Head and Handle. Alligator Jaws.



No.	Sweep (Inches)	Weight 1/2 Doz. (Lbs.)	Price Each
946	8	11	\$1.90
	10	12 1/2	1.95

POLISHED


Red Hardwood Head and Handle. Alligator Jaws.



No.	Sweep (Inches)	Weight 1/2 Doz. (Lbs.)	Price Each
956	8	10 3/4	\$1.50
	10	12	1.55

ROLLED FINISH

Red Hardwood Head and Handle. Alligator Jaws.



No.	Sweep (Inches)	Weight 1/2 Doz. (Lbs.)	Price Each
966	8	10 1/4	\$1.05
	10	11 1/4	1.10
	12	12 1/2	1.15

Packed 6 in a Box, except No. 924 which is Packed 2 in a Box. For Prices of Bit Brace Parts, see Page 200



STANLEY TOOLS


RATCHET BIT BRACES

ALUMINUM HEAD AND HANDLE

Recommended for factory, garage and farm work, for use by lineman or wherever a Brace is required to withstand unusually severe usage. The Aluminum Head and Handle will withstand rough treatment.

BOX RATCHET

Nickel Plated. Metal Clad, Bronze Bushed, Ball Bearing Head. Aluminum Head and Handle. Forged Universal Jaws will take round bits and drills from $\frac{1}{8}$ to $\frac{1}{2}$ inch and taper shanks as large as Clark's No. 2 Expansive Bit.




No.	Sweep (Inches)	Weight $\frac{1}{6}$ Doz. (Lbs.)	Price Each
903A	10	$6\frac{3}{4}$	\$5.50
	12	$7\frac{1}{8}$	5.65

Extra Jaws \$0.50 Per Pair

BOX RATCHET

Full Polished. Metal Clad Head. Aluminum Head and Handle. Forged Alligator Jaws milled lengthwise to hold any type of bit.



No.	Sweep (Inches)	Weight $\frac{1}{6}$ Doz. (Lbs.)	Price Each
929	6	$5\frac{3}{4}$	\$4.75
	8	6	4.75
	10	$6\frac{1}{4}$	4.80
	12	$6\frac{3}{4}$	5.05

Extra Jaws \$0.50 Per Pair

All Packed 2 in a Box. For Prices of Bit Brace Parts, see Page 200




STANLEY TOOLS

BIT BRACE ASSORTMENTS

An attractive display stand for either window or counter. It provides a practical means of keeping these tools before your customers. Used on the counter to display six different numbers of Braces, it makes it easy for the customer to select the tool he wants.

Made of wood and painted a bright yellow. The Braces fit in metal cups which keep them in position. Size of stand 22 inches high.

Furnished with two assortments of the most popular Bit Braces.



ASSORTMENT "H"

No.	Bit Brace			Weight (Lbs.)	Price Complete
	Quantity	No.	Sweep (Inches)		
Asst. H	1	813	10	40	\$52.00
	1	901	10		
	2	921	10		
	2	923	10		
	2	915	10		
	4	945	10		

ASSORTMENT "M"

No.	Bit Brace			Weight (Lbs.)	Price Complete
	Quantity	No.	Sweep (Inches)		
Asst. M	1	813	10	22	\$30.00
	1	901	10		
	1	921	10		
	1	923	10		
	1	915	10		
	1	945	10		

Packed 1 Assortment in a Case



STANLEY TOOLS

SPOFFORD AND WHIMBLE BRACES

Serviceable Braces designed especially for millwrights, ship carpenters, farm use etc.

WHIMBLE DOUBLE CRANK

Used extensively in the oil fields.


Nickel Plated. Cocobolo Handles. Steel Crank and Thumb Screw. Malleable Iron Chuck.



No.	Double Sweep (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Each
12W	12	16 $\frac{1}{4}$	\$6.00

SPOFFORD

Black Finish, Nickel Trim. Malleable Iron Bow.
Cocobolo Head and Handle. Forged Thumb Screw.



No.	Sweep (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Each
108	8	10	\$4.15
110	10	12 $\frac{1}{4}$	4.45
112	12	14	4.75
114	14	15 $\frac{1}{4}$	5.25

SPOFFORD

Polished, Malleable Iron Bow. Japanned Iron
Head. Forged Thumb Screw.



No.	Sweep (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Each
10	10	12 $\frac{5}{8}$	\$3.85
12	12	14 $\frac{7}{8}$	4.05

All Packed 6 in a Box



STANLEY TOOLS

CORNER BIT BRACES


These Braces work much faster in corners than a regular ratchet brace.

The gear frame is made of phosphor bronze to eliminate wear. The gears are beveled and the teeth carefully cut. The whole mechanism is enclosed to protect it from dirt and to guard the user's hands.

The metal clad quill is fastened to the head by three screws.


Made in two styles of chucks, otherwise the same. Nickel Plated, Metal Clad Head. Cocobolo Head and Handles, Steel Shell.

INTERLOCKING JAWS



No.	Sweep (Inches)	Weight 1/6 Doz. (Lbs.)	Price Each
992	8	7 3/4	\$7.75
	10	8	8.50

UNIVERSAL JAWS



No.	Sweep (Inches)	Weight 1/6 Doz. (Lbs.)	Price Each
993	8	8 1/2	\$7.75
	10	9	8.50

CORNER RATCHET BIT BRACES


Designed particularly for Electricians, Plumbers, Gas Fitters and other Mechanics who have occasion to work close into corners.

The knurled ring, between the head and the ratchet mechanism, is operated by the thumb and finger to start and hold the bit, until it is far enough in the wood so that it will not reverse, when the handle is turned back.

The slatted side on the head enables the user to place the Brace close to perpendicular surfaces. Particular attention is called to their short height which permits them to be worked in very small space.


Made in two styles of chucks, otherwise the same. Nickel Plated, Cocobolo Head and Handle, Steel Shell, Box Ratchet.

INTERLOCKING JAWS



No.	Height (Inches)	Weight 1/6 Doz. (Lbs.)	Price Each
982	7	4 1/2	\$4.90

ALLIGATOR JAWS



No.	Height (Inches)	Weight 1/6 Doz. (Lbs.)	Price Each
984	7	4 3/4	\$4.50

Packed 2 in a Box



STANLEY TOOLS

BIT EXTENSIONS

These tools extend a Bit so that the user can bore through walls, floors, etc., where the bit alone will not reach.



No. 180



No. 3

No. 180

An exceptionally strong tool. Shank and Socket are drop forged in one piece, hardened and tempered. Nut and knurled Wrench are case hardened. Sleeve is made from seamless steel tubing. Polished Finish.

Will Follow an $\frac{1}{8}$ Inch Bit—Bit Capacity 1 Inch

No.	Length (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Each
180	16	5	\$2.35
	18	5 $\frac{1}{2}$	2.40
	24	7 $\frac{1}{2}$	2.55

No. 1

The Jaws and Shank are drop forged in one piece, hardened and tempered. The Sleeve and Nut are made from seamless steel tubing and knurled. Nickel Plated except Sleeve and Nut, which are Blued.

Will Follow an $\frac{1}{8}$ Inch Bit—Bit Capacity $\frac{3}{8}$ Inch

No.	Length (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Each
1	12	3 $\frac{1}{4}$	\$2.05
	16	4	2.10
	18	4 $\frac{1}{2}$	2.15
	20	5 $\frac{1}{4}$	2.20
	24	6	2.30
	30	7 $\frac{1}{4}$	2.45



No. 1



No. 4

No. 3 and No. 4

The Jaws are of two-piece construction, drop forged and tempered and are held in position by two springs. The Sleeve and Nut are made of seamless steel tubing and knurled. Nickel Plated except Jaws and anti-friction Ring, which are Blued.

Will Follow an $\frac{1}{8}$ Inch Bit—Bit Capacity $\frac{7}{8}$ Inch

No.	Length (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Each
3	12	4	\$2.05
	16	5	2.10
	18	5 $\frac{1}{2}$	2.15
	20	6 $\frac{1}{4}$	2.20
	24	7 $\frac{1}{4}$	2.30
	30	8 $\frac{3}{4}$	2.45

Will Follow a $\frac{3}{4}$ Inch Bit—Bit Capacity 1 $\frac{1}{8}$ Inches

No.	Length (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Each
4	12	5 $\frac{1}{4}$	\$2.25
	16	6 $\frac{1}{4}$	2.30
	20	7 $\frac{1}{2}$	2.40
	24	8 $\frac{3}{4}$	2.50

Packed in Individual Boxes, 6 Boxes in a Carton



STANLEY TOOLS

BREAST DRILLS HAND DRILLS

Section Five



STANLEY TOOLS

BREAST DRILLS

Features—

Malleable Iron Frame, gives great strength with light weight.

Strongly constructed and highly finished.

Two Speeds changed by reversing latch and shifting large gear.

Handle can be set for any sweep from 8 inches to 12 inches.

Breast Plate is adjustable.

Grey Iron Gear and Steel Pinions insure long wearing qualities.

Gear and Pinion Teeth are machine cut to insure smooth operation.


Level is set in Frame, to aid in maintaining a horizontal position of the Drill.

Black Hardwood Handles.

Bright Parts are Nickel Plated, Gear is painted Blue, balance of tool Japanned.

No. 731


Adapted for metal or wood work. Three-jaw Chuck is fitted with hardened tool steel jaws. Capacity: Round shank twist Drills 0 to $\frac{1}{2}$ inch.



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
731	16 $\frac{1}{2}$	5 $\frac{1}{4}$	\$6.50

No. 733

Fitted with Universal Jaws, hardened and tempered. Capacity: Round shanks up to $\frac{1}{2}$ inch, taper shanks as large as Clark's No. 2 Expansive Bit.



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
733	16 $\frac{1}{2}$	5 $\frac{1}{2}$	\$5.75

Extra Jaws \$0.50 Per Pair

"D" OR SPADE HANDLES

Can be furnished with "D" Handles instead of Breast Plates without extra charge. Letter "D" added to number, No. 733D, designates "D" Handle.

All Packed 1 in a Box



STANLEY TOOLS

BREAST DRILLS

Features—

Iron Frame, Steel Shank.

Two Speeds, changed by reversing latch and shifting large gear.

Handle can be set for any sweep from 8 inches to 12 inches.

Breast Plate is adjustable.

Grey Iron Gear and Steel Pinion insure long wearing qualities.

Gear and Pinion Teeth are machine cut to insure smooth operation.


Black Hardwood Handles.

Bright Parts Polished, Gear is painted Blue, balance of tool Japanned.

No. 741

Adapted for metal or wood work. Three-jaw Chuck is fitted with hardened steel Jaws. Capacity: round shank twist drills 0 to $\frac{1}{2}$ inch.


Can be used for either wood or metal work.



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
741	17	5 $\frac{3}{4}$	\$5.45

No. 744

Fitted with Alligator Jaws, hardened and tempered. Capacity: wood shank bits only.



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
744	17	5 $\frac{7}{8}$	\$4.55

Extra Jaws \$0.50 Per Pair.

"D" OR SPADE HANDLE

Can be furnished with "D" Handles instead of Breast Plates without extra charge. Letter "D" added to number, No. 744D, designates "D" Handles.

All Packed 1 in a Box



STANLEY TOOLS

HAND DRILLS

STEEL FRAMES, POLISHED AND NICKEL PLATED

Large Steel Chucks of the Three-Jaw Type. Hardened Tool Steel Jaws.

(Chucks are locked on Spindle to prevent loss.)

Grey iron Gear and steel Pinion insure long life.


Gear and Pinion Teeth are machine cut and pitched to insure smooth operation.

Double Pinion. The second Pinion makes an excellent bearing, reducing friction.

Solid tropical hardwood Handles and side Knob. Side Knob is detachable.

No. 616


Capacity 0 to $\frac{1}{4}$ inch. $3\frac{1}{4}$ inch Speed Gear.



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
616	$12\frac{3}{8}$	$1\frac{5}{8}$	\$3.00

No. 617


Capacity 0 to $\frac{1}{4}$ inch. $3\frac{1}{4}$ inch extra wide, solid Speed Gear.



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
617	$12\frac{3}{8}$	2	\$3.50

No. 626

Capacity 0 to $\frac{3}{8}$ inch. 4 inch Speed Gear.



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
626	13	2	\$3.85

All Packed 1 in a Box



STANLEY TOOLS


HAND DRILLS

STEEL FRAMES, POLISHED AND NICKEL PLATED

Large Steel Chucks of the three-jaw type.
Hardened Tool Steel Jaws. (Chucks are locked on the Spindle to prevent loss.)
Grey iron Gear and steel Pinions insure long life.
Gear and Pinion Teeth are machine cut and pitched to insure smooth operation.
Double Pinions. The second Pinion makes an excellent bearing, reducing friction.
Tropical hardwood side Knob and Hollow Handle with screw Cap. Side Knob is detachable.
Handle contains 8 drills sizes $\frac{1}{64}$ to $\frac{11}{64}$ inches.

No. 1616


Capacity 0 to $\frac{1}{4}$ inch. $3\frac{1}{4}$ inch Speed Gear.



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
1616	$12\frac{3}{8}$	$1\frac{3}{4}$	\$3.75

No. 1617


Capacity 0 to $\frac{1}{4}$ inch. $3\frac{1}{4}$ inch extra wide, solid Speed Gear.



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
1617	$12\frac{3}{8}$	$2\frac{1}{8}$	\$4.25

No. 1626

Capacity 0 to $\frac{3}{8}$ inch. 4 inch Speed Gear.



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
1626	13	$2\frac{1}{8}$	\$4.60

All Packed 1 in a Box




STANLEY TOOLS

HAND DRILLS

MALLEABLE IRON FRAME JAPANNED

Large Steel Chuck of the three-jaw type. Capacity: 0 to $\frac{3}{8}$ inch.
 Hardened Tool Steel Jaws. Chuck is locked on spindle to prevent loss.
 Double Pinions. Second Pinion makes an excellent bearing, reducing friction.
 Grey Iron Gear and Steel Pinions insure long life.
 4 Inch Speed Gear.
 Gear and Pinion Teeth are machine cut and pitched.
 Tropical Hardwood Side Knob and Handle with Screw Cap.
 Handle contains 8 drills, sizes $\frac{1}{64}$ to $\frac{11}{64}$ inches.

No. 624




No.	Length (Inches)	Weight Each (Lbs.)	Price Each
624	14	2 $\frac{3}{8}$	\$5.10

STEEL FRAMES, NICKEL PLATED

Steel Chucks of the three-jaw type. Capacity: 0 to $\frac{1}{4}$ inch. Hardened Tool
 Steel Jaws. (Chucks are locked on the spindle to prevent loss.)
 Grey Iron Gear and Steel Pinions insure long life.
 Single Pinions. 3 $\frac{1}{2}$ Inch Speed Gear.
 Gear and Pinion Teeth are machine cut and pitched.

No. 618


Hardwood Handle and detachable Side Knob.



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
618	11 $\frac{3}{8}$	1	\$1.90

No. 619

Hardwood Handle with Screw Cap, detachable Side Knob. Handle contains 8 drills $\frac{1}{16}$ to $\frac{11}{64}$ inches.



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
619	11 $\frac{3}{8}$	1 $\frac{1}{8}$	\$2.50

All Packed 1 in a Box





HAMMERS

Section
6

STANLEY TOOLS

STANLEY HAMMERS

NINE POINTS OF LEADERSHIP

1. **Steel.** Made to our own formula and thoroughly tested.
2. **Pattern.** New and distinctive shape—give perfect balance.
The Claws are so beveled that they will grip and pull a nail by the shank.
3. **Forged.** Drop forged in positive dies. This method insures uniformity of shape.
4. **Temper.** Hardened and tempered individually (never in bulk), on face and claws by skilled workmen.
5. **Handle.** Sound, young, straight-grained, selected hickory, thoroughly seasoned. Shaped to fit the hand.
6. **Secure Heads.** The eye end of Handle is treated to exclude all moisture. This prevents swelling and shrinking, the usual cause of loose hammer heads.
7. **Wedging.** Two special wedges, reinforced by the exclusive feature of steps in the inside of the eye; the eye tapers from the center in both directions.
8. **Finish.** Beautifully finished to attract the eye.
9. **Marking.** The weight and catalog number are plainly stamped on the head of the Hammer for the convenience of the trade.



STANLEY TOOLS

NAIL HAMMERS

ONE HUNDRED PLUS

"The Hammer with the Perfect Balance"



A new and distinctive shape, beautifully finished. Indorsed by many artisans as the perfect hammer. Adze Eye, Semi-Ripping Claw, Bell Face, Highly Polished with Black Enamel on Head and Under Claws.



The Eye is tapered and corrugated making a secure fastening for the head to the handle

No.	Length Overall (Inches)	Weight Each (Lbs.)	Price Each
100 Plus	13	1¾	\$2.00

Packed one only in an attractive, lithographed display box.



An exceptionally fine Hammer. Popularly known as the "Red Neck" Hammer. Adze Eye, Semi-Ripping Claw, Octagonal Neck, Round Poll, Highly Polished with brilliant Red Enamel on Neck.



The Eye is tapered and corrugated making a secure fastening for the head to the handle

No.	Weight (Oz.)	Size	Length Overall (Inches)	Weight Each (Lbs.)	Price Each
15	20	1	13½	2	\$2.10
	16	1½	13	1¾	2.00
	13	2	13	1½	1.90

16 oz. size packed one only in an attractive lithographed display box. Other sizes—one only in regular Stanley Box.

All Packed 6 Doz. in a Case



STANLEY TOOLS

NAIL HAMMERS


ADZE EYE

Bell Face, Curved Claw, Polished with Black Enamel on Neck and Under Claw.




No.	Weight (Oz.)	Size	Overall (Inches)	Weight 1/3 Doz. (Lbs.)	Price Each
12	20	1	13 1/2	7	\$1.60
	16	1 1/2	13	6 1/4	1.50
	13	2	13	4 3/4	1.45
	10	2 1/2	13	4 1/4	1.40
	7	3	12	3 1/4	1.40
	5	4	12	2 1/8	1.40

Plain Face, Curved Claw, Polished with Black Enamel Under Claw.




No.	Weight (Oz.)	Size	Overall (Ins.)	Weight 1/3 Doz. (Lbs.)	Price Each
11	28	0	15	9 1/2	\$2.25
	20	1	13 1/2	7 3/8	1.60
	16	1 1/2	13	6 3/8	1.50
	13	2	13	5	1.45
	7	3	12	3 1/4	1.40
	5	4	12	2 1/8	1.40

Bell Face, Straight Claw, Polished with Black Enamel on Neck and under Claw.




No.	Weight (Oz.)	Size	Overall (Inches)	Weight 1/3 Doz. (Lbs.)	Price Each
22	20	1	13 1/2	7 1/8	\$1.60
	16	1 1/2	13	6 1/8	1.50
	13	2	13	5	1.45

Plain Face, Straight Claw, Polished with Black Enamel under Claw.



No.	Weight (Oz.)	Size	Overall (Ins.)	Weight 1/3 Doz. (Lbs.)	Price Each
21	20	1	13 1/2	7 3/4	\$1.60
	16	1 1/2	13	6 1/8	1.50

Octagonal Neck and Poll. Bell Face, Curved Claw, Nickel Plated, Mahogany stained Hickory Handle.



No.	Weight (Oz.)	Size	Overall (Ins.)	Weight 1/3 Doz. (Lbs.)	Price Each
14NM	20	1	13 1/2	7 1/4	\$2.10
	16	1 1/2	13	6 3/8	2.05
	13	2	13	4 3/4	2.00

Octagonal Neck and Poll. Bell Face Curved Claw, Full Polished.



No.	Weight (Oz.)	Size	Overall (Ins.)	Weight 1/3 Doz. (Lbs.)	Price Each
14	20	1	13 1/2	7 1/4	\$1.80
	16	1 1/2	13	6 3/8	1.75
	13	2	13	4 3/4	1.70

Checkered Face Hammers. No. 11-16 oz. and No. 12-16 oz. can be furnished with checkered or corrugated faces at \$.25 extra. Specify No. 11C-16 oz. etc.

All Packed 4 in a Box, 6 Doz. in a Case




STANLEY TOOLS

NAIL HAMMERS

"STANLEY"

Adze Eye, Plain Face, Octagonal Neck, Straight Claw, Polished with Black Enamel under Claw.





No.	Wgt. (Ozs.)	Size	Overall (In.)	Weight 1/3 Doz. (Lbs.)	Price Each
25	20	1	13 1/2	7 3/8	\$1.60
	16	1 1/2	13	6	1.50
	13	2	13	5 1/8	1.45

Checked Face Hammers No. 25—16 oz. can be furnished with a checkered or corrugated face for \$.025 extra. In ordering specify No. 25C—16 Oz.

Packed 4 in a Box, 6 Doz. in a Case

FLOOR LAYERS HAMMER

Plain Eye, Octagonal Neck, Polished Face and Claw, Balance of Head Black Enamel.




No.	Weight (Ounces)	Overall (Inches)	Weight 1/3 Doz. (Lbs.)	Price Each
221C	32	13 1/2	10 1/2	\$2.20
221	32	13 1/2	10 1/2	2.05

"VICTOR"


These Hammers are similar to but do not have many of the refinements found in the "Stanley" Hammers.

Adze Eye, Plain Face, Curved Claw, Polished with Black Enamel under Claws.



No.	Wgt. (Ozs.)	Size	Overall (In.)	Weight 1/2 Doz. (Lbs.)	Price Each
811	20	1	13 1/2	11 1/2	\$1.25
	16	1 1/2	13	10	1.20
	13	2	13	7 3/8	1.15

Adze Eye, Bell Face, Curved Claw, Polished with Black Enamel on Neck and under Claws.




No.	Wgt. (Ozs.)	Size	Overall (In.)	Weight 1/2 Doz. (Lbs.)	Price Each
812	20	1	13 1/2	11	\$1.25
	16	1 1/2	13	9 3/8	1.20
	13	2	13	7 3/8	1.15

Packed 6 in a Box, 6 Doz. in a Case

"DEFIANCE"


These Hammers resemble the "Victor" line except that the heads are Japanned instead of polished.

Adze Eye, Plain Face, Curved Claw, Polished on face and top of Claw.



No.	Wgt. (Ozs.)	Size	Overall (In.)	Weight 1/2 Doz. (Lbs.)	Price Each
01	20	1	13 1/2	10 3/4	\$0.95
01 1/2	16	1 1/2	13	9	.90
02	13	2	13	7 1/2	.85

Adze Eye, Bell Face, Curved Claw, Polished on Face, Poll and top of Claw.



No.	Wgt. (Ozs.)	Size	Overall (In.)	Weight 1/2 Doz. (Lbs.)	Price Each
011	20	1	13 1/2	10 1/2	\$0.95
011 1/2	16	1 1/2	13	9	.90
012	13	2	13	7	.85

Packed 6 in a Box, 6 Doz. in a Case




STANLEY TOOLS

HAMMERS


All Numbers are of the Plain Eye Pattern. The Heads are polished, with black enamel on octagon.

MACHINISTS BALL PEIN



No.	Wgt. (Ozs.)	Size	Overall (In.)	Weight $\frac{1}{3}$ Doz. (Lbs.)	Price Each
36	4	00000	$10\frac{7}{8}$	$1\frac{3}{4}$	\$1.15
	6	0000	12	$2\frac{1}{2}$	1.15
	8	000	13	$3\frac{1}{2}$	1.15
	12	00	14	$4\frac{1}{2}$	1.15
	16	0	$14\frac{1}{2}$	$5\frac{3}{4}$	1.20
	20	1	15	$7\frac{3}{8}$	1.30
	24	2	16	$8\frac{1}{4}$	1.35
	28	3	16	$9\frac{1}{2}$	1.50
	32	4	16	$10\frac{1}{2}$	1.60
	40	6	16	13	1.80
	48	8	16	15	2.10
	56	9	16	$17\frac{1}{4}$	2.25


MACHINISTS STRAIGHT PEIN



No.	Wgt. (Ozs.)	Size	Overall (In.)	Weight $\frac{1}{3}$ Doz. (Lbs.)	Price Each
56	16	0	$14\frac{1}{2}$	$5\frac{1}{2}$	\$1.35
	20	1	15	7	1.50
	24	2	16	8	1.60
	28	3	16	$9\frac{1}{4}$	1.70
	32	4	16	10	1.80

BLACKSMITHS HAND

A popular Hammer with Garages and Filling Stations for changing tires.




MACHINISTS CROSS PEIN

No.	Wgt. (Ozs.)	Size	Overall (In.)	Weight $\frac{1}{3}$ Doz. (Lbs.)	Price Each
46	16	0	$14\frac{1}{2}$	$5\frac{3}{4}$	\$1.35
	20	1	15	7	1.50
	24	2	16	$7\frac{1}{2}$	1.60
	28	3	16	$9\frac{1}{4}$	1.70
	32	4	16	10	1.80




No.	Wgt. (Ozs.)	Size	Overall (In.)	Weight $\frac{1}{3}$ Doz. (Lbs.)	Price Each
49	26	0	15	8	\$1.60
	32	1	16	$9\frac{3}{4}$	1.65
	42	2	16	$12\frac{1}{4}$	1.80
	48	3	16	14	1.95
	56	4	16	$16\frac{1}{4}$	2.10
	72	5	16	$20\frac{1}{2}$	2.40



ENGINEERS CROSS PEIN

No.	Wgt. (Ozs.)	Size	Overall (In.)	Weight $\frac{1}{3}$ Doz. (Lbs.)	Price Each
48	18	0	14	$6\frac{1}{4}$	\$1.35
	26	1	15	$8\frac{1}{2}$	1.60
	32	2	16	$10\frac{1}{4}$	1.70
	40	3	16	$12\frac{3}{4}$	1.80
	48	4	16	$14\frac{3}{4}$	1.95



ENGINEERS DOUBLE FACE

No.	Wgt. (Ozs.)	Size	Overall (In.)	Weight $\frac{1}{3}$ Doz. (Lbs.)	Price Each
88	24	1	14	$7\frac{3}{4}$	\$1.60
	38	2	16	$11\frac{1}{2}$	1.80
	48	3	16	14	1.95


All Packed 4 in a Box, 6 Doz. in a Case



STANLEY TOOLS

HAMMERS

RIVETING Plain Eye, Polished




No.	Weight (Oz.)	Size	Overall (Ins.)	Weight 1/3 Doz. (Lbs.)	Price Each
147	4	0	11	1 3/4	\$1.05
	7	1	12	2 5/8	1.15
	9	2	12	2 7/8	1.20
	12	3	13	4 1/4	1.30
	15	4	14	5 1/4	1.40
	18	5	14	6	1.50

TINNERS RIVETING Plain Eye, Polished




No.	Weight (Oz.)	Size	Overall (Ins.)	Weight 1/3 Doz. (Lbs.)	Price Each
75	12	2	13	4 1/4	\$1.30

TINNERS PANEING Plain Eye Polished



No.	Weight (Oz.)	Size	Overall (Ins.)	Weight 1/3 Doz. (Lbs.)	Price Each
70	8	1	12	3 1/2	\$1.20
	12	2	13	4 3/4	1.30
	16	3	14	6 1/4	1.40

FARRIERS Adze Eye, Curved Claw, Polished



No.	Description	Wgt. (Oz.)	Overall (Ins.)	Wgt. 1/3 Doz. (Lbs.)	Price Each
511	Plain Poll	7	13	3 1/4	\$1.35
515	Octagon Poll	7	13	3 1/4	1.35

Adze Eye, Straight Claw, Polished

No.	Description	Wgt. (Oz.)	Overall (Ins.)	Wgt. 1/3 Doz. (Lbs.)	Price Each
525	Octagon Poll	10	13	4 1/4	\$1.60
		12	14	5	1.60

BRICKLAYERS

All Numbers have a smooth black finish and a red cutting bit.


ADZE EYE



No.	Weight (Oz.)	Size	Overall (Ins.)	Weight 1/3 Doz. (Lbs.)	Price Each
61	24	1	11	8 1/4	\$1.65
	32	2	11	10 1/4	1.80

ADZE EYE

Unassembled. The Head, Handle and Wedges are packed in a single box, convenient for carrying and redressing.



No.	Weight (Oz.)	Size	Overall (Ins.)	Weight Each (Lbs.)	Price Each
161	24	1	11	2	\$1.65

ADZE EYE



No.	Weight (Oz.)	Size	Overall (Ins.)	Weight 1/3 Doz. (Lbs.)	Price Each
60	24	1	11	8	\$1.65

PLAIN EYE



No.	Weight (Oz.)	Size	Overall (Ins.)	Weight 1/3 Doz. (Lbs.)	Price Each
160	24	1	11	7 1/2	\$1.45


All Packed 4 in a Box, except No. 161 which is Packed 1 in a Box



STANLEY TOOLS

MISCELLANEOUS TOOLS

UPHOLSTERERS TACK HAMMER




Magnetized. Drop forged from high grade steel and correctly tempered. The Handle is made from selected straight grained hickory. A thoroughly high-grade Tack Hammer.

No.	Head (Inches)	Overall (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Each
163	4 $\frac{3}{4}$	12	3 $\frac{7}{8}$	\$1.30

SCRATCH AWL

Hardwood Handles, Needle Point.



No.	Blade (Inches)	Dia. (Inches)	Weight Per Doz. (Lbs.)	Price Per Doz.
1	3	$\frac{5}{32}$	$\frac{7}{8}$	\$2.10
2	3 $\frac{1}{2}$	$\frac{3}{16}$	1 $\frac{1}{2}$	2.25

BRAD AWLS

Hardwood Handles, Flat Points.



No.	Blade (Inches)	Width of Tips (Inches)	Weight Per Doz. (Lbs.)	Price Per Doz.
3 Asst.	1	$\frac{1}{16}$	$\frac{7}{8}$	\$2.65
	1 $\frac{1}{4}$	$\frac{3}{32}$		
	1 $\frac{1}{2}$	$\frac{1}{8}$		

CHALK LINE REELS


Made of hardwood. No. 14 is a No. 12 Reel with a No. 1 Scratch Awl.



No.	Length (In.)	Dia. (In.)	Weight (Lbs.)	Price Per Doz.
11	4	2 $\frac{1}{4}$	2 Doz. 2	\$2.25
12	3	2	3 Doz. 3 $\frac{1}{8}$	1.90
14 With No. 1 Awl	3	2	1 Doz. 2 $\frac{1}{8}$	3.70

TACK HAMMER

Magnetized, Cast Iron Head. Hardwood Handle.



No.	Head (Inches)	Overall (Inches)	Weight Per Doz. (Lbs.)	Price Per Doz.
2	4	12	4	\$2.25

AWL HAFTS

Made from hardwood. A wrench is furnished with each for tightening the chuck.

Peg Awl. Leather Top, Steel Chuck



No.	Length (Inches)	Weight Per Doz. (Lbs.)	Price Per Doz.
6	4	2	\$3.10

Peg Awl. Leather Top, Four Jaw Chuck



No.	Length (Inches)	Weight Per Doz. (Lbs.)	Price Per Doz.
X6	3 $\frac{1}{8}$	2 $\frac{1}{2}$	\$4.65


Sewing Awl. Steel Chuck



No.	Length (Inches)	Weight Per Doz. (Lbs.)	Price Per Doz.
6 $\frac{1}{2}$	3 $\frac{3}{4}$	1 $\frac{3}{8}$	\$3.10

TACK HAMMER


One piece Malleable Iron Head, Handle and Claw. Hardwood in-laid and securely riveted in place on each side of the Handle.



No.	Head (Inches)	Overall (Inches)	Weight Per Doz. (Lbs.)	Price Per Doz.
4	4	12	5	\$6.40

All Packed 12 in a Box, except No. 163 which is Packed 6, No. 11 which is Packed 24 and No. 12 which is Packed 36 in a Box





No. 141
One-third full size

STANLEY PORTABLE ELECTRIC DRILL

Type No. 141— $\frac{1}{4}$ " Standard Duty

Designed for all kinds of rapid drilling within its rated capacity. The well balanced design and correct grip make this drill a very easy one to use. It is light in weight but sturdy in construction.

On account of its high speed, this drill is especially adapted for use with buffers, scratch brushes, grinding wheels and other attachments.

Special Features

Gears — nickel steel, specially heat treated.
Thrust ball bearing on spindle.
Ball bearing on motor shaft.
Strong aluminum alloy housings.
Quick make and break switch.

Armored attachment plug has special cord grip.
Positive cord grip inside of drill.
12½ feet rubber covered cable.
Chuck key held in gear housing.

Specifications

Type No. 141

Capacity $\frac{1}{4}$ " in steel.
 $\frac{3}{8}$ " in wood.

Amperes (full load) 2.3.

Voltage 32, 110, 150, 220 or 250 as specified.

Heavy duty threaded three jaw chuck.

Chuck speed — No load 2200 R.P.M.
Full load 1200 R.P.M.

Motor — Universal type, operates on either DC or AC current, 60 cycles or less from light socket supply line.

Length overall — 12 inches.

Net weight — 6½ pounds.

Shipping weight — 10 pounds.

Price for 32 — 110 — 150 — 220 or 250 volts — \$30.00

Three wire cable permitting ground connection \$2.50 extra.


Furnished with Keyless Type Chuck \$1 00 extra.

In ordering always specify type and voltage desired.

Prices shown are for Domestic use only.

Canadian prices are slightly higher.





No. 142
One-fourth full size

STANLEY PORTABLE ELECTRIC DRILL

Type No. 142 — 1/4" Heavy Duty

Designed for continuous production work. The powerful motor in this electric drill guarantees satisfactory performance on either metal or wood.

Easy to use because of its well balanced design and correctly shaped handle.

This electric drill will give absolute satisfaction anywhere that a 1/4" capacity drill is required. Recommended for the steel worker, building contractor, millwright and garage mechanic, also especially adapted for production work in metal or woodworking plants where constant operation and reliability are essential.

Special Features

Gears — nickel steel, specially heat treated.
Ball bearing supported motor shaft.
Radial thrust ball bearing on spindle.
Strong aluminum alloy housings.

Quick make and break switch.
Armored attachment plug has special cord grip.
Positive cord grip inside of drill.
12 1/2 feet rubber covered cable.
Chuck key held in gear housing.

Specifications

Type 142

Capacity — 1/4" in steel.

5/8" in hard wood.

1" in soft wood.

Amperes (full load) 3.0.

Voltage 32, 110, 150, 220 or 250 as specified.

Heavy duty threaded three jaw chuck.

Chuck Speed — No load 1300 R.P.M.
Full load 750 R.P.M.

Motor — Universal type — operates on either
DC or AC current, 60 cycles or less from
light socket supply.

Length overall — 13 inches.


Net weight — 8 pounds.

Shipping weight — 12 pounds.

*Prices shown are for Domestic use only.
Canadian prices are slightly higher.*

Price for 32 — 110 — 150 — 220 or 250 volts — \$40.00
Three wire cable permitting ground connection \$2.50 extra.
Furnished with Keyless Type Chuck \$1.00 extra.
In ordering always specify type and voltage desired.





No. 562
One-fourth full size

STANLEY PORTABLE ELECTRIC DRILL

Type No. 562 — $\frac{5}{16}$ " Heavy Duty

Designed for production work where a drill of this capacity is required. Combining a powerful motor with a well balanced design, this drill will operate satisfactorily on either wood or metal.

Recommended for use in garages, factories, for structural work — anywhere that a drill of $\frac{5}{16}$ " capacity is desired. A drill that is built to stand up under severe usage.

Special Features

Gears — nickel steel, specially heat treated.
Ball bearing supported motor shaft.
Radial thrust ball bearing on spindle.
Strong aluminum alloy housings.

Quick make and break switch.
Armored attachment plug has special cord grip.
Positive cord grip inside of drill.
12½ feet rubber covered cable.
Chuck key held in gear housing.

Specifications

Type No. 562

Capacity — $\frac{5}{16}$ " in steel.
 $\frac{5}{8}$ " in hard wood.
1" in soft wood.

Amperes (full load) 3.0.

Voltage 32, 110, 150, 220 or 250 as specified.

Heavy duty threaded three jaw chuck.

Chuck Speed — No load 1100 R.P.M.

Full load 600 R.P.M.

Motor — Universal type — operates on either
DC or AC current, 60 cycles or less from
light socket supply.

Length overall — 13 inches.

Net weight — 8¼ pounds.

Shipping weight — 12¼ pounds.

Price for 32 — 110 — 150 — 220 or 250 volts — \$44.00


Three wire cable permitting ground connection \$2.50 extra.

Furnished with Keyless Type Chuck \$1.00 extra.

In ordering always specify type and voltage desired.

Prices shown are for Domestic use only.
Canadian prices are slightly higher.





No. 382
One-fourth full size

STANLEY PORTABLE ELECTRIC DRILL

Type No. 382 — $\frac{3}{8}$ " Heavy Duty

This fast cutting, powerful drill has a $\frac{3}{8}$ " chuck capacity. Its light weight and correct balance makes it exceptionally easy to handle.

Recommended for use in either wood or steel where a drill of this capacity is required.

Special Features

Gears — nickel steel, specially heat treated.
Ball bearing supported motor shaft.
Thrust ball bearing on spindle.
Strong aluminum alloy housing.
Automatic release safety switch with locking device.

Armored attachment plug has special cord grip.
Positive cord clamp on drill.
12½ feet rubber covered cable.
Chuck key held in gear housing.
Combination spade and breast plate handle.

Specifications

Type No. 382

Capacity — $\frac{3}{8}$ " in steel.
 $1\frac{1}{8}$ " in wood.
Amperes (full load) 3.5.
Voltage 32, 110, 150, 220 or 250 as specified.
Heavy duty threaded three jaw chuck.

Chuck speed — No load 900 R.P.M.
Full load 475 R.P.M.

Motor — Universal type — operates on either
DC or AC current, 60 cycles or less from light
socket supply.

Length overall — 15½ inches.


Net weight — 11¾ pounds.

Shipping weight — 19 pounds.

Price for 32 — 110 — 150 — 220 or 250 volts — \$52.00
Three wire cable permitting ground connection \$2.50 extra.
Furnished with Keyless Type Chuck \$1.50 extra.
In ordering always specify type and voltage desired.

Prices shown are for Domestic use only.
Canadian prices are slightly higher.





No. 121
One-fourth full size

STANLEY PORTABLE ELECTRIC DRILL

Type No. 121 — 1/2" Standard Duty

This unusually powerful drill weighs only 12 pounds. Because of its light weight, its speed, and its power, it is especially adapted for use by millwrights, contractors, electricians, etc., where a real sturdy drill is required. Also a very popular size for the garage.

Special Features

Gears — nickel steel, specially heat treated.
Ball bearing supported motor shaft.
Thrust ball bearing on spindle.
Strong aluminum alloy housing.
Automatic release safety switch with locking device.
Armored attachment plug has special cord grip.
Positive cord clamp on drill.

12 1/2 feet rubber covered cable.
Chuck key held in gear housing.
Combination spade and breast plate handle

The pipe handle is detachable as is also the pipe handle casting. This is a distinctive feature on Stanley Drills and permits using the drill under the closest working conditions.

Specifications

Type No. 121

Capacity — 1/2" in steel.
1 1/4" in wood.
Amperes (full load) 3.5.
Voltage 32, 110, 150, 220 or 250 as specified.
Heavy duty threaded three jaw chuck.
Chuck speed — No load 525 R.P.M.
Full load 275 R.P.M.

Motor — Universal type — operates on either DC or AC current, 60 cycles or less from light socket supply.

Length overall — 15 1/2 inches.


Net weight — 12 pounds.

Shipping weight — 21 pounds.

Price for 32 — 110 — 150 — 220 or 250 volts — \$54.00
Three wire cable permitting ground connection \$2.50 extra.
Furnished with Keyless Type Chuck \$1.50 extra.
In ordering always specify type and voltage desired.

*Prices shown are for Domestic use only.
Canadian prices are slightly higher.*





No. 122
One-fourth full size

STANLEY PORTABLE ELECTRIC DRILL

Type No. 122 — 1/2" Heavy Duty

Designed for the heaviest work. Especially adapted for heavy work on metal or wood in garage, factory, structural and maintenance work. Its rugged and well balanced construction combined with a powerful motor insures long life under all conditions.

Special Features

Gears — nickel steel, specially heat treated.
Ball bearing supported motor shaft.
Thrust ball bearing on spindle.
Strong aluminum alloy housing.
Automatic release safety switch with locking device.
Armored attachment plug has special cord grip.
Positive cord clamp on drill.

12 1/2 feet rubber covered cable.
Chuck key held in gear housing.
Combination spade and breast plate handle.

The pipe handle is detachable as is also the pipe handle casting. This is a distinctive feature on Stanley Drills and permits using the drill under the closest working conditions.

Specifications

Type No. 122

Capacity — 1/2" in steel,
1 1/4" in wood.
Amperes (full load) 3.0.
Voltage 32, 110, 150, 220 or 250 as specified.
Heavy duty threaded three jaw chuck.
Chuck speed — No load 550 R.P.M.
Full load 350 R.P.M.


Motor — Universal type — operates on either DC or AC current, 60 cycles or less from light socket supply.

Length overall — 17 1/2 inches.
Net weight — 17 1/2 pounds.
Shipping weight — 28 pounds.

Price for 32 — 110 — 150 — 220 or 250 volts — \$60.00
Three wire cable permitting ground connection \$2.50 extra
Furnished with Keyless Type Chuck \$1.50 extra.
In ordering always specify type and voltage desired.

Prices shown are for Domestic use only.
Canadian prices are slightly higher.





No. 582
One-fourth full size

STANLEY PORTABLE ELECTRIC DRILL

Type No. 582 — 5/8" Heavy Duty

A real heavy duty drill. Especially adapted for heavy construction work, machinery repairing, etc. A very popular size for heavy repair work in factories, machine shops, etc.

Its rugged construction, fine balance and powerful motor will make an instant appeal to users of this size of drill.

Special Features

Gears — nickel steel, specially heat treated.
Ball bearing supported motor shaft.
Thrust ball bearing on spindle.
Strong aluminum alloy housing.
Automatic release safety switch with locking device.
Armored attachment plug has a special cord grip.
Positive cord clamp on drill.

12½ feet rubber covered cable.
Chuck key held in gear housing.
Combination spade and breast plate handle.

The pipe handle is detachable as is also the pipe handle casting. This is a distinctive feature on Stanley Drills and permits using the drill under the closest working conditions.

Specifications

Type No. 582

Capacity — 5/8" in steel.
1 5/8" in wood.
Amperes (full load) 6.0.
Voltage 110, 150, 220 or 250 as specified.
Heavy duty threaded three jaw chuck.
Chuck speed — No load 440 R.P.M.
Full load 250 R.P.M.


Motor — Universal type — operates on either DC or AC current, 60 cycles or less from light socket supply.

Length overall — 18½ inches.
Net weight — 20½ pounds.
Shipping weight — 34 pounds.

Price for 110 — 150 — 220 or 250 volts — \$68.00
Three wire cable permitting ground connection \$2.50 extra.
In ordering always specify type and voltage desired.

Prices shown are for Domestic use only.
Canadian prices are slightly higher.





No. 341
One-fourth full size

STANLEY PORTABLE ELECTRIC DRILL

Type No. 341 — $\frac{3}{4}$ " Standard Duty

A high powered drill. Exceptionally light in weight for a drill with $\frac{3}{4}$ " capacity. It is built for hard, continuous service and will operate smoothly under full production load. Recommended for heavy construction and factory production work.

Special Features

Gears — nickel steel, specially heat treated.
Ball bearing supported motor shaft.
Thrust ball bearing on spindle.
Strong aluminum alloy housing.
Automatic release safety switch with locking device.
Armored attachment plug has special cord grip.
Positive clamp cord on drill.

12½ feet rubber covered cable.
Chuck key held in gear housing.
Combination spade and breast plate handle.

The pipe handle is detachable as is also the pipe handle casting. This is a distinctive feature on Stanley Drills and permits using the drill under the closest working conditions.

Specifications

Type No. 341


Capacity — $\frac{3}{4}$ " in steel.
 $1\frac{3}{4}$ " in wood.
Amperes (full load) 6.0.
Voltage 110, 150, 220 or 250 as specified.
Heavy duty threaded three jaw chuck.
Chuck speed — No load 375 R.P.M.
 Full load 225 R.P.M.

Motor — Universal type — operates on either DC or AC current, 60 cycles or less from light socket supply.
Length overall — 19 inches.
Net weight — 21 pounds.
Shipping weight — 35 pounds.

Price for 110 — 150 — 220 or 250 volts — \$70.00
Three wire cable permitting ground connection \$2 50 extra.
In ordering always specify type and voltage desired.

Prices shown are for Domestic use only.
Canadian prices are slightly higher.





No. 342
One-fourth full size

STANLEY PORTABLE ELECTRIC DRILL

Type No. 342 — $\frac{3}{4}$ " Heavy Duty

Specially designed for driving Cylinder Hones

This is the drill that we recommend for garage work. It has a very rugged construction with plenty of reserve power for honing work.

This drill is recommended for any type of work where extreme requirements are made on the power of the drill.

Important — Thrust Ball Bearings on each end of the spindle shaft takes care of the up and down load encountered in honing.

Special Features

Gears — nickel steel, specially heat treated.
Ball bearing supported motor shaft.
Thrust ball bearing on each end of spindle shaft.
Strong aluminum alloy housing.
Automatic release safety switch with locking device.
Armored attachment plug has special cord grip.
Positive cord clamp on drill.

Type No. 342

Capacity — $\frac{3}{4}$ " in steel. $1\frac{7}{8}$ " in wood.
Amperes (full load) 8.0.
Voltage 110, 150, 220 or 250 as specified.
Heavy duty threaded three jaw chuck.
Chuck speed — No load 350 R.P.M.

Full load 200 R.P.M.

Motor — Universal type — operates on either DC or AC current, 60 cycles or less from light socket supply

$12\frac{1}{2}$ feet rubber covered cable.
Chuck key held in gear housing.
Combination spade and breast plate handle.

The pipe handle is detachable as is also the pipe handle casting. This is a distinctive feature on Stanley Drills and permits using the drill under the closest working conditions.

Specifications Length overall—20 in. Net weight—22½ pounds.


Shipping weight — 38 pounds.

Price for 110 — 150 — 220 or 250 volts — \$78.00

Three wire cable permitting ground connection \$2.50 extra.
In ordering always specify type and voltage desired.


Prices shown are for Domestic use only.

Canadian prices are slightly higher.



Showing construction of spindle shaft with two Thrust Ball Bearings.





No. 781
One-fourth full size

STANLEY PORTABLE ELECTRIC DRILL

Type No. 781 — $\frac{7}{8}$ " Standard Duty

A drill with plenty of power for real heavy drilling. Recommended for either production, maintenance or construction work. Equipped with a No. 2 Morse Taper Socket.

Special Features

Gears — nickel steel, specially heat treated.
Ball bearing supported motor shaft.
Thrust ball bearing on spindle.
Strong aluminum alloy housing
Automatic release safety switch with locking device.
Armored attachment plug has special cord grip.
Positive cord clamp on drill.
12½ feet rubber covered cable.

Drill shank fits into removable taper sleeve which is held in place by a knurled collar screwed into the spindle housing.

Combination spade and breast plate handle.

The pipe handle is detachable as is also the pipe handle casting. This is a distinctive feature on Stanley Drills and permits using the drill under the closest working conditions.

Specifications

Type No. 781

Capacity — $\frac{7}{8}$ " in steel.
2" in wood.

Amperes (full load) 8.0.

Voltage 110, 150, 220 or 250 as specified.

No. 2 Morse Taper Socket.

Chuck speed — No load 300 R.P.M.

Full load 175 R.P.M.

Motor — Universal type — operates on either DC or AC current. 60 cycles or less from light socket supply.

Length overall — 17½ inches.

Net weight — 20½ pounds.

Shipping weight — 34 pounds.

Price for 110 — 150 — 220 or 250 volts — \$85.00

No. 2 Morse Taper Arbor with $\frac{1}{2}$ " Chuck Price \$10.00


No. 2 Morse Taper Arbor with $\frac{5}{8}$ " Chuck Price \$10.00

No. 2 Morse Taper Arbor with $\frac{3}{4}$ " Chuck Price \$14.00

Three wire cable permitting ground connection \$2.50 extra.
In ordering always specify type and voltage desired.

Prices shown are for Domestic use only.
Canadian prices are slightly higher.





No. 556
One-fourth full size

STANLEY ELECTRIC BENCH GRINDER

Type No. 556 — Ball Bearing — 6" wheels

A bench grinder designed especially for factory and garage use for sharpening small tools as well as other general grinding work. Furnished with two six inch grinding wheels (one coarse and one fine) wheel guards, adjustable tool rests, cable and switch. Adaptable for use with wire brushes. Provided with a handle for convenience in carrying.

Furnished for A.C. current.

110 or 220 volts, 60 cycle, 110 volts, 50 cycle.

110 volts, 40 cycle, 110 volts, 25 cycle.

Also furnished for D.C. current 115 or 230 volts.

Type No. 556

Voltage (See above).

Speed — 3450 R.P.M. for 60 cycle.

Length overall — 14½ inches.

Diameter of wheels — 6 inches.

Thickness of wheels — ½ inch.

Diameter of arbor — ½ inch.

Net weight — 43 pounds.

Shipping weight — 65 pounds.

Price for A.C. Current — \$46.00

Price for D.C. Current — \$48.50

When ordering always specify current, voltage and cycle desired.

Canadian prices are slightly higher.

Prices shown are for Domestic use only.




Floor Pedestal
No. 560

For use with
Grinder No. 556

Price \$14.00





STANLEY PORTABLE ELECTRIC DRILLS

Design

In Stanley Electric Drills, special effort has been made to secure Tools which combine the maximum in desirable features. The straight, graceful lines and absence of projections insure a well balanced Drill that is easy to hold and not liable to damage if dropped. The off-set of spindles permits drilling in close corners and confined spaces.



Shape of Handle and convenience of switch, makes drills very easy to handle.

Strength and rigidity have been stressed in the design of the drill. At the same time, light and powerful drills have resulted. All parts of the Drills are readily accessible for cleaning and lubrication.


Handle and Switch

Note especially the shape of the handle, how it fits the hand, and how easily the Stanley Drill is controlled. The switch is of Standard Quick Make and Break Type and, what is most important, is so placed that it can be operated to start or stop the motor without releasing the firm grip of the fingers on the handle.

Ventilation

In Stanley Drills, especial attention has been paid to insure an ample amount of air being drawn around the motor for cooling purposes.

A scientifically built fan mounted on the armature shaft draws air into the frame at the rear of the Drill cooling the brushes and commutator and, by means of baffles, passes between the armature and field and out through holes conforming to the natural air flow. By this means the motor is always cool and continuous operation is possible.



Specially designed ventilation keeps the motor cool.



Motors

The motors are of highest quality with large reserve capacity. They are thoroughly tested before and after assembly and together with the fans, are dynamically and statically balanced. Motors may be readily observed while running. Commutators and brushes are easily cleaned. Standard Pigtail Type Brushes of best grade carbon having 500 working hour life are used and are readily replaceable.

Gears

All gears are made from special alloy steel and are carefully heat-treated. They run in grease in leak and dust proof housings.

Bearings

Ball-bearings set in steel jackets molded into the aluminum castings are used on both ends of the armature shaft, with exception of No. DG23 where there is a ball-bearing at the outer end only. Radial ball thrust bearings are used on all chuck spindles in addition to long bronze sleeves to maintain absolute alignment and obviate wear.

Chuck and Key

Highest grade three jaw chucks fitted to accurately ground spindles are used. The chuck key on all sizes is securely fastened in a recess on the Drill but may be instantly released for use.

Cable and Connections


Each Drill is equipped with 12½ feet of extra heavy duplex rubber covered cable which is fastened to the Drill by a specially designed clamp which takes all strain from the wire connections. At the other end is an extra heavy armored plug provided with a cable grip likewise eliminating strain on the wire connections.

Tests and Guarantees


Before leaving the factory all Drills, in addition to careful inspection, are subjected to a running test and all electrical parts to a 1400 volt test for grounds.

All Stanley Electric Drills are guaranteed to be mechanically and electrically correct and to develop rated capacity in continuous use without over-heating.


The Stanley Rule and Level Plant
New Britain, Conn.



Chuck key is held in special recess.
Always convenient.




Cord is attached to drill by special clamp.



Armored attachment plug eliminates strain on wire connections.






STANLEY DRILL STANDS

Bench Stand No. 530

Designed for use with either Nos. 562, 142 or 141 drills for buffing, scratch brushing and small grinding. Drill is held firmly by means of one clamping screw.

Diameter of Base — $4\frac{5}{8}$ in.
Weight — $4\frac{1}{4}$ lbs.
Shipping weight — 5 lbs.
Price \$2.50



No. 530


Bench Drill Stand No. 532

This stand is used for converting Stanley Portable Electric Drill Nos. 562, and 142 into a drill press.

The drill is securely locked in place by tightening one clamping screw only. Accurate drilling can be done even under the heaviest loads. Drill bracket is movable on post and can easily be moved up and down or turned sideways by loosening one clamping screw.

Compression spring counter-balances weight of drill and aids in lifting the drill out of the work when drilling is completed.

Height of column — 22 in.
Base — 8 in. x 8 in.
Maximum Feed — $2\frac{1}{2}$ in.
Maximum Distance from Chuck to Base — 11 in.
Finished in blue and orange enamel
Weight without drill — 25 lbs.
Shipping weight — 40 lbs.
Price \$14.00



No. 532

Bench Drill Stand No. 531 is similar to No. 532 but is designed to take Stanley Drill No. 141. **Price \$12.00**

*Prices shown are for Domestic use only.
Canadian prices are slightly higher.*



STANLEY DRILL STANDS

Bench Drill Stand No. 533

Designed for converting Stanley Portable Electric Drills Nos. 122, 121 and 382 into a drill press. Drill can be quickly and easily attached and detached.


Height of column — 30 in.
Maximum Feed — 4 in.
Base — 9 in. x 9 in.
Maximum Distance from Chuck to Base — $13\frac{1}{2}$ in.
Finished in blue and orange enamel
Weight without drill — 46 lbs.
Shipping weight — 70 lbs.
Price \$24.00

Bench Drill Stand No. 535 is similar to No. 533 but designed for Stanley Drills Nos. 341, 342 and 582.


Price \$28.00

Bench Drill Stand No. 536 is similar to No. 533 but designed for Stanley Drill No. 781.

Price \$28.00



No. 534



No. 533

Post Drill Stand No. 534

This Post Drill Stand is for use with Drills Nos. 122, 121 and 382 and can be easily mounted on a post or side wall where bench space is not available. Furnished complete with brackets and heavy board.

Height of column — $37\frac{1}{2}$ in.
Maximum Feed — 4 in.
Base — 9 in. x 9 in.
Maximum Distance from Chuck to Base — $13\frac{1}{2}$ in.
Board dimensions — $41\frac{1}{2}$ x 6 x $1\frac{1}{2}$ in.
Space occupied — $41\frac{1}{2}$ x 24 x 15 in.
Total weight without drill — 65 lbs.
Shipping weight — 100 lbs.
Price \$32.00

Post Drill Stand No. 539 is similar to No. 534 but designed for Stanley Drills Nos. 341, 342 and 582.

Price \$32.00

Post Drill Stand No. 540 is similar to No. 534 but designed for Stanley Drill No. 781.

Price \$32.00



Adapter
No. 549

For
Drill Stands
Nos. 533 — 534


Adapter is regularly furnished with these stands. It is to be used with No. 382 or 121 drills.

Price \$0.50 for adapter when ordered separately

*Prices shown are for Domestic use only.
Canadian prices are slightly higher.*



STANLEY ELECTRIC DRILL ATTACHMENTS



**Bench Drill Vice
No. 537**

For use with Stanley Drill Stands Nos. 533, 534, 535, 536, 539 and 540.


Furnished complete with detachable jaws for holding round or irregular shaped work. Also vise clamps for fastening vise to base of drill stands.

Vise opens 3 inches.

Price \$3.75.

**Feed Screw
No. 541**

For Drills Nos. 382, 121, 122, 582, 341, 342 and 781. Used where it is impossible to use spade handle because of limited space. Price \$3.00.



Arbor No. 542 — 1/4" Shank

For use with grinding, buffing and wire brush wheel attachments. The wheels can be easily interchanged by removing one nut. Price \$0.75.



AUGER BITS IN SETS

For use with Portable Electric Drills

These Stanley Auger Bits have been designed especially for use with Portable Electric Drills. Because of the speed of an electric drill, the auger bits must be made more true than ordinary bits.

They can be used in any electric drill having a chuck capacity of 1/4" or more.

Set No. 555

Eight Bits, one each — 1/4, 5/16, 3/8, 1/2, 5/8, 3/4, 7/8 and 1 inch.

Net weight per set 1 1/2 lbs. Shipping weight 1 3/4 lbs.

No. 555 Price per set \$9.00.

Bits are also furnished separate packed 1/2 dozen in a box.

No. 555 Prices per dozen, separately

1/4"	\$9.70	1/2"	\$9.70	3/4"	\$13.40
5/16"	9.70	5/8"	11.50	7/8"	15.90
3/8"	9.70	1 1/16"	13.40	1"	18.25

Carbon Removing Brushes

Used generally for removing carbon from automobile cylinders, however, they are also used for removing rust, paint, burrs, etc.



No. 500
No. 502

Standard Plain Finish
Small Size Brush
Large Size Brush

Price \$1.10
Price \$1.35


Special Udylyte Finish

Special grade of wire with new process finish that insures 20% to 35% longer life than any other type of brush.

No. 501
No. 504

Small Size Brush
Large Size Brush

Price \$1.75
Price \$2.00



Flare Brush

For getting into corners and out-of-the-way places.

No. 503

Price \$2.00

Wire Wheel Brushes

For removing paint, cleaning metal and other scratch brush work.

No.	Diam. of Brush	Diam. of Hole	Price
505	3"	1/2"	\$1.75
506	4"	3/8 or 1/2	2.00
507	6"	1/2 or 5/8	3.00
508	8"	Arbor Hole Adapters	4.00
509	10"	furnished for	6.00
510	12"	5/8, 3/4, 7/8, 1, 1 1/8	8.00
511	15"	1 1/4, 1 3/8, 1 1/2, 1 3/4	9.00
Extra Arbor Hole Adapters, per pair			.20



Grinding Wheel No. 543

Proper size and quality abrasive for sharpening tools and any light grinding work.

Size — Diameter 4 in., Thickness 1/2 in.
Diameter of hole — 1/2 in.

Price \$1.25.

No. 544* Fine — Diameter 6 in., Thickness 1/2 in. Diameter of hole — 1/2 in. Price \$1.75.

No. 545* Coarse — Diameter 6 in., Thickness 1/2 in. Diameter of hole 1/2 in. Price \$1.75.

*For use with Bench Grinder No. 556.



Cloth Buffing Wheel No. 546

A cotton rag wheel adapted for all kinds of light buffing work.

Size — Diameter 6 in., Thickness 1/2 in.
Diameter of hole — 1/2 in. Price \$0.50.

Stanley Gear Grease

Made especially for use in Stanley Electric Tools. Proper lubrication with this grease insures long life for any Electric Tool.

Packed in convenient tubes. Price per tube \$0.50.

Prices shown are for Domestic use only. Canadian prices are slightly higher.



**STANLEY
TOOLS**

STANLEY TOOLS

SCREW DRIVERS

ICE PICKS

SAW SETS

AWLS

Section Eight



STANLEY TOOLS

SCREW DRIVERS

The strongest wood-handled Screw Drivers on the market

These Screw Drivers will stand up under the hardest work.

The Handles are made from the best grade of hickory, pre-shrunk by a special treatment to insure that the bar and ferrule will remain tight. They are capped with leather washers cemented together—the ideal construction to withstand pounding. The handles are shaped to fit the hand and safely insulated against shock.

The Blades are forged from one piece of high grade steel and oil tempered their entire length. The tang of the blade is forced into the handle under pressure. Two heavy wings positively lock it against turning. The ferrule is driven on under heavy pressure confining the wood fibres about the tang. The tips are accurately ground.

“ONE HUNDRED PLUS”

STANDARD BLADES AND TIPS

Highly finished. The blades are ground and polished. The handles are the natural color, polished.



No.	Blade (Inches)	Diameter (Inches)	Overall (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
1001	3	1/4	7	1	\$7.00
	4	1/4	9	1 1/4	7.65
	5	5/16	11	2 1/8	8.65
	6	5/16	12	2 1/4	9.60
	8	3/8	14 3/4	3 1/2	11.50
	10	3/8	16 3/4	4 1/2	13.50
	12	3/8	18 3/4	5	15.75

SQUARE SHANK—HEAVY DUTY

Made especially for garage mechanics, millwrights and others who require a Screw Driver that will stand up under severe usage. The blades are made with square shanks so that they can be gripped with a wrench. The tips and blades are specially tempered to withstand severe strains. The handles are finished in orange lacquer. The blades have a black oil tempered finish.



No.	Blade (Inches)	Diameter (Inches)	Overall (Inches)	Weight ½ Doz. (Lbs.)	Price Each
680	4	1/4	9	1 3/4	\$0.60
	6	5/16	11 7/8	2 3/4	.75
	8	3/8	14 1/2	3 3/4	.90
	12	3/8	18 1/2	6	1.35
	16	3/8	22 1/2	11	2.00

All Packed 6 in a Box



STANLEY TOOLS

STANLEY "HURWOOD" SCREW DRIVERS


All "Hurwood" Screw Drivers are strong and durable. The tips are accurately ground. The handles are of hardwood and nicely finished. All blades are made from selected steel, tempered and exceptionally well finished. The blade, shank and head are formed from one piece of steel. The shank passes through the handle and ferrule and is pinned. Two projecting wings in the head, together with the pin securely fasten the blade and keep it from turning.

Electricians Screw Drivers, so termed, have the head counterbored in the handle and insulated by a "Pyralin" washer.

STANLEY "HURWOOD" REGULAR SCREW DRIVERS

The blades are of the standard type with proportionate tips and handles. The handles are fluted, stained black, ebonite finish, and polished.

STANDARD HEAD




No.	Blade (Inches)	Diameter (Inches)	Overall (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
20	2½	7/32	6½	¾	\$3.60
	3	7/32	8	1	4.15
	4	1/4	9	1 3/8	4.75
	5	5/16	10½	2 1/8	5.65
	6	5/16	11¾	2½	6.75
	8	3/8	15	4	8.25
	10	3/8	17	4¼	10.35
	12	3/8	19	4 7/8	12.60

DOUBLE GRIP HANDLE

	18	1/2	27¼	11	19.20
	24	1/2	33¼	13	26.10
	30	1/2	39¼	15	32.40

INSULATED HEAD (ELECTRICIANS)



No.	Blade (Inches)	Diameter (Inches)	Overall (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
25	2½	7/32	6½	¾	\$3.60
	3	7/32	8	1	4.15
	4	1/4	9	1 3/8	4.75
	5	5/16	10½	2 1/8	5.65
	6	5/16	11¾	2½	6.75
	8	3/8	15	4	8.25
	10	3/8	17	4¼	10.35
	12	3/8	19	4 7/8	12.60

DOUBLE GRIP HANDLE

	18	1/2	27¼	11	19.20
--	----	-----	-----	----	-------

All Packed 6 in a Box except 18, 24 and 30 inch, which are Packed 6 in a Paper Package



STANLEY TOOLS

STANLEY "HURWOOD" CABINET MAKERS SCREW DRIVERS

The sides of the tips are parallel and of the same width as the diameter of the blade, so that a countersunk screw can be followed up without marring the work. The handles are fluted, stained black, ebonite finish, and polished. The construction of "Hurwood" Screw Drivers is described on page 125.

STANDARD HEAD



No.	Blade (Inches)	Diameter (Inches)	Overall (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
40	2 1/2	7/32	6 1/2	3/4	\$3.60
	3	7/32	7 1/2	1	4.15
	4	1/4	9	1 1/4	4.75
	5	1/4	10	1 1/2	5.65
	6	1/4	11	1 5/8	6.75
	8	1/4	13	1 7/8	8.25
	10	1/4	15	2	10.35
	12	1/4	17	2 1/4	12.60

INSULATED HEAD (ELECTRICIANS)



No.	Blade (Inches)	Diameter (Inches)	Overall (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
45	2 1/2	7/32	6 1/2	3/4	\$3.60
	3	7/32	7 1/2	1	4.15
	4	1/4	9	1 1/4	4.75
	5	1/4	10	1 1/2	5.65
	6	1/4	11	1 5/8	6.75
	8	1/4	13	1 7/8	8.25
	10	1/4	15	2	10.35
	12	1/4	17	2 1/4	12.60

All Packed 6 in a Box



STANLEY TOOLS

STANLEY “HURWOOD” SMALL SHANK SCREW DRIVERS

These Screw Drivers are designed for light work. The blades are made of very small stock and the tips are of a proportionate size. The handles are short and of small diameter. The handles are fluted, stained black, ebonite finish, and polished. The construction of “Hurwood” Screw Drivers is described on page 125.

STANDARD HEAD



No.	Blade (Inches)	Diameter (Inches)	Overall (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
50	1 1/2	11/64	4 1/8	3/8	\$3.60
	2 1/2	11/64	6 1/4	5/8	3.60
	3	11/64	6 1/2	5/8	4.15
	4	11/64	7 1/2	3/4	4.75
	5	11/64	8 1/2	3/4	5.65
	6	11/64	9 1/2	7/8	6.75
	8	11/64	11 1/2	7/8	8.25
	10	11/64	13 1/2	1	10.35
	12	11/64	15 1/2	1 1/8	12.60

INSULATED HEAD (ELECTRICIANS)

These Screw Drivers are adapted for light electrical work, as the tip fits the countersink in porcelain fittings.



No.	Blade (Inches)	Diameter (Inches)	Overall (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
55	1 1/2	11/64	4 1/8	3/8	\$3.60
	2 1/2	11/64	6 1/4	5/8	3.60
	3	11/64	6 1/2	5/8	4.15
	4	11/64	7 1/2	3/4	4.75
	5	11/64	8 1/2	3/4	5.65
	6	11/64	9 1/2	7/8	6.75
	8	11/64	11 1/2	7/8	8.25
	10	11/64	13 1/2	1	10.35
	12	11/64	15 1/2	1 1/8	12.60

All Packed 6 in a Box



STANLEY TOOLS

SCREW DRIVERS

"HURWOOD BABY"

The handle is fluted, stained black, ebonite finish, and polished.



Standard Head

No.	Blade (In.)	Dia. (In.)	Overall (In.)	Wgt. 1/2 Doz. (Lbs.)	Price Per Doz.
21	1 1/2	7/32	4 1/8	1/2	\$3.60

Insulated Head

No.	Blade (In.)	Dia. (In.)	Overall (In.)	Wgt. 1/2 Doz. (Lbs.)	Price Per Doz.
31	1 1/2	7/32	4 1/8	1/2	\$3.60

"HURWOOD HANDY"

The handle has a smooth surface, its peculiar shape provides a very strong grip. The handle is stained black, ebonite finish, and polished.



No.	Blade (In.)	Dia. (In.)	Overall (In.)	Wgt. 1/2 Doz. (Lbs.)	Price Per Doz.
60	1 5/8	5/16	5 1/2	1 5/8	\$5.05

"HURWOOD" MACHINISTS

Are especially adapted for heavy work where a long driver cannot be conveniently used. The handles are fluted, stained black, ebonite finish, and polished.


EXTRA HEAVY BLADES



No.	Blade (In.)	Dia. (In.)	Overall (In.)	Wgt. 1/2 Doz. (Lbs.)	Price Per Doz.
51	1 3/4	3/8	5 1/2	1 3/4	\$4.90
52	3	7/16	7 3/8	2 7/8	9.00
53	4	1/2	9 1/4	4 1/2	11.70

EXTRA HEAVY BLADES

Provided with hexagon nut for use with a wrench.



No.	Blade (In.)	Dia. (In.)	Overall (In.)	Wgt. 1/2 Doz. (Lbs.)	Price Per Doz.
51 1/2	1 1/2	3/8	5 1/2	2	\$ 7.75
52 1/2	2 5/8	7/16	7 3/8	3 3/8	11.70
53 1/2	3 1/4	1/2	9 1/4	5	14.65

"HURWOOD" DOUBLE GRIP

This Screw Driver has a long double grip handle and is provided with a hexagon nut for use with a wrench so that the most obstinate screws can be tightened or loosened. The tip is specially treated to stand up under severe strains. The handle is fluted, stained black, ebonite finish, and polished.



No.	Blade (In.)	Dia. (In.)	Overall (In.)	Wgt. 1/2 Doz. (Lbs.)	Price Per Doz.
54	8	1/2	18 1/4	9	\$30.60

"LITTLE MASCOT"

A small, light Screw Driver. The blade is securely held in the handle by a pair of swedged ears on the shank. The handle is fluted, stained black and neatly ferruled.



No.	Blade (In.)	Dia. (In.)	Overall (In.)	Wgt. 1/2 Doz. (Lbs.)	Price Per Doz.
121	1 1/2	1/8	3 1/4	1/8	\$2.05
	3	1/8	4 3/4	3/16	2.20

OFFSET SCREW DRIVERS

Drop forged from specially selected tool steel, correctly hardened and tempered. The tips are accurately machined. Oil tempered finish.



No.	Stock (In.)	Overall (In.)	Wgt. (Lbs.)	Price Per Doz.
670	5/16	4 1/2	1 Doz. 1 1/2	\$4.15
671	3/8	6	1/2 Doz. 1 3/8	4.60
672	7/16	8	1/2 Doz. 2 1/2	5.75

All Packed 6 in a Box except No. 670 which is Packed 12 in a Box



STANLEY TOOLS

SCREW DRIVERS

These Screw Drivers have round steel blades. The blade is securely held in the handle by a pair of swedged ears on the shank and a pin riveted through the ferrule, handle and shank. The handles are of hardwood, fluted, stained red and polished.

STANDARD BLADE AND TIP



No.	Blade (Inches)	Diameter (Inches)	Overall (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
70	2 1/4	7/32	6 1/2	3/4	\$2.80
	3	7/32	8	7/8	3.00
	4	1/4	9	1 1/4	3.25
	5	5/16	10 1/2	1 3/4	3.70
	6	5/16	11 3/4	2 1/8	4.00
	8	3/8	15	3 1/2	5.25
	10	3/8	17	3 7/8	6.30
	12	3/8	19	4 1/4	8.40
	15	7/16	22 3/4	6	9.60
	18	1/2	27 1/4	6 5/8	11.40

CABINET MAKERS BLADE AND TIP

The sides of the tips are parallel and of the same width as the diameter of the blade so that a countersunk screw can be followed up without marring the work.



No.	Blade (Inches)	Diameter (Inches)	Overall (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
75	2 1/2	7/32	6 1/2	5/8	\$2.80
	3	7/32	7 1/2	7/8	3.00
	4	1/4	9	1 1/8	3.25
	5	1/4	10	1 5/8	3.70
	6	1/4	12	1 1/2	4.00
	8	1/4	13	1 5/4	5.25
	10	1/4	15	1 3/4	6.30
	12	1/4	17	1 7/8	8.40

EXTRA SMALL BLADE AND HANDLE

Designed for light work. The blades are made of extra small, round stock. The tapered tips are of a proportionate size. The handles are short and of small diameter.



No.	Blade (Inches)	Diameter (Inches)	Overall (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
77	1 1/2	11/64	4 1/8	3/8	\$2.80
	3	3/16	6 1/2	1/2	3.00
	4	3/16	7 1/2	5/8	3.25
	5	3/16	8 1/2	5/8	3.70
	6	3/16	9 1/2	3/4	4.00
	8	3/16	11 1/2	7/8	5.25
	10	3/16	13 1/2	1	6.30
	12	3/16	15 1/2	1 1/8	8.40

All Packed 6 in a Box



STANLEY TOOLS

SCREW DRIVERS

STANDARD BLADE AND TIP


The blades are made of round steel. The blades are securely held in the handle by a pair of swaged ears on the shank and a pin riveted through the ferrule, handle and shank. The handles are fluted and stained red.



No.	Blade (Inches)	Diameter (Inches)	Overall (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
170	2 1/2	7/32	6 1/2	5/8	\$2.35
	3	7/32	8	7/8	2.55
	4	1/4	9	1 1/8	2.70
	5	5/16	10 1/2	1 5/8	3.15
	6	5/16	11 3/4	2 1/8	3.60
	8	3/8	15	3 1/2	4.80
	10	3/8	17	3 7/8	6.00
	12	3/8	19	4 1/4	7.20

STANDARD BLADE AND TIP


The blades are made of round steel. The blades are securely held in the handle by a pair of swaged ears on the shank. The handles are stained red.



No.	Blade (Inches)	Diameter (Inches)	Overall (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
80	2 1/2	7/32	6	5/8	\$1.60
	3	7/32	6 1/2	3/4	1.75
	4	1/4	8 1/4	1 1/8	2.10
	5	5/16	9 3/4	1 3/4	2.35
	6	5/16	11 1/4	2	2.55
	8	3/8	14 1/4	3 3/8	3.45
	10	3/8	16 1/4	3 7/8	4.50
	12	3/8	18 1/4	4 1/8	5.10

RADIO SCREW DRIVERS

A handy Screw Driver for light work. The blades are made of extra small stock. The width of the tip is the same as the diameter of the blade. The blades are securely held in the handle by a pair of swaged ears on the shank. The handles are of small diameter, fluted near the ferrule, stained black and polished.



No.	Blade (Inches)	Diameter (Inches)	Overall (Inches)	Weight 1/2 Doz. (Lbs.)	Price Per Doz.
177	2	9/64	5 3/4	3/8	\$3.25
	3	9/64	6 3/4	3/8	3.55
	4	9/64	7 3/4	3/8	3.75
	5	9/64	8 3/4	1/2	4.00
	6	9/64	9 3/4	1/2	4.30
	8	9/64	11 3/4	1/2	4.80

All Packed 6 in a Box




STANLEY TOOLS

RATCHET SCREW DRIVERS

The patented ratchet mechanism is of the most substantial type and is designed to give long wearing qualities. All parts are machine made and can be easily replaced. The handles are securely fastened to the mechanism with tapered steel pins which prevent the handles from turning. The blades are made of high grade tool steel, carefully hardened and tempered. Hardwood handles.

STANDARD BLADE AND TIP

An exceptionally attractive and well-made Screw Driver.



No.	Blade (Inches)	Diameter (Inches)	Overall (Inches)	Weight 1/2 Doz. (Lbs.)	Price Each
215	2	$\frac{7}{32}$	$6\frac{3}{4}$	$1\frac{5}{8}$	\$0.95
	3	$\frac{7}{32}$	$7\frac{3}{4}$	$1\frac{5}{8}$	1.00
	4	$\frac{9}{32}$	$9\frac{1}{8}$	$2\frac{1}{4}$	1.15
	5	$\frac{9}{32}$	$10\frac{1}{8}$	$2\frac{3}{8}$	1.25
	6	$\frac{5}{16}$	$11\frac{1}{2}$	$3\frac{1}{4}$	1.40
	8	$\frac{5}{16}$	$13\frac{3}{4}$	$3\frac{1}{2}$	1.60

CABINET MAKERS BLADE AND TIP

Designed especially for cabinet makers. The sides of the tips are parallel, and the same width as the blade, so that a countersunk screw can be followed without marring the work. The knurled rotating Finger Grip assists in starting the screw quickly.



No.	Blade (Inches)	Diameter (Inches)	Overall (Inches)	Weight 1/2 Doz. (Lbs.)	Price Each
216	2	$\frac{3}{16}$	$5\frac{1}{4}$	$1\frac{1}{8}$	\$1.15
	3	$\frac{3}{16}$	$6\frac{1}{4}$	$1\frac{1}{8}$	1.20
	4	$\frac{3}{16}$	$7\frac{1}{4}$	$1\frac{1}{4}$	1.25
	5	$\frac{3}{16}$	$8\frac{1}{4}$	$1\frac{1}{4}$	1.30
	6	$\frac{3}{16}$	$9\frac{1}{4}$	$1\frac{3}{4}$	1.35

All Packed 6 in a Box



STANLEY TOOLS


SCREW DRIVER DISPLAYS

Suitable for either window or counter use. These displays are easy to set up and make an attractive sales aid in presenting these tools.

The displays are made of heavy cardboard with a strong easel.

"HURWOOD" AND "STANLEY" SCREW DRIVERS

Lithographed in four colors. Designed to hold twelve screw drivers. Size 11 inches wide by 15½ inches high. Offered with two assortments of Screw Drivers containing a variety of popular sizes.



ASSORTMENT NO. 129

Contains 12 No. 20 Stanley "Hurwood" Screw Drivers.

No.	No. 20 Screw Drivers as follows	Weight (Lbs.)	Price Complete
129	2 3 inch 4 4 inch 2 5 inch 4 6 inch	3¼	\$5.50


ASSORTMENT NO. 179

Contains 24 No. 170 Stanley Screw Drivers.

No.	No. 170 Screw Drivers as follows	Weight (Lbs.)	Price Complete
179	8 4 inch 8 5 inch 8 6 inch	4½	\$6.30

"LITTLE MASCOT" SCREW DRIVERS

Printed in blue on buff colored stock—gives a 3-color effect. Size 8½ inches wide by 8½ inches high. Holds 12 Screw Drivers.



ASSORTMENT NO. 121A

Contains 12 Stanley "Little Mascot" Screw Drivers.

No.	No. 121 Screw Drivers as follows	Weight (Lbs.)	Price Complete
121A	6 1½ inch 6 3 inch	¾	\$2.15

All Assortments Packed 1 in a Box



STANLEY TOOLS

STANLEY "HURWOOD" ICE PICKS AND AWLS

The blade, shank and head are formed from one piece of steel. Two projecting wings under the head, and a rivet which passes through the ferrule, handle and shank, securely fastens the blade in the handle. The handles are stained black and polished. The points are carefully formed and tempered.

ICE PICKS NEEDLE POINT



No.	Blade (In.)	Dia. (In.)	Overall (In.)	Wgt. 1/2 Doz. (Lbs.)	Price Per Doz.
B	5 1/2	7/32	9	1 1/2	\$5.55

NEEDLE POINT



No.	Blade (In.)	Dia. (In.)	Overall (In.)	Wgt. 1/2 Doz. (Lbs.)	Price Per Doz.
C	5 1/2	5/32	9	1 3/16	\$5.10

NEEDLE POINT, METAL RING



No.	Blade (In.)	Dia. (In.)	Overall (In.)	Wgt. 1/2 Doz. (Lbs.)	Price Per Doz.
D	5 1/2	7/32	9	1 7/8	\$8.80

ICE PICK ASSORTMENTS

An attractive wooden display that provides a practical means of stocking Ice Picks. Two assortments.




No.	Contains	Wgt. (Lbs.)	Price Each
E Asst	12 No. D	4 1/2	\$9.30
F Asst	4 ea. Nos. B, C, D	3 1/2	7.00

SCRATCH AWLS TAPERED POINT




No.	Blade (In.)	Dia. (In.)	Overall (In.)	Wgt. 1/2 Doz. (Lbs.)	Price Per Doz.
6	2 3/4	1/4	5 7/8	3/4	\$4.45

TAPERED POINT



No.	Blade (In.)	Dia. (In.)	Overall (In.)	Wgt. 1/2 Doz. (Lbs.)	Price Per Doz.
7	3 1/2	1/4	6 1/2	1 1/8	\$4.80

TINNERS AWL TAPERED POINT



No.	Blade (In.)	Dia. (In.)	Overall (In.)	Wgt. 1/2 Doz. (Lbs.)	Price Per Doz.
8	3 1/2	1/4	6 1/2	1 5/8	\$5.10

BRAD AWLS FLAT POINTS



No.	Blades (In.)	Width of Tips (In.)	Overall (In.)	Wgt. Asst. (Lbs.)	Price Per Doz. Asst.
17 Asst	1 1 1/4 1 1/2 1 5/8	1/16 5/64 3/32 7/64	4 3/4 5 5 1/4 5 3/8	1 1/8	\$4.35

All Packed 6 in a Box, except No. 17 which is Packed 12, and E and F Assortments which are Packed 1 in a Box



STANLEY TOOLS

SAW SETS


These Saw Sets fit the hand and are held in a natural and comfortable position. They are designed so that the saw teeth are in plain view when the saw is set. This enables the user to quickly adjust the tool to the tooth to be set. Stanley Saw Sets exert just the right pressure—they will not break the saw teeth.

“PISTOL GRIP,” ADJUSTABLE

They are adjustable by means of the knurled thumb screw to give a greater or lesser set to the saw teeth as desired. The anvil is graduated so that the same adjustment can be easily obtained for duplicate work.

Body, Lever and Stop are made of malleable iron. Plunger and Anvil are made of tool steel, hardened and tempered.

For Back and Panel Saws




Number and Description	Weight Each (Lbs.)	Price Each
42 Black Finish	1	\$2.30
42N Nickel Plated	1	2.80

For Cross Cut Saws



Number and Description	Weight Each (Lbs.)	Price Each
43 Black Finish	1½	\$4.35



“PISTOL GRIP,” ADJUSTABLE

For Back and Panel Saws

This is the lightest and stiffest Saw Set on the market. It is made entirely of steel and securely riveted. The Plunger and Anvil are made of tool steel, hardened and tempered.

The length of the set can be readily shifted by means of the knurled screw to give a greater or lesser set to the saw teeth.

Number and Description	Weight Each (Lbs.)	Price Each
442 Nickel Plated	¾	\$2.00

All Packed 1 in a Box



STANLEY TOOLS

CHISELS



"ONE HUNDRED PLUS"

"EVERLASTING"

SOCKET

CHISELS IN SETS

Section Nine




STANLEY TOOLS

CHISELS

The following cuts and descriptions illustrate and describe the superior construction of Stanley Chisels.

"ONE HUNDRED PLUS" CHISELS

Indestructible Composition Handles



The Head, Shank, Ferrule and Blade are forged complete—no mechanical Joints. A blow struck on the head is transmitted directly to the cutting edge with undiminished force. Only the finest tool steel is used. Correctly heat treated and tempered to insure great strength and to hold a keen cutting edge.

The Handle is made of a special rubber composition. This material possesses unusual resistance to breakage and is not affected by heat or moisture. It is never cold to the hand. In appearance it closely resembles a highly polished tropical wood. The Handle is formed about the shank under tremendous pressure.

All Numbers are carefully polished.

"EVERLASTING" CHISELS



The Head, Shank and Blade are forged from one piece of tool steel. A blow struck on the Head is transmitted directly to the cutting edge with undiminished force. Carefully heat treated to insure unusual strength and a keen cutting edge.

The Handle is made from selected hickory. It is well finished, and fits snugly into the ferrule. A leather washer between the handle and steel head serves as a cushion when a blow is struck.

The Ferrule is machined from bar steel. It is assembled to the chisel by swaging the ferrule into the double taper in the shank.

All Numbers are carefully polished.



STANLEY TOOLS

“ONE HUNDRED PLUS” CHISELS

Indestructible Composition Handles

BEVEL EDGE POCKET

Blades 4½ Inches Long



BEVEL EDGE BUTT

Blades 3¼ Inches Long



No.	Blade (Inches)	Overall (Inches)	Weight ½ Doz. (Lbs.)	Price Each
1004	¼	9	2⅜	\$1.60
	⅜	9	2½	1.60
	½	9	2⅝	1.65
	¾	9	3	1.80
	1	9	3½	1.90
	1¼	10	5	2.00
	1½	10	5½	2.20
	2	10¼	6½	2.40


No.	Blade (Inches)	Overall (Inches)	Weight ½ Doz. (Lbs.)	Price Each
1005	¼	8	2	\$1.55
	⅜	8	2⅛	1.55
	½	8	2¼	1.60
	¾	8	2⅝	1.65
	1	8	2⅞	1.75
	1¼	8½	4½	1.90
	1½	8½	4⅞	2.10
	2	8¾	6	2.30

For Honing, add extra Per Doz. Net \$0.25

Packed 6 in a Box

“ONE HUNDRED PLUS” CHISELS IN SETS

Kits are made of heavy waterproof canvas, strongly sewed.




No.	Number of Chisels in Kit	Description of Chisels	One Each Size (Inches)	Weight Each (Lbs.)	Price Per Kit
846	6	No. 1004 Pocket	¼, ½, ¾, 1, 1¼, 1½	3½	\$12.00
866	6	No. 1005 Butt	¼, ½, ¾, 1, 1¼, 1½	3¼	11.50



STANLEY TOOLS

“EVERLASTING” CHISELS

BEVEL EDGE FIRMER
Blades 5½ Inches Long



No.	Blade (Inches)	Overall (Inches)	Weight ½ Doz. (Lbs.)	Price Each
20	⅛	11¼	2½	\$1.20
	¼	11¼	2⅝	1.25
	⅜	11¼	2¾	1.30
	½	11¼	2⅞	1.35
	⅝	11¼	3	1.40
	¾	11¼	3½	1.45
	⅞	11¼	3¾	1.60
	1	11¼	4¼	1.65
	1¼	12¼	5½	1.80
	1½	12¼	6¼	2.00
	1¾	12¼	7	2.20
	2	12¼	8½	2.40

SQUARE EDGE FIRMER
Blades 5½ Inches Long



No.	Blade (Inches)	Overall (Inches)	Weight ½ Doz. (Lbs.)	Price Each
25	⅛	11¼	2⅜	\$1.15
	¼	11¼	2½	1.20
	⅜	11¼	2⅝	1.25
	½	11¼	3	1.30
	⅝	11¼	3⅛	1.35
	¾	11¼	3½	1.40
	⅞	11¼	3¾	1.55
	1	11¼	4¼	1.60
	1¼	12¼	5½	1.75
	1½	12¼	6½	1.90
	1¾	12¼	7	2.15
	2	12¼	8	2.35

BEVEL EDGE POCKET
Blades 4½ Inches Long



No.	Blade (Inches)	Overall (Inches)	Weight ½ Doz. (Lbs.)	Price Each
40	⅛	9	2	\$1.05
	¼	9	2¼	1.10
	⅜	9	2⅜	1.20
	½	9	2½	1.25
	⅝	9	2⅝	1.30
	¾	9	3	1.35
	⅞	9	3⅛	1.40
	1	9	3½	1.45
	1¼	10¼	4½	1.60
	1½	10¼	5¼	1.80
	1¾	10¼	6	1.95
	2	10¼	7½	2.15

SQUARE EDGE POCKET
Blades 4½ Inches Long



No.	Blade (Inches)	Overall (Inches)	Weight ½ Doz. (Lbs.)	Price Each
45	⅛	9	2	\$1.00
	¼	9	2¼	1.05
	⅜	9	2⅜	1.15
	½	9	2½	1.20
	⅝	9	2⅝	1.25
	¾	9	3	1.30
	⅞	9	3⅛	1.35
	1	9	3½	1.40
	1¼	10¼	4¼	1.55
	1½	10¼	5¼	1.70
	1¾	10¼	5½	1.85
	2	10¼	6⅝	2.05

BEVEL EDGE BUTT
Blades 3 Inches Long



No.	Blade (Inches)	Overall (Inches)	Weight ½ Doz. (Lbs.)	Price Each
50	⅛	8	2	\$1.05
	¼	8	2⅛	1.10
	⅜	8	2¼	1.15
	½	8	2⅜	1.20
	⅝	8	2½	1.25
	¾	8	2¾	1.30
	⅞	8	2⅞	1.35
	1	8	3⅛	1.40
	1¼	9	4⅛	1.50
	1½	9	5	1.70
	1¾	9	5½	1.85
	2	9	6	2.05

GLAZIERS CHISELS
Blades 3 Inches Long



For easing up window sashes. Adapted for cleaning out old putty from window sashes, also smoothing and preparing them for the glass.

No.	Blade (Inches)	Overall (Inches)	Weight ½ Doz. (Lbs.)	Price Each
55	2	9	6	\$2.00

For Honing, add extra, per dozen net \$0.25


Packed 6 in a Box




STANLEY TOOLS

“EVERLASTING” CHISELS IN SETS

Kits are made of heavy waterproof canvas, strongly sewed.



Set No. 120



Set No. 220


SETS OF 6 CHISELS

No.	Description of Chisels	One Each (Sizes)	Wgt. Per Set (Lbs.)	Price Per Set
501	No. 20 Firmer Chisels, Bevel Edge	$\frac{1}{4}$, $\frac{1}{2}$, $\frac{3}{4}$, 1, $1\frac{1}{4}$, $1\frac{1}{2}$ in. wide	5	\$10.65
110	No. 40 Pocket “ “ “	$\frac{1}{4}$, $\frac{1}{2}$, $\frac{3}{4}$, 1, $1\frac{1}{4}$, $1\frac{1}{2}$ “ “	$4\frac{1}{4}$	9.60
120	No. 50 Butt “ “ “	$\frac{1}{4}$, $\frac{1}{2}$, $\frac{3}{4}$, 1, $1\frac{1}{4}$, $1\frac{1}{2}$ “ “	$4\frac{1}{4}$	9.10

SETS OF 9 CHISELS

No.	Description of Chisels	One Each (Sizes)	Wgt. Per Set (Lbs.)	Price Per Set
601	No. 20 Firmer Chisels, Bevel Edge	$\frac{1}{8}$, $\frac{1}{4}$, $\frac{3}{8}$, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, 1, $1\frac{1}{4}$, $1\frac{1}{2}$ in. wide	$6\frac{1}{4}$	\$14.70
210	No. 40 Pocket “ “ “	$\frac{1}{8}$, $\frac{1}{4}$, $\frac{3}{8}$, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, 1, $1\frac{1}{4}$, $1\frac{1}{2}$ “ “	$5\frac{1}{2}$	13.20
220	No. 50 Butt “ “ “	$\frac{1}{8}$, $\frac{1}{4}$, $\frac{3}{8}$, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, 1, $1\frac{1}{4}$, $1\frac{1}{2}$ “ “	$5\frac{1}{4}$	12.75

SETS OF 12 CHISELS



Set No. 320

No.	Description of Chisels	One Each (Sizes)	Wgt. Per Set (Lbs.)	Price Per Set
701	No. 20 Firmer Chisels, Bevel Edge	$\frac{1}{8}$, $\frac{1}{4}$, $\frac{3}{8}$, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, $\frac{7}{8}$, 1, $1\frac{1}{4}$, $1\frac{1}{2}$, $1\frac{3}{4}$, 2 in. wide	$9\frac{3}{4}$	\$21.15
310	No. 40 Pocket “ “ “	$\frac{1}{8}$, $\frac{1}{4}$, $\frac{3}{8}$, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, $\frac{7}{8}$, 1, $1\frac{1}{4}$, $1\frac{1}{2}$, $1\frac{3}{4}$, 2 “ “	$8\frac{1}{2}$	18.75
320	No. 50 Butt “ “ “	$\frac{1}{8}$, $\frac{1}{4}$, $\frac{3}{8}$, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$, $\frac{7}{8}$, 1, $1\frac{1}{4}$, $1\frac{1}{2}$, $1\frac{3}{4}$, 2 “ “	8	18.10

All Packed 1 Set in a Box



STANLEY TOOLS

SOCKET CHISELS

The Blades are made of high quality tool steel, correctly hardened and tempered. A knurled ring reinforces the socket and prevents spreading. The Handles are made from selected hickory and capped with leather washers.

BEVEL EDGE POCKET

Blades 4 1/2 Inches Long



No.	Blade (Inches)	Overall (Inches)	Weight 1/2 Doz. (Lbs.)	Price Each
440	1/8	10 5/8	1 1/2	\$1.00
	1/4	10 5/8	1 5/8	1.00
	3/8	10 5/8	1 3/4	1.00
	1/2	10 5/8	1 7/8	1.05
	5/8	10 5/8	2	1.10
	3/4	10 5/8	2 3/8	1.20
	7/8	10 5/8	2 1/2	1.25
	1	10 5/8	2 5/8	1.35
	1 1/4	11 5/8	2 3/4	1.55
	1 1/2	11 5/8	4	1.65
	1 3/4	11 5/8	4 1/2	1.80
	2	11 5/8	5 1/4	2.00

BEVEL EDGE BUTT

Blades 3 Inches Long




No.	Blade (Inches)	Overall (Inches)	Weight 1/2 Doz. (Lbs.)	Price Each
450	1/8	8 1/8	1	\$0.85
	1/4	8 1/8	1 1/8	.85
	3/8	8 1/8	1 1/8	.85
	1/2	8 1/8	1 1/4	.90
	5/8	8 1/2	1 3/8	1.00
	3/4	8 1/2	1 1/2	1.05
	7/8	8 1/2	1 5/8	1.10
	1	8 1/2	1 3/4	1.20
	1 1/4	9 1/2	2 1/2	1.30
	1 1/2	9 1/2	3	1.45
	1 3/4	9 1/2	3 1/2	1.65
	2	9 1/2	4	1.85

For Honing, add extra per dozen net, \$0.25

Packed 6 in a Box

SOCKET CHISELS IN SETS

Kits are made of heavy waterproof canvas, strongly sewed



No.	Number of Chisels in Kit	Description of Chisels	One Each (Sizes)	Weight Per Set	Price Per Set
446	6	No. 440 Pocket	1/4, 1/2, 3/4, 1, 1 1/4, 1 1/2	3 5/8	\$ 8.50
449	9	No. 440 "	1/8, 1/4, 3/8, 1/2, 5/8, 3/4, 1, 1 1/4, 1 1/2	4 1/2	11.70
452	12	No. 440 "	1/8, 1/4, 3/8, 1/2, 5/8, 3/4, 7/8, 1, 1 1/4, 1 1/2, 1 3/4, 2	6 3/4	16.90
466	6	No. 450 Butt	1/4, 1/2, 3/4, 1, 1 1/4, 1 1/2	2 1/2	7.60
469	9	No. 450 "	1/8, 1/4, 3/8, 1/2, 5/8, 3/4, 1, 1 1/4, 1 1/2	3 1/4	10.35
472	12	No. 450 "	1/8, 1/4, 3/8, 1/2, 5/8, 3/4, 7/8, 1, 1 1/4, 1 1/2, 1 3/4, 2	4 1/2	15.15

Packed 1 Set in a Box



STANLEY TOOLS

MITRE BOXES PICTURE FRAME TOOLS SHOOT BOARD AND PLANE

Section Ten




STANLEY TOOLS

MITRE BOXES


Fifteen Superior Features of Stanley Mitre Boxes

APPLICABLE TO MITRE BOXES Nos. 240, 242, 244, 246, 346, 358, 460 AND A358



1. Tie Bar at the top gives great rigidity to the uprights.
2. Maximum amount of guidance for saw in all positions.
3. Adjustable Spurs in back keep work from slipping.
4. Stock Guides hold all ordinary work as well as odd shapes and pieces, tightly against the back.
5. Pointed Screws level the box and stop it from sliding.
6. Quadrant is graduated in degrees and is also numbered for sawing 3, 4, 5, 6, 8, 12 and 24 sided figures. Swivels can be clamped rigidly in any position.
7. Detachable Legs of Malleable iron.
8. Automatic Catches hold the saw above work so that both hands can be used to place the work. They release the saw when the trip engages the front catch.
9. A first quality Back Saw.
10. Graduated Upright Bars, front and rear, have movable stops to aid in sawing to a given depth. The opposite Bars have positive stops operating on a thread.
11. Length stop makes it possible to saw duplicate pieces of practically any length. It can be used either right or left hand.
12. Uprights can be turned to take up the play of a saw of any thickness.
13. Uprights can be adjusted laterally to counteract improper sharpening of saw.
14. Two Sockets permit the use of a long or short saw.
15. Can be made very compact for carrying by removing the uprights.

STANLEY MITRE BOX—"KNOCKED DOWN"




Cut shows a Stanley Mitre Box "knocked down" so that it can be readily carried or packed. The Saw Guide Uprights are loosened or tightened by one screw. The Legs go into sockets and are tightened by one screw so that they too can be readily removed if desired.



STANLEY TOOLS

MITRE BOXES




The Back, Frame and Graduated Quadrant are cast in one piece. The entire box is strongly braced and absolutely rigid. The Legs are made of malleable iron which makes them practically unbreakable. A first quality back saw is furnished with each box.

No.	Back Saw (Inches)	Capacity Right Angle (Inches)	Capacity Mitre (45°) (Inches)	Capacity at 30° without Stock Guide (Inches)	Weight (Lbs.)	Price Each
240	20 x 4	8 $\frac{1}{4}$	5 $\frac{1}{2}$	3 $\frac{1}{2}$	33	\$22.30
242	22 x 4	8 $\frac{1}{4}$	5 $\frac{1}{2}$	3 $\frac{1}{2}$	34	22.80
244	24 x 4	8 $\frac{1}{4}$	5 $\frac{1}{2}$	3 $\frac{1}{2}$	35	23.40
246	26 x 4	8 $\frac{1}{4}$	5 $\frac{1}{2}$	3 $\frac{1}{2}$	37	24.00
346	26 x 4	9 $\frac{1}{2}$	6 $\frac{1}{2}$	4 $\frac{1}{8}$	41	25.95
358	28 x 5	9 $\frac{1}{2}$	6 $\frac{1}{2}$	4 $\frac{1}{8}$	44	27.40
460	30 x 6	11	7 $\frac{1}{2}$	5 $\frac{1}{8}$	55	32.85

ALUMINUM

This Mitre Box is similar in design and variety of adjustments to Stanley Mitre Boxes described above. Practically all parts are made of aluminum which makes it light in weight and rust proof. Furnished with a first quality back saw.



No.	Back Saw (Inches)	Capacity Right Angle (Inches)	Capacity Mitre (45°) (Inches)	Capacity at 30° without Stop Guide (Inches)	Weight (Lbs.)	Price Each
A358	28 x 5	9 $\frac{1}{2}$	6 $\frac{1}{2}$	4 $\frac{1}{8}$	31	\$37.30


Packed 1 in a Case. For Prices of Parts see Page 201



STANLEY TOOLS

MITRE BOXES

"VICTOR"



These Boxes are strongly constructed and accurate.

The Back Frame, Indexed Quadrant and Swivel Arm Bearing are made in one piece.


The Quadrant is indexed for cutting 4, 5, 6, 8, 12 and 24 sided figures. The Swivel Arm can be locked at any angle.

Either a back or panel saw can be used. The Saw Guide Uprights can be adjusted to hold the saw without side play. This insures accuracy when working.

Movable Stops attached to the Uprights control the cut of the saw to the desired depth.

No.	Capacity Right Angles (Inches)	Capacity Mitre (45°)	Shipping Weight (Lbs.)	Price Each
50½ No Saw	7¼	4¾	20	\$10.95
60½ with 20 x 4 in. Saw	7¼	4¾	29	16.45

"STANLEY" OPEN FRONT



Strongly constructed and attractively finished. It is easy to adjust and operate.

This Mitre Box will take stock up to 4 inches in height. Its open front makes it possible for extra wide boards to be sawed at any angle between 45 and 90 degrees.

The Swivel Arm has a Latch Pivot which engages in slots in the Frame for cutting mitres on 4, 6 and 8 sided figures. Improved construction of Swivel Mechanism insures positive adjustment of the Swivel Arm and rigidity at all times.


The Swivel can be locked at any angle.

The Saw Guide adjusts itself for any thickness of saw and can be adjusted vertically to the Base and square with the Back.

An adjustable gauge acts as a stop for short work.

No.	Shipping Weight (Lbs.)	Price Each
150 (No Saw)	15	\$6.70

"STANLEY" WOOD FRAME



Few and easy adjustments make this a handy box for ordinary work.

The Saw Guide can be quickly set and held at any angle. The index plate is graduated "0" (90 degrees), "Window Sill" (9 degrees), "Mitres" (45 degrees) and for 4, 5, 6 and 8 sided figures.

Either a back or a panel saw can be used. For cutting to exact depths a back saw is used. The saw back rests on a shoulder in the Saw Guide. This Guide, when adjusted, determines the depth of the cut and at the same time keeps the saw at the angle to be cut.

Index Plate, Index Lever and Center Point are made of steel, Frame is made of laminated hardwood.

No.	Shipping Weight (Lbs.)	Price Each
115 (No Saw)	10	\$4.25

All Packed 1 in a Case. For Prices of Mitre Box Parts see Pages 201 and 202



STANLEY TOOLS


MITRE BOXES

FOR CUTTING METAL

Used extensively to cut interior metal trim and mouldings but can be used for any work that can be cut with a metal back saw.

The Frame of the Box is made of gray iron; Top Irons, Legs and Saw Frame are made of steel. The whole is strongly braced and absolutely rigid.

Fitted with a Hack Saw having a 24 x $\frac{5}{8}$ in. blade—24 teeth to the inch. Can be furnished with the blade 32 teeth per inch if so ordered.




No.	Saw Blade (Inches)	Capacity Right Angles (Inches)	Capacity Mitre (45°) (Inches)	Weight (Lbs.)	Price Each
109	24 x $\frac{5}{8}$	9 $\frac{1}{2}$	6 $\frac{3}{4}$	35	\$20.00

Packed 1 in a Case

SHOOT BOARD AND PLANE

For Pattern Makers, Printers, Electrotipers, Picture Framers, etc. The Bed is of ribbed construction, and has an adjustable runway for the Plane. The Swivel can be locked at any angle between zero and ninety degrees. It has a sliding back to support the work to the edge, and a Clamp to reverse moulding work, etc.

The Plane is fitted to the board. The Skew Cutter is adjustable endwise and sidewise.



No.	Length Bed (Inches)	Length Plane (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
52	22	15	2 $\frac{3}{8}$	36	\$19.75
51 Plane only		15	2 $\frac{3}{8}$	7	7.90


Packed 1 in a Case. No. 51 is Packed 1 in a Box. For Prices of Plane Iron and Parts, see Page 196



STANLEY TOOLS

STANLEY "MARSH" MITRE TOOLS

MITRE MACHINE



A strong, compact tool originally designed for joining picture frames, but now used for all classes of wood work. With it any type of mitred joint may be cut, glued and nailed to make tight, close fitting corners.

Mouldings less than $4\frac{1}{2}$ inches in width can be sawed, and any frame $7\frac{1}{2} \times 7\frac{1}{2}$ in. or larger can be clamped. The $7\frac{1}{2}$ -inch clamping capacity insures accuracy in sawing large frames.



The Saw furnished is of the highest quality and is carefully fitted to the machine. The machine is made entirely of metal and japanned.

No.	Saw	Weight (Lbs.)	Price Each
100	26 x $4\frac{1}{2}$	23	\$19.00

MITRE VISE

This Vise meets every requirement for a picture frame clamp for square corners. It will clamp any moulding up to 4 inches wide, and join any frame larger than $3\frac{1}{2} \times 3\frac{1}{2}$ inches. The Vise holds two sides of the frame firmly in position for nailing. The universal base is made so that the vise can be tilted.

Frame is made of Gray Iron and Japanned.



*Vise tilted for convenience
in nailing.*

No.	Weight (Lbs.)	Price Each
400	12	\$7.00

All Packed 1 in a Case



STANLEY TOOLS

STANLEY "MARSH" MITRE TOOLS


MITRE CUTTER

This hand lever machine is fitted with a pair of knives set at right angles, to cut the two sides of a mitre joint.

It takes mouldings up to 3 inches in width and $2\frac{1}{2}$ inches high. A steel scale, graduated in $\frac{1}{8}$ inches, is mounted on a slide to accommodate different widths of mouldings.

Knives are of the best tool steel, carefully hardened and ground. Cutter Head, Gears, and Lever are made of steel. Frame is gray cast iron, machined true, Japanned finish.

No.	Weight (Lbs.)	Price Each
200	55	\$45.00
Extra Knives (Pair)	$1\frac{1}{4}$	6.00




MITRE CUTTER

Designed for the rapid mitering of small wood mouldings, beadings and strips of various types. It has a wide use for work on furniture, automobile bodies, sashes and doors, window screens, etc.

The opening under the knives, when the head is fully raised, is 2 inches high and $2\frac{3}{4}$ inches wide.

Base and Head are of gray cast iron with Japanned finish. Knives are heavy and of hard back or laid type. Sub base is made from seasoned hard wood and is 24 inches long. It acts as a guide for long stock.




No.	Weight (Lbs.)	Price Each
210	19	\$25.00
Extra Knives	$1\frac{1}{4}$	9.50

MITRE SANDER

The Sander has a cast iron base accurately machined on top and fitted with gauges adjustable to any angle. These Gauges are arranged so that either the front or back edges of the moulding may be placed against them. The shaft carries an iron disc, 18 inches in diameter; to the face of this is fastened a garnet paper abrasive. The Sander is operated by hand. It will take mouldings up to $4\frac{1}{2}$ inches

No.	Weight (Lbs.)	Price Each
300	52	\$19.00
Extra Garnet Disc	3	.50



All Packed 1 in a Case



STANLEY TOOLS


MISCELLANEOUS TOOLS

DOWELING JIG

With this tool the user can bore dowel holes in the edge, end or surface of work with ease and accuracy. It will take any thickness of material up to 3 inches. It is also an excellent bit guide for mortising.

A Depth Gauge is furnished which can be used with or without the Jig.

Made entirely of Metal and Nickel Plated. The working parts are milled true.




No.	Guides One Each (Inches)	Wgt. Each (Lbs.)	Price Each
59 (5 Guides)	$\frac{1}{4}, \frac{5}{16}, \frac{3}{8}, \frac{7}{16}, \frac{1}{2}$	$1\frac{3}{8}$	\$2.80
60 (9 Guides)	$\left\{ \begin{array}{l} \frac{1}{4}, \frac{5}{16}, \frac{3}{8}, \frac{7}{16}, \frac{1}{2} \\ \frac{9}{16}, \frac{5}{8}, 1\frac{1}{16}, \frac{3}{4} \end{array} \right\}$	$1\frac{5}{8}$	4.05
Extra Guides			\$0.35

JOINTER GAUGE

Can be used with all sizes of metal Jack or Jointer Planes. It is used to plane bevels of any angle, between 30 and 90 degrees or to square up the edges of boards with extreme accuracy. It can be used either right or left hand. A wooden face of any desired size may be attached to increase the bearing surface of the Gauge.

Nickel Plated, Rosewood Knob.



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
386	11	$2\frac{1}{8}$	\$2.50


DOWEL AND ROD TURNING MACHINE

It will cut dowels of various sizes and lengths to perfect dimensions. It can also be used to form rods of practically any length.

The crank can be adjusted for a long or short throw to give power or speed as desired.

One Cutter Head complete for making dowels or rods $\frac{3}{8}$ inch in diameter is furnished with each.

Additional Cutter Heads with cutters $\frac{1}{4}, \frac{3}{16}, \frac{5}{16}, \frac{7}{16}, \frac{1}{2}, \frac{9}{16}, \frac{5}{8}, 1\frac{1}{16},$ and $\frac{3}{4}$ inches can be furnished. Japanned. Black hardwood Handle.




No.	Weight Each (Lbs.)	Price Each
77	14	\$12.00
Extra Cutter Heads		1.20

CUTTER AND CHISEL GRINDER

Used to hold Plane Irons, Chisels and similar cutting tools, so that they may be ground or honed to any desired angle or bevel. It insures greater accuracy when sharpening tools.

Made entirely of Metal and Nickel Plated.



No.	Width (Inches)	Weight Each (Lbs.)	Price Each
200	$2\frac{5}{8}$	$1\frac{1}{8}$	\$1.65

All Packed 1 in a Box



STANLEY TOOLS


CARPENTERS SQUARES TRY SQUARES BEVELS

Section Eleven



STANLEY TOOLS

CARPENTERS STEEL SQUARES



TWO FOOT SQUARES

Body 24 x 2 Inches, Tongue 16 x 1½ Inches

No.	Finish	Price Each	Graduated						Table and Scales (Described on Page 150)		
			Face of Square		Back of Square						
			Body		Tongue		Body			Tongue	
100	Polished	\$2.70	1/16	1/8	1/16	1/8	1/12	1/32	1/10	1/12	} Brace Octagon Essex Board Measure 100ths Scale
100B	Blued	3.25	1/16	1/8	1/16	1/8	1/12	1/32	1/10	1/12	
100N	Nickeled	3.15	1/16	1/8	1/16	1/8	1/12	1/32	1/10	1/12	
100G	Galvanized	3.25	1/16	1/8	1/16	1/8	1/12	1/32	1/10	1/12	
100C	RoyalCopper	3.60	1/16	1/8	1/16	1/8	1/12	1/32	1/10	1/12	
3	Polished	2.40	1/16	1/4	1/16	1/4	1/12	1/4	1/12	1/4	} Brace Essex Board Measure
3B	Blued	3.00	1/16	1/4	1/16	1/4	1/12	1/4	1/12	1/4	
3N	Nickeled	2.95	1/16	1/4	1/16	1/4	1/12	1/4	1/12	1/4	
3G	Galvanized	3.00	1/16	1/4	1/16	1/4	1/12	1/4	1/12	1/4	
14	Polished	2.20	1/8	1/4	1/8	1/4	—	1/4	—	1/4	} Essex Board Measure
14B	Blued	2.80	1/8	1/4	1/8	1/4	—	1/4	—	1/4	

Wrapped individually in paper and Packed 3 in a Box. Weight ¼ Doz. 6¼ Lbs.

RAFTER OR FRAMING SQUARES

Body 24 x 2 Inches, Tongue 16 x 1½ Inches

No.	Finish	Price Each	Graduated						Table and Scales (Described on Page 150)		
			Face of Square				Back of Square				
			Body		Tongue		Body			Tongue	
R100	Polished	\$3.40	1/16	1/8	1/16	1/8	1/2	1/32	1/10	1/2	} Rafter or Framing Brace Octagon Essex Board Measure 100ths Scale
R100B	Blued	4.00	1/16	1/8	1/16	1/8	1/2	1/32	1/10	1/2	
R100N	Nickeled	3.90	1/16	1/8	1/16	1/8	1/2	1/32	1/10	1/2	
R100C	RoyalCopper	4.35	1/16	1/8	1/16	1/8	1/2	1/32	1/10	1/2	
R100G	Galvanized	4.00	1/16	1/8	1/16	1/8	1/2	1/32	1/10	1/2	
R3	Polished	2.65	1/16	1/4	1/16	1/4	1/2	1/4	1/2	1/4	} Rafter or Framing Brace Essex Board Measure
R3B	Blued	3.25	1/16	1/4	1/16	1/4	1/2	1/4	1/2	1/4	
R3N	Nickeled	3.15	1/16	1/4	1/16	1/4	1/2	1/4	1/2	1/4	

Wrapped individually in paper and Packed 3 in a Box. Weight ¼ Doz. 6¼ Lbs.

Squares with 18 Inch Tongue. All of the above squares can be furnished with the tongue 18 x 1½ inches at no additional cost. In ordering specify No. 100—18 Inch Tongue, etc.

Squares with 16 x 1¾ Inch Tongue. Nos. 100 and R100 can be furnished with the tongue 16 x 1¾ inches at no additional cost. In ordering specify No. 100 or No. R100—16 x 1¾ inch Tongue.



STANLEY TOOLS

CARPENTERS SQUARES



STAINLESS STEEL SQUARES

Made from a special **Stainless Steel** that will not rust or tarnish. Like the other Stanley Squares they are made from one piece of steel and unless otherwise specified taper in thickness from the angle outward.

TWO FOOT SQUARES

Body 24 x 2 Inches, Tongue 16 x 1½ Inches

No.	Finish	Price Each	Graduated				Table and Scales (Described on Page 150)
			Face of Square		Back of Square		
			Body	Tongue	Body	Tongue	
S100	Polished	\$4.40	⅙ ⅛	⅙ ⅛	½ ⅝	⅗ ⅚	Brace, Octagon, Essex Board, 100th Scale

Wrapped individually in paper and Packed ¼ Doz. in a Box. Weight ¼ Doz. 6¼ Lbs.

RAFTER OR FRAMING SQUARES

Body 24 x 2 Inches, Tongue 16 x 1½ Inches

No.	Finish	Price Each	Graduated				Table and Scales (Described on Page 150)
			Face of Square		Back of Square		
			Body	Tongue	Body	Tongue	
SR100	Polished	\$5.10	⅙ ⅛	⅙ ⅛	½ ⅝	⅗ ⅚	Rafter, Brace, Octagon, Essex Board, 100th Scale

Wrapped individually in paper and Packed ¼ Doz. in a Box. Weight ¼ Doz. 6¼ Lbs.

ALUMINUM SQUARES

Made from one piece of cold rolled **Aluminum Alloy**. They are tough, strong, light in weight and rust proof. Like the Steel Squares they taper in thickness from the angle outward.

TWO FOOT SQUARE

Body 24 x 2 Inches, Tongue 16 x 1½ Inches

No.	Finish	Price Each	Graduated				Table and Scales (Described on Page 150)
			Face of Square		Back of Square		
			Body	Tongue	Body	Tongue	
A100	Natural	\$3.55	⅙ ⅛	⅙ ⅛	½ ⅔	⅓ ⅔	Brace, Octagon, Essex Board, 100th Scale

Wrapped individually in paper and Packed ¼ Doz. in a Box. Weight ¼ Doz. 2¾ Lbs.

RAFTER OR FRAMING SQUARES

Body 24 x 2 Inches, Tongue 16 x 1½ Inches

No.	Finish	Price Each	Graduated				Table and Scales (Described on Page 150)
			Face of Square		Back of Square		
			Body	Tongue	Body	Tongue	
AR100	Natural	\$4.50	⅙ ⅛	⅙ ⅛	½ ⅔	⅙ ⅛	Rafter, Brace, Octagon, Essex Board, 100th Scale

Wrapped individually and Packed ¼ Doz. in a Box. Weight ¼ Doz. 2¾ Lbs.




STANLEY TOOLS

CARPENTERS STEEL SQUARES

"TAKE DOWN" SQUARES



Stanley "Take Down" Squares are handy to carry as they can be taken apart quickly and packed into a small space. When assembled they are square inside and out.



The tongue dovetails into the body of the Square and the cam locking device draws the tongue firmly against the shoulder. The cam locking device can be turned with the key furnished, or with a screw driver or coin.

The cam and tongue are so designed that any wear will be taken care of automatically. The Square will always be correct when the tongue is locked into position.

TWO FOOT SQUARES

Body 24 x 2 Inches, Tongue 16 x 1 1/2 Inches

No.	Finish	Price Each	Graduated				Table and Scales (Described on Page 150)		
			Face of Square		Back of Square				
			Body	Tongue	Body	Tongue			
100-TD	Polished	\$5.05	1/16	1/8	1/2	1/32	1/10	1/12	} Brace Octagon Essex Board Measure 100ths Scale
100N-TD	Nickeled	5.50	1/16	1/8	1/2	1/32	1/10	1/12	
100B-TD	Blued	5.65	1/16	1/8	1/2	1/32	1/10	1/12	

Weight Each 2 3/4 Lbs.

RAFTER OR FRAMING SQUARES

Body 24 x 2 Inches, Tongue 16 x 1 1/2 Inches

No.	Finish	Price Each	Graduated						Table and Scales (Described on Page 150)		
			Face of Square				Back of Square				
			Body		Tongue		Body			Tongue	
R100-TD	Polished	\$5.40	$\frac{1}{16}$	$\frac{1}{8}$	$\frac{1}{16}$	$\frac{1}{8}$	$\frac{1}{2}$	$\frac{1}{32}$	$\frac{1}{10}$	$\frac{1}{12}$	} Rafter Brace Octagon Essex Board Measure 100ths Scale
R100N-TD	Nickeled	5.95	$\frac{1}{16}$	$\frac{1}{8}$	$\frac{1}{16}$	$\frac{1}{8}$	$\frac{1}{2}$	$\frac{1}{32}$	$\frac{1}{10}$	$\frac{1}{12}$	
R100B-TD	Blued	6.00	$\frac{1}{16}$	$\frac{1}{8}$	$\frac{1}{16}$	$\frac{1}{8}$	$\frac{1}{2}$	$\frac{1}{32}$	$\frac{1}{10}$	$\frac{1}{12}$	

Weight Each 2 3/4 Lbs.



Showing "Take Down" Squares packed in canvas case which is furnished with each square.

All of the above Squares are Packed one in a water proof canvas case



STANLEY TOOLS

CARPENTERS STEEL SQUARES



18 INCH SQUARES

No.	Size (Inches)		Finish	Price Each	Graduated			
					Face of Square		Back of Square	
	Body	Tongue			Body	Tongue	Body	Tongue
18	18 x 1 1/2	12 x 1	Polished	\$2.20	1/16 1/8	1/16 1/8	1/12 1/8	1/12 1/8
18B	18 x 1 1/2	12 x 1	Blued	2.80	1/16 1/8	1/16 1/8	1/12 1/8	1/12 1/8

Wrapped individually in paper and Packed 1/4 Doz. in a Box. Weight 1/4 Doz. 3 1/4 Lbs.

ONE FOOT SQUARES

No.	Size (Inches)		Finish	Price Each	Graduated			
					Face of Square		Back of Square	
	Body	Tongue			Body	Tongue	Body	Tongue
10	12 x 1 1/2	8 x 1	Polished	\$1.65	1/8 1/4	1/8 1/4	1/12 1/4	1/12 1/8
12	12 x 1 1/2	8 x 1	Polished	1.90	1/16 1/8	1/16 1/8	1/12 1/8	1/12 1/8

Wrapped individually in paper and Packed 1/4 Doz. in a Box. Weight 1/4 Doz. 2 1/4 Lbs.

FLAT STEEL SQUARES

These squares are made the same thickness throughout. They do not have the same refinements as the regular squares, but make a practical tool for less important work.

No.	Size (Inches)		Finish	Price Each	Graduated			
					Face of Square		Back of Square	
	Body	Tongue			Body	Tongue	Body	Tongue
F2	24 x 1 1/2	12 x 1	Polished	\$1.30	1/8	1/8	1/4	1/4
F4	24 x 2	12 x 1	Polished	1.45	1/8	1/8	1/4	1/4


Wrapped individually in paper and Packed 1/2 Doz. in a Box. Weight 1/2 Doz.; No. F2—7 1/4 Lbs., No. F4—10 1/4 Lbs.



STANLEY TOOLS

MISCELLANEOUS TOOLS

ANGLE DIVIDERS



Bisecting an angle with an ordinary bevel requires the use of dividers as well as a second handling of the bevel, making three operations. With the Angle Divider this can be done in one operation; the Handle acts as a center line.

It can also be used as a Try Square and "T" Square by removing the two arms or blades.

Body is of Iron—Nickel Plated. Graduated on one side for laying out 4, 5, 6, 8 and 10 sided work.

The two Arms are of Steel and can be firmly locked at desired angle by means of an adjusting screw.


Nickel Plated.

No.	Length Inches		Weight Each (Lbs.)	Price Each
	Handle	Overall		
30	7 $\frac{3}{8}$	8 $\frac{1}{4}$	$\frac{5}{8}$	\$2.25

THREE ANGLE RULE TOOL


It can be quickly attached to any two foot rule, one inch in width. A Proved Level Glass is set solid in the frame.

Nickel Plated.



No.	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Each
2	1 $\frac{1}{8}$	\$0.90

"ODD JOBS"



Combines a Level, Plumb, Try Square, Inside Square, Mitre Square, Bevel, Scratch Awl, Depth Gauge, Mortise Gauge, Beam Compass and a One Foot Rule. The Rule is graduated in sixteenths of inches.

All parts of the tool are carefully machined so that in using it for any purpose where any of the above mentioned tools are required, sufficient accuracy may be obtained for all practical purposes.

Nickel Plated.

No.	Length Body (Inches)	Weight Each (Lbs.)	Price Each
1	4	$\frac{5}{8}$	\$1.45

PENCIL CLASP

Can be attached to a pair of dividers to make a compass.

Nickel Plated.

Packed 12 on a Display Card.



No.	Length (Inches)	Weight 2 Doz. (Lbs.)	Price Per Doz.
8	1 $\frac{1}{4}$	1 $\frac{1}{4}$	\$2.05

Nos. 1 and 30 Packed 1 in a Box. No. 2 Packed 6 in a Box. No. 8 Packed 12 on a Display Card



STANLEY TOOLS


TRY AND MITRE SQUARES

The Edges of the Blades are machined parallel and are square inside and out. Rosewood Handles are polished, and have the "Handy" Grip. Graduated in 8ths of inches. Can be furnished with metric graduations at no additional cost.

TRY SQUARES

ROSEWOOD HANDLES


Brass Face Plates, "Hand-y" Grip, Blued Blades



No.	Length Inches		Weight 1/2 Doz. (Lbs.)	Price Per Doz.
	Blade	Handle		
20	3	2 7/8	1 1/8	\$5.40
	4 1/2	3 5/8	1 5/8	6.15
	6	4 1/2	2 1/8	8.10
	7 1/2	5 3/8	2 7/8	8.85
	8	5 3/8	3 1/8	9.15
	9	6	3 5/8	11.40
	10	6	3 3/4	12.60
	12	7	4 1/2	15.15
	15	8 1/4	6 1/8	19.45
	18	9 3/4	7 3/4	26.25

IRON HANDLES

Nickel Plated




No.	Length Inches		Weight 1/2 Doz. (Lbs.)	Price Per Doz.
	Blade	Handle		
12	2	2	1	\$5.55
	4	3 1/8	1 7/8	6.75
	6	4 3/8	3 1/8	8.55
	8	5 1/2	4 1/4	9.60
	10	6 5/8	6 1/4	12.45
	12	8	8 1/4	15.00

TRY AND MITRE SQUARES

Can be used either as a Try or Mitre Square as one edge of the Handle is at an angle of 45°.

ROSEWOOD HANDLES


Brass Face Plates, "Hand-y" Grip, Blued Blades



No.	Length Inches		Weight 1/2 Doz. (Lbs.)	Price Per Doz.
	Blade	Handle		
2	4 1/2	3	1 1/2	\$8.25
	6	3 1/2	2	9.45
	7 1/2	4 3/4	3	10.80
	9	5 5/8	3 3/8	13.05
	12	5 5/8	4	16.50

IRON HANDLES

Nickel Plated



No.	Length Inches		Weight 1/2 Doz. (Lbs.)	Price Per Doz.
	Blade	Handle		
1	4	3	1 5/8	\$7.65
	6	4	2 7/8	9.25
	8	5 1/8	4	11.25
	10	6	4 7/8	13.20
	12	6	5 1/4	15.45

All Packed 6 in a Box




STANLEY TOOLS

TRY AND MITRE SQUARES

The Edges of the Blades are machined and are square inside and out. Squares that are graduated can be furnished with metric graduations at no additional cost.

ADJUSTABLE SQUARES


COMBINATION TRY AND MITRE SQUARE
Iron Handle, Nickel Plated. Graduated 8ths, 16ths and 32nds of inches



No.	Length Inches		Weight Each (Lbs.)	Price Each
	Blade	Handle		
21	6	3 1/4	3/8	\$1.05
	9	3 3/4	1/2	1.20
	12	4 3/8	3/4	1.35

TRY SQUARE

Iron Handle, Nickel Plated. Graduated 8ths and 16ths of inches




No.	Length Inches		Weight 1/2 Doz. (Lbs.)	Price Per Doz.
	Blade	Handle		
14	4	2 7/8	1 1/2	\$8.55
	6	3 3/8	2	9.45

WITHOUT GRADUATIONS

TRY SQUARES


Inlaid Rosewood Handle, Heavy Blade. Polished



No.	Length Inches		Weight Each (Lbs.)	Price Per Doz.
	Blade	Handle		
10	4	3	3/8	\$9.60
	6	4 1/2	5/8	12.60
	8	5 3/8	7/8	15.75
	10	6 1/2	1	21.90

MITRE SQUARES

Iron Handle, Nickel Plated. Blade is set at an angle of 45 degrees




No.	Length Inches		Weight 1/2 Doz. (Lbs.)	Price Each
	Blade	Handle		
16	8	4 3/8	3 7/8	\$11.80
	10	5 1/8	4 1/4	13.80
	12	5 3/8	4 3/4	15.75

TRY AND MITRE SQUARES


"T" shaped Handle. One end of the Handle is at an angle of 45°. These Squares are popular in Manual Training Classes

Iron Handle, Nickel Plated. Graduated 8ths inches



No.	Length Inches		Weight 1/2 Doz. (Lbs.)	Price Per Doz.
	Blade	Handle		
15	7 1/2	5 1/4	4 3/8	\$14.25

Iron Handle, Nickel Plated, Finger Grip. Graduated 8ths inches



No.	Length Inches		Weight 1/2 Doz. (Lbs.)	Price Per Doz.
	Blade	Handle		
17	7 1/2	5	3 3/8	\$11.20

All Packed 6 in a Box except Nos. 10 and 21, which are Packed 1 in a Box



STANLEY TOOLS


TRY SQUARES AND BEVELS

The Edges of the Blades are machined and are square inside and out.

TRY SQUARE

Aluminum Handle. Oxidized Steel Blade

Light in weight and rust proof. Graduated in 8ths of inches. Can be supplied with metric graduations at no additional cost.




No.	Length Inches		Weight $\frac{1}{8}$ Doz. (Lbs.)	Price Per Doz.
	Blade	Handle		
312	6	$3\frac{3}{8}$	$2\frac{3}{4}$	\$11.85
	8	$5\frac{1}{2}$	3	12.85
	10	$6\frac{5}{8}$	$4\frac{1}{8}$	15.75

DOUBLE BLADE BEVEL

*Boxwood Handle, Brass Tips "Handy" Grip
Blued Blades*

For laying out work that has two angles to be cut such as jack rafters, etc., if desired the smaller blade can be locked in the handle to form a single blade bevel.

The Blades can be locked at any angle desired.




No.	Length Inches			Weight ½ Doz. (Lbs.)	Price Per Doz.
	Blades		Handle		
	Long	Short			
225	12	6¼	7	3¼	\$11.70

SLIDING "T" BEVELS

These Bevels have an improved locking device which firmly holds the blade at any angle desired.

ROSEWOOD HANDLE


Brass Tips, "Handy" Grip, Blued Blade



No.	Length Inches		Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
	Blade	Handle		
25	6	$4\frac{1}{2}$	$1\frac{1}{8}$	\$7.00
	8	$5\frac{1}{2}$	$1\frac{5}{8}$	7.80
	10	$6\frac{1}{2}$	2	8.10
	12	$7\frac{5}{8}$	$2\frac{1}{2}$	9.10
	14	$8\frac{5}{8}$	3	9.75

IRON HANDLE

Nickel Plated



No.	Length Inches		Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
	Blade	Handle		
18	6	$4\frac{1}{8}$	$2\frac{1}{4}$	\$10.35
	8	$5\frac{1}{8}$	$2\frac{3}{4}$	13.20
	10	$6\frac{1}{8}$	$3\frac{5}{8}$	14.40
	12	$6\frac{1}{8}$	$3\frac{3}{4}$	15.70

All Packed 6 in a Box, except No. 312 which is Packed 4 in a Box



STANLEY TOOLS

GAUGES



MORTISE AND MARKING GAUGES

BIT GAUGES

CLAPBOARD GAUGES

BUTT GAUGES

TRAMMEL POINTS

Section Twelve



STANLEY TOOLS

WOOD MARKING GAUGES

The Bars are oval in form. Gauges with brass Thumb Screws have the Bar protected by a brass Shoe.

SQUARE HEADS BEECH

Fixed Tempered Point. Boxwood Thumb Screw. Graduated in 16ths of inches for 6 inches.



No.	Weight Per Doz. (Lbs.)	Price Per Doz.
61	3	\$2.55


BEECH

Polished. Adjustable Tempered Point. Boxwood Thumb Screw. Graduated in 16ths of inches for 6 inches.

No.	Weight Per Doz. (Lbs.)	Price Per Doz.
62	3	\$4.75

BOXWOOD

Polished. Adjustable Tempered Point. Brass Thumb Screw and Face Plate. Graduated in 16ths of inches for 6 inches.




No.	Weight ½ Doz. (Lbs.)	Price Per Doz.
65	1 7/8	\$10.35

WITHOUT FIGURES OR GRADUATIONS

Designed for Manual Training use. Gauge must be set with a rule—a practice encouraged by all instructors.

BOXWOOD


Polished. Adjustable Tempered Point. Brass Thumb Screw and Face Plate.



No.	Weight ½ Doz. (Lbs.)	Price Per Doz.
265	1 7/8	\$10.35

OVAL HEADS BEECH

Polished. Adjustable Tempered Point. Brass Thumb Screw and Face Plate. Graduated in 16ths of inches for 6 inches.



No.	Weight ½ Doz. (Lbs.)	Price Per Doz.
64 1/2	1 7/8	\$7.60


BOXWOOD

Made from Boxwood and Polished, otherwise identical to No. 64 1/2.

No.	Weight ½ Doz. (Lbs.)	Price Per Doz.
65 1/2	1 7/8	\$11.50

BOXWOOD


Polished. Adjustable Tempered Point and Pencil. Brass Thumb Screw and Face Plate. Graduated in 16ths of inches for 6 inches.



No.	Weight ½ Doz. (Lbs.)	Price Per Doz.
65 3/4	2 1/8	\$13.05

BEECH

Polished. Adjustable Tempered Point. Brass Thumb Screw and Face Plate.



No.	Weight ½ Doz. (Lbs.)	Price Per Doz.
264 1/2	1 7/8	\$7.60

CIRCULAR FACE PLATES FOR WOOD GAUGES



Convex Work



Concave Work

In ordering any gauge with circular face plate, prefix 1 to the number, ie, 161, 162, 165, etc. For Price add \$1.50 per Doz.

Nos. 61 and 62 are Packed 12 in a Box. All others are Packed 6 in a Box



STANLEY TOOLS

WOOD MORTISE AND MARKING GAUGES

The Bars of all the Gauges are oval in form. Gauges with brass Thumb Screws have the Bar protected by a brass Shoe. A Round Head Screw on the end of the Bar prevents the head from slipping off.

DOUBLE BAR GAUGES

These Gauges have two independent bars. A Pin is fastened to each one. After one side of the mortise is marked, the Gauge can be turned over to mark the other side.

BEECH


Polished. Brass Thumb Screw and Face Plate. Graduated 16ths of inches for 6 inches.



No.	Weight ½ Doz. (Lbs.)	Price Per Doz.
71	2 ⅛	\$13.00

BEECH


Polished. Boxwood Thumb Screw. Graduated in 16ths of inches for 6 inches.



No.	Weight ½ Doz. (Lbs.)	Price Per Doz.
72	1 ⅞	\$7.80

BOXWOOD

Polished. Brass Thumb Screw. Head Full Plated. Graduated in 16ths of inches for 6 inches.




No.	Weight ½ Doz. (Lbs.)	Price Per Doz.
74	2 ¼	\$17.25

SLIDE GAUGES

This type of Gauge has a slide in the bar. A Pin is fastened to the slide and one to the bar. Both sides of the mortise can be marked at the same time.

BEECH


Polished. Wood Slide. Brass Thumb Screw and Face Plate. Graduated in 16ths of inches for 3 inches on the under side of gauge.



No.	Weight ½ Doz. (Lbs.)	Price Per Doz.
68	1 ¾	\$10.35

BOXWOOD

Polished. Brass Slide, Brass Thumb Screw and Face Plate. Graduated in 16ths of inches for 3 inches on the under side of the gauge.



No.	Weight ½ Doz. (Lbs.)	Price Per Doz.
73	2	\$13.45

ROSEWOOD

Polished. Adjustable Brass Slide. Brass Thumb Screw and Face Plate. Graduated in 16ths of inches for 3 inches on under side of gauge.




No.	Weight ½ Doz. (Lbs.)	Price Per Doz.
77	2 ½	\$19.15

CUTTING GAUGE

A useful tool for slitting thin stock. Similar in construction to the regular Marking Gauges except that it has an adjustable blade, specially tempered and sharpened, instead of the marking pin.

Polished Beech. Boxwood Thumb Screw. Brass Face Plate. Graduated in 16ths of inches for 6 inches.



No.	Weight Per Doz. (Lbs.)	Price Per Doz.
70	3	\$7.80

All Packed 6 in a Box except No. 70 which is Packed 12 in a Box



STANLEY TOOLS

METAL MARKING GAUGES

Metal Bars and Heads. The Heads are carefully machined. Gauges with Roller Cutters are especially adapted for marking across the grain, over knots, etc. The Bars are $6\frac{1}{2}$ inches long and are graduated in 16ths of inches for 5 inches. Nickel Plated.

MARKING

Single Face Head. Single Bar. Adjustable, Tempered Points.



No.	Weight Each (Lbs.)	Price Each
90	$\frac{1}{4}$	\$0.70

MARKING

Double Face Head. Single Bar. Roller Cutter and Adjustable, Tempered Point.



No.	Weight Each (Lbs.)	Price Each
97	$\frac{3}{8}$	\$1.05

MARKING AND MORTISE

Single Face Head. Double Bar. Adjustable, Tempered Points.



No.	Weight Each (Lbs.)	Price Each
91	$\frac{1}{2}$	\$1.20

MARKING AND MORTISE


Double Face Head. Double Bar. Roller Cutters and Adjustable, Tempered Pins.



No.	Weight Each (Lbs.)	Price Each
98	$\frac{1}{2}$	\$1.60

ADJUSTABLE BIT GAUGE


Can be used on bits of any size up to one inch in diameter. The Gauge can be set so that the bit will bore to any depth required. Full Nickel Plated.



No.	Length (Inches)	Weight Each (Lbs.)	Price Each
49	$2\frac{1}{2}$	$\frac{3}{8}$	\$0.90

CLAPBOARD SLIDING GAUGE

The Clapboard can be held any width exposed to the weather, by the graduated scale on the tool. Nickel Plated. Hardwood Handle.




No.	Length (Inches)	Width (Inches)	Weight $\frac{1}{4}$ Doz. (Lbs.)	Price Per Doz.
89	$8\frac{3}{4}$	$2\frac{1}{2}$	$1\frac{3}{4}$	\$15.25

CLAPBOARD SLIDING MARKER

By moving the tool half an inch, it will mark a full line across the clapboard, exactly over and conforming to the edge of the corner board.

Blued Adjustable Blade. Hardwood Handle. Nickel Plated.



No.	Length (Inches)	Width (Inches)	Weight Each (Lbs.)	Price Per Doz.
88	$8\frac{3}{4}$	4	$\frac{7}{8}$	\$13.20

Packed 1 in a Box, except No. 89 which is Packed 3 in a Box




STANLEY TOOLS

BUTT GAUGES

In hanging doors there are three measurements to be marked—the location of butt on the casing, the location of butt on the door, and the thickness of butt on both casing and door. STANLEY BUTT GAUGES have three separate cutters arranged with the necessary clearances so that no change of setting is necessary when hanging a number of doors. They are also Rabbet Gauges, Marking Gauges, and Mortise Gauges and have a scope sufficient for all door trim including lock plates, strike plates, etc.


RABBETED JAMBS OR NAILED STRIKES



Can also be used as a Marking and Mortise Gauge and as an inside or outside Square for squaring the edge of the butt on either door or jamb.


Nickel Plated, Graduated in 16ths Inches for 2 Inches.

No.	Weight Each (Lbs.)	Price Each
94	$\frac{5}{8}$	\$1.65



For Gauging Casings with Rabbeted Jambs

Set Cutter A to gauge from back of rabbeted jamb (Fig. 1); Cutter B is then in correct position for gauging from edge of door (Fig. 2) which engages in closing. These Cutters are made so as to allow sufficient clearance to enable the door to close properly, without catching or binding. (See dotted line Fig. 1.)




For Gauging Jambs to Which Strike is Nailed After Door is Hung

Reverse Bar to which Cutter B is attached, place Flange against edge of casing, and mark with Cutter B (Fig. 3). Use same setting of Cutter B for marking door, placing Flange against the outer edge (Fig. 4).

To Gauge for Thickness of Butt

Set Cutter C to depth required; gauge from depth of jamb (Fig. 5) and from edge of door (Fig. 6).

RABBETED JAMBS




Cutter A marks from the jamb in the rabbet—Cutter B from the edge of the door engaged in closing—Cutter C the thickness of the butt. It can also be used as a Marking and Mortise Gauge and as an inside or outside Square for squaring the edge of the butt on either door or jamb.

Nickel Plated, Graduated in 16ths of Inches for 2 Inches.

No.	Weight Each (Lbs.)	Price Each
95	$\frac{5}{8}$	\$1.60

RABBETED JAMBS OR NAILED STRIKES




For Rabbeted jambs Cutter A marks from the jamb in the rabbet—Cutter B from the edge of the door engaged in closing—Cutter C the thickness of the butt.

For nailed on strikes Cutter B marks for the butt on both door and casing—Cutter C the thickness of the butt.

Can also be used as a Marking and Mortise Gauge. Steel Head, Brass Slide, Nickel Plated, Graduated in 16ths of Inches for 2 Inches.

No.	Weight Each (Lbs.)	Price Each
93	$\frac{1}{4}$	\$1.60

RABBETED JAMBS



Can also be used as a Marking and Mortise Gauge. The dotted line shows Gauge set for use as a Mortise Gauge.

Rosewood Head, Brass Slide, Screw Adjustment. Graduated in 16ths of Inches for 3 Inches.

No.	Weight Each (Lbs.)	Price Each
92	$\frac{3}{4}$	\$2.40

All Packed 1 in a Box



STANLEY TOOLS


TRAMMEL POINTS AND PLUMB BOBS

A Trammel is used to lay out the distance between two points and to scribe circles, beyond the capacity of a pair of ordinary dividers.

BRONZE TRAMMEL POINTS

They have steel points on which an accompanying pencil socket can be clamped.

Bodies and Thumb Screws are of Bronze. Steel Points are Hardened and Polished. Pencil clasp is Nickel Plated.




No.	For Straight Edge Up to (Inches)	Weight Per Set (Lbs.)	Price Per Set
1	$\frac{5}{8}$	$\frac{1}{4}$	\$1.65
2	1	$\frac{3}{8}$	2.10
3	$1\frac{1}{4}$	$\frac{3}{4}$	2.85

NICKELED TRAMMEL POINTS

They can be attached to one side of a straight stick. The Pencil Socket will take an ordinary pencil or an oval shaped carpenter's pencil.

Bodies and Thumb Screws are Nickel Plated. Steel Points are Hardened and Polished.




No.	For Straight Edge Up to (Inches)	Weight Per Set (Lbs.)	Price Per Set
4	$\frac{1}{4}$	$\frac{3}{8}$	\$1.15

MACHINIST'S ADJUSTABLE TRAMMEL POINTS

Made with long and short points. One body is made so that the points can be adjusted sidewise by means of two set screws. The Bodies, Screws and Points are Nickel Plated.


4 Points



No.	For Straight Edge Up to (Inches)	Weight Per Set (Lbs.)	Price Per Set
5	$1\frac{1}{2}$	1	\$3.55

8 Points and Roller Marker.

Four of the points are curved to use as outside or inside calipers.




No.	For Straight Edge Up to (Inches)	Weight Per Set (Lbs.)	Price Per Set
6	$\frac{1}{2}$	$1\frac{3}{8}$	\$4.90

RULE TRAMMEL POINTS

Can be attached to a carpenter's Rule. They have movable steel points and a pencil socket.

Made of Brass. Scratch Point is hardened steel.



No.	For Rules Up to (Inches)	Weight Per Set (Lbs.)	Price Per Set
99	$\frac{3}{4}$	$\frac{1}{4}$	\$1.00

ADJUSTABLE PLUMB BOBS

The reel contains a length of line. A spring, checks and holds the Bob firmly at any point on the line. Steel point.



No. and Description	Length (Inches)	Weight Each (Lbs.)	Price Each
1 Bronze Polished	$3\frac{1}{2}$	$\frac{1}{2}$	\$2.40
2 Bronze Polished	$4\frac{1}{4}$	$\frac{3}{4}$	2.80
5 Iron Nickel Plated	$4\frac{1}{2}$	$\frac{7}{8}$	1.60

Trammel Points Packed 1 Set in a Box. Plumb Bobs 1 in a Box



STANLEY TOOLS

STANLEY FOUR-SQUARE HOUSEHOLD TOOLS

Section Thirteen



STANLEY TOOLS


STANLEY FOUR-SQUARE HOUSEHOLD TOOLS

Stanley Four Square Tools have been designed especially for general household use. These tools are identified for the buyer by the quality name Stanley and the red Four-Square Mark.

Each tool carries its own retail price either on a tag or the container enclosing it.

HOUSEHOLD BOXWOOD RULE


Two foot. Four fold. 1 inch wide. Round joint. Middle plates. Heavy figures.



Graduated (Inches)	Weight Per Doz. (Lbs.)	Price Each
8ths 16ths	1 $\frac{3}{8}$	\$0.15

HOUSEHOLD TRY AND MITRE SQUARE

Blade can be locked at any point. Edges are machined and square inside and out. Black handle, nickel plated blade. Graduated in 8ths and 16ths inches.



Blade (Inches)	Handle (Inches)	Weight Each (Lbs.)	Price Each
7	2 $\frac{5}{8}$	$\frac{1}{2}$	\$1.00

HOUSEHOLD LEVEL


Stock 2 $\frac{3}{8}$ in. x 1 $\frac{1}{8}$ in. Non-adjustable. Proved Glasses. Hardwood, carefully seasoned. "Handy Grip."



Length (Inches)	Weight Each (Lbs.)	Price Each
18	1 $\frac{1}{2}$	\$1.00

HOUSEHOLD "ZIG ZAG" RULE


Six inch folds. $\frac{5}{8}$ inch wide. Concealed joints. Yellow enamel finish. Regular figuring.



Length (Feet)	Graduated (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Each
4	16ths	1	\$0.25

HOUSEHOLD BIT BRACE

Open ratchet. Alligator jaws, nickel plated. Shell and hardwood head and handle, black.



Sweep (Inches)	Weight $\frac{1}{8}$ Doz. (Lbs.)	Price Each
8	4 $\frac{1}{2}$	\$1.50

HOUSEHOLD HAMMER

Bell face, round neck and poll, curved claw. Forged from special steel, hardened and tempered. Black hickory handle. Face, poll and top of claws, polished, rest of head black.



Weight of Head (Ounces)	Length Overall (Inches)	Weight Each (Lbs.)	Price Each
14 $\frac{1}{2}$	13	1 $\frac{1}{2}$	\$1.00

Boxwood Rules packed 12 in a Box. "Zig Zag" Rules 6 in a Box, Bit Braces 2 in a Box. All others Packed 1 in a Box.




STANLEY TOOLS

STANLEY FOUR-SQUARE HOUSEHOLD TOOLS

HOUSEHOLD JACK PLANE

Black hardwood handle and knob. Sides polished. Cutter is adjustable endwise and sidewise.



Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
11½	1¾	4	\$3.75

HOUSEHOLD SCREW DRIVERS

Round steel blades. A rivet through the ferrule handle and shank securely fastens the blade. Black tapered and fluted handles.




Blade (Inches)	Dia. of Blade (Inches)	Overall (Inches)	Weight ½ Doz. (Lbs.)	Price Each
1½	1/8	3½	1½	\$0.15
2½	7/32	6½	7/8	.20
4	1/4	9	1½	.25
5	5/16	10½	2	.30

1½ inch size is packed 12 on a display card.

HOUSEHOLD SAW


Hand, skew back, 8 point. Highly polished crucible steel blade, black handle.



Length (Inches)	Weight Each (Lbs.)	Price Each
24	1¾	\$1.50

HOUSEHOLD BLOCK PLANE


Non-adjustable. Lever cap, sides and hardwood knob, black. Lever screw and lever cam, nickel plated.



Length (Inches)	Width of Cutter (Inches)	Weight Each (Lbs.)	Price Each
6½	1⅝	1⅜	\$1.00

HOUSEHOLD VISE

Jaws are ground and carefully fitted. Vise screw with square lathe cut thread works in long malleable nut. Patented split washer under head of screw takes up wear. Body of vise, black.



Jaws (Inches)	Jaws Open (Inches)	Weight Each (Lbs.)	Price Each
2	2	4⅝	\$2.50

HOUSEHOLD PRY BAR

Drop forged from tool steel, hardened and tempered. Black except face of bit, which is polished.



Length (Inches)	Diam. (Inches)	Weight Each (Lbs.)	Price Each
15	5/8	1½	\$0.75

All packed 1 in a Box except Screw Drivers which are Packed 6 in a Box, 1 in an envelope.







STANLEY TOOLS

STANLEY TOOLS for INSTALLING WEATHER-STRIPPING

There is a large and growing market for good tools among artisans who install metal weather-stripping. At the height of the season there are over 8,000 men busily engaged in this work. Here is a field worth cultivating.

For the convenience of the trade we list the Stanley Tools used in this work. These tools are described elsewhere in this catalog.



Awls, Scratch—No. 7

Awl Haft—No. X6

Butt Gauge—No. 95

Center Punch—No. 10

Chisels

Pocket—No. 40— $\frac{3}{8}$ ", $\frac{5}{8}$ ", 1"

Butt—No. 50— $1\frac{1}{2}$ "

Hammer—No. 12—7 oz.

Nail Sets—No. 11

Planes

Meeting Rail Rabbet—No. 378

Weather Strip Plow—No. 238

Side Rabbet—No. 79




*"Bailey" Adjustable Iron—
Nos. 4 and 5*

Rules

One Foot, Boxwood—No. 34 $\frac{1}{2}$

Six Foot, Zig Zag—No. 106

*Screw Driver—No. 50 4" or larger
Vise, Woodworkers—No. 700*



STANLEY TOOLS

MISCELLANEOUS TOOLS



NAIL SETS

CENTER PUNCHES

MACHINISTS CHISELS AND PUNCHES

VICES

ROOFING BRACKETS

SCREW DRIVER BITS

COUNTERSINKS

BENCH ACCESSORIES

MALLETS

PLAN AND BOOK SERVICE

Section Fourteen



STANLEY TOOLS

NAIL SETS AND CENTER PUNCHES

NAIL SETS

Made from a high grade of special tool steel, hardened at both ends. The Head is shaped so there is little possibility of hammer slipping from the tool. The Tips are cupped, chamfered and carefully oil tempered. Blued finish.

OVAL HEAD, ROUND SHANK KNURLED



No.	Tip (Inches)	Length (Inches)	Weight Per Doz. (Lbs.)	Price Per Doz.
11	$\frac{2}{32}$	4	$\frac{3}{4}$	\$1.75
	$\frac{1}{16}$	4	$\frac{3}{4}$	1.75
	$\frac{3}{32}$	4	$\frac{7}{8}$	1.75
	$\frac{1}{8}$	4	$1\frac{1}{8}$	1.75
	$\frac{5}{32}$	4	$1\frac{1}{4}$	1.75

SQUARE HEAD, ROUND SHANK



No.	Tip (Inches)	Length (Inches)	Weight Per Doz. (Lbs.)	Price Per Doz.
$11\frac{3}{4}$	$\frac{2}{32}$	4	1	\$1.75
	$\frac{1}{16}$	4	1	1.75
	$\frac{3}{32}$	4	$1\frac{1}{8}$	1.75
	$\frac{1}{8}$	4	$1\frac{3}{8}$	1.75
	$\frac{5}{32}$	4	$1\frac{1}{2}$	1.75

OVAL HEAD, SQUARE SHANK



No.	Tip (Inches)	Length (Inches)	Weight Per Doz. (Lbs.)	Price Per Doz.
$11\frac{1}{2}$	$\frac{2}{32}$	4	1	\$2.00
	$\frac{1}{16}$	4	1	2.00
	$\frac{3}{32}$	4	$1\frac{1}{8}$	2.00
	$\frac{1}{8}$	4	$1\frac{1}{4}$	2.00
	$\frac{5}{32}$	4	$1\frac{3}{8}$	2.00

CENTRE PUNCHES

Made from a high grade of special tool steel and tempered. The Tips are accurately shaped so that the extreme point is always in the center of the tool. Blued Finish.

OVAL HEAD, ROUND SHANK, KNURLED



No.	Tip (Inches)	Length (Inches)	Weight Per Doz. (Lbs.)	Price Per Doz.
10	$\frac{5}{64}$	4	$\frac{3}{4}$	\$2.20
	$\frac{1}{8}$	4	1	2.20
	$\frac{5}{32}$	4	$1\frac{1}{4}$	2.20

All Packed 12 in a Box



STANLEY TOOLS

NAIL SETS AND CENTER PUNCH ASSORTMENTS

Each Nail Set or Center Punch is in a separate compartment in the box, with points upward. This makes it easy to select the size desired.

NAIL SET ASSORTMENTS

OVAL HEAD, ROUND SHANK, KNURLED

Assortment of 12

Assortment of 24

Assortment of 36

No.	Contains (Inches)	Wgt. (Lbs.)	Price	No.	Contains (Inches)	Wgt. (Lbs.)	Price	No.	Contains (Inches)	Wgt. (Lbs.)	Price
11A	5 only $\frac{3}{32}$ 3 only $\frac{5}{64}$ 4 only $\frac{3}{32}$	$\frac{3}{4}$	\$1.75	11B	8 only $\frac{2}{32}$ 6 only $\frac{5}{64}$ 7 only $\frac{3}{32}$ 3 only $\frac{1}{32}$	$1\frac{1}{2}$	\$3.50	11C	10 only $\frac{2}{32}$ 8 only $\frac{5}{64}$ 11 only $\frac{3}{32}$ 7 only $\frac{1}{32}$	$2\frac{1}{2}$	\$5.25

SQUARE HEAD, ROUND SHANK

Assortment of 12

Assortment of 24

Assortment of 36

No.	Contains (Inches)	Wgt. (Lbs.)	Price	No.	Contains (Inches)	Wgt. (Lbs.)	Price	No.	Contains (Inches)	Wgt. (Lbs.)	Price
11 $\frac{3}{4}$ A	5 only $\frac{2}{32}$ 3 only $\frac{5}{64}$ 4 only $\frac{3}{32}$	$\frac{7}{8}$	\$1.75	11 $\frac{3}{4}$ B	8 only $\frac{2}{32}$ 6 only $\frac{5}{64}$ 7 only $\frac{3}{32}$ 3 only $\frac{1}{32}$	$1\frac{3}{4}$	\$3.50	11 $\frac{3}{4}$ C	10 only $\frac{2}{32}$ 8 only $\frac{5}{64}$ 11 only $\frac{3}{32}$ 7 only $\frac{1}{32}$	$2\frac{5}{8}$	\$5.25

OVAL HEAD, SQUARE SHANK

Assortment of 12

Assortment of 24

Assortment of 36

No.	Contains (Inches)	Wgt. (Lbs.)	Price	No.	Contains (Inches)	Wgt. (Lbs.)	Price	No.	Contains (Inches)	Wgt. (Lbs.)	Price
11 $\frac{1}{2}$ A	5 only $\frac{2}{32}$ 3 only $\frac{5}{64}$ 4 only $\frac{3}{32}$	1	\$2.00	11 $\frac{1}{2}$ B	8 only $\frac{2}{32}$ 6 only $\frac{5}{64}$ 7 only $\frac{3}{32}$ 3 only $\frac{1}{32}$	2	\$4.00	11 $\frac{1}{2}$ C	10 only $\frac{2}{32}$ 8 only $\frac{5}{64}$ 11 only $\frac{3}{32}$ 7 only $\frac{1}{32}$	3	\$6.00

CENTER PUNCH ASSORTMENT

OVAL HEAD, ROUND SHANK, KNURLED



Assortment of 12

Assortment of 24

Assortment of 36

No.	Contains (Inches)	Wgt. (Lbs.)	Price	No.	Contains (Inches)	Wgt. (Lbs.)	Price	No.	Contains (Inches)	Wgt. (Lbs.)	Price
10A	4 only $\frac{5}{64}$ 4 only $\frac{1}{8}$ 4 only $\frac{5}{32}$	1	\$2.20	10B	8 only $\frac{5}{64}$ 8 only $\frac{1}{8}$ 8 only $\frac{5}{32}$	$2\frac{1}{8}$	\$4.35	10C	12 only $\frac{5}{64}$ 12 only $\frac{1}{8}$ 12 only $\frac{5}{32}$	$3\frac{1}{2}$	\$6.55

All Packed 1 in a Box



STANLEY TOOLS

HAND COLD CHISELS
Electric Furnace Chrome Vanadium Steel

Drop forged from finest steel, hardened and tempered by a special process that insures a tough cutting edge. Flat pattern gives a firm hand hold. A cold chisel soft enough to resharpen with a file but tough enough to do the hardest work.




No.	Size of Stock (Inches)	Width of Bit (Inches)	Length (Inches)	Weight per Doz. (Lbs.)	Packed Doz.	Price per Doz.
99	$\frac{3}{8}$	$\frac{7}{16}$	$5\frac{1}{2}$	$1\frac{3}{4}$	1	\$5.00
	$\frac{1}{2}$	$\frac{5}{8}$	$6\frac{1}{4}$	$3\frac{1}{4}$	1	6.20
	$\frac{5}{8}$	$\frac{3}{4}$	7	$5\frac{1}{4}$	$\frac{1}{2}$	7.70
	$\frac{3}{4}$	$\frac{7}{8}$	$7\frac{1}{2}$	$7\frac{3}{4}$	$\frac{1}{2}$	9.85
	$\frac{7}{8}$	1	8	$12\frac{1}{2}$	$\frac{1}{2}$	11.00
	1	$1\frac{1}{4}$	$8\frac{1}{2}$	16	$\frac{1}{2}$	13.20

MACHINISTS CHISELS AND PUNCHES

Forged from a high grade of tool steel. Points and heads highly polished, balance forge finish.

Hand Cold



No.	Width of Bit (In.)	Size of Stock (In.)	Length (In.)	Wgt. per Doz. (Lbs.)	Packed Doz.	Price per Doz.
1A	$\frac{5}{16}$	$\frac{1}{4}$	5	$1\frac{5}{16}$	1	\$4.00
	$\frac{7}{16}$	$\frac{3}{8}$	$5\frac{1}{2}$	2	1	4.55
	$\frac{5}{8}$	$\frac{1}{2}$	6	$3\frac{3}{4}$	1	5.00
	$\frac{3}{4}$	$\frac{5}{8}$	$6\frac{1}{2}$	$6\frac{1}{4}$	$\frac{1}{2}$	5.90
	$\frac{7}{8}$	$\frac{3}{4}$	$7\frac{1}{2}$	$10\frac{1}{2}$	$\frac{1}{2}$	7.00
	1	$\frac{7}{8}$	8	$14\frac{1}{2}$	$\frac{1}{2}$	8.80
	$1\frac{1}{4}$	1	$8\frac{1}{2}$	21	$\frac{1}{2}$	10.10

Round Nose




No.	Width of Point (In.)	Size of Stock (In.)	Length (In.)	Wgt. per Doz. (Lbs.)	Packed Doz.	Price per Doz.
3A	$\frac{1}{4}$	$\frac{1}{2}$	6	$3\frac{1}{2}$	1	\$5.35
	$\frac{5}{16}$	$\frac{1}{2}$	7	4	1	5.45
	$\frac{3}{8}$	$\frac{5}{8}$	7	6	$\frac{1}{2}$	6.10
	$\frac{1}{2}$	$\frac{3}{4}$	$7\frac{1}{2}$	$9\frac{3}{4}$	$\frac{1}{2}$	7.00
	$\frac{5}{8}$	$\frac{7}{8}$	8	13	$\frac{1}{2}$	8.45
	$\frac{3}{4}$	1	$8\frac{1}{2}$	17	$\frac{1}{2}$	9.60

Cape



No.	Width of Bit (In.)	Size of Stock (In.)	Length (In.)	Wgt. per Doz. (Lbs.)	Packed Doz.	Price per Doz.
2A	$\frac{1}{4}$	$\frac{1}{2}$	6	$3\frac{1}{4}$	1	\$5.35
	$\frac{5}{16}$	$\frac{1}{2}$	7	4	1	5.45
	$\frac{3}{8}$	$\frac{5}{8}$	7	$6\frac{1}{4}$	$\frac{1}{2}$	6.10
	$\frac{1}{2}$	$\frac{3}{4}$	$7\frac{1}{2}$	9	$\frac{1}{2}$	7.00
	$\frac{5}{8}$	$\frac{7}{8}$	8	13	$\frac{1}{2}$	8.45
	$\frac{3}{4}$	1	$8\frac{1}{2}$	19	$\frac{1}{2}$	9.60

Diamond Point



No.	Size of Point (In.)	Size of Stock (In.)	Length (In.)	Wgt. per Doz. (Lbs.)	Packed Doz.	Price per Doz.
4A	$\frac{1}{4}$	$\frac{1}{2}$	6	$3\frac{1}{2}$	1	\$5.40
	$\frac{5}{16}$	$\frac{1}{2}$	7	4	1	5.50
	$\frac{3}{8}$	$\frac{5}{8}$	7	7	$\frac{1}{2}$	6.35
	$\frac{1}{2}$	$\frac{3}{4}$	$7\frac{1}{2}$	$10\frac{1}{2}$	$\frac{1}{2}$	7.50
	$\frac{5}{8}$	$\frac{7}{8}$	8	15	$\frac{1}{2}$	8.90
	$\frac{3}{4}$	1	$8\frac{1}{2}$	21	$\frac{1}{2}$	10.30

Machine Punches



No.	Diameter of Point (In.)	Size of Stock (In.)	Length (Inches)	Weight per Doz. (Lbs.)	Packed Doz.	Price Per Doz.
6A	$\frac{4}{32}$	$\frac{3}{8}$	6	2	1	\$4.40
	$\frac{5}{32}$	$\frac{3}{8}$	6	$2\frac{1}{8}$	1	4.40
	$\frac{6}{32}$	$\frac{1}{2}$	6	$2\frac{1}{2}$	1	4.65
	$\frac{7}{32}$	$\frac{1}{2}$	6	3	1	4.65
	$\frac{8}{32}$	$\frac{1}{2}$	6	$3\frac{1}{4}$	1	4.65
	$\frac{9}{32}$	$\frac{1}{2}$	8	$4\frac{1}{4}$	1	5.00
	$\frac{7}{32}$	$\frac{5}{8}$	9	7	$\frac{1}{2}$	5.85
	$\frac{8}{32}$	$\frac{3}{4}$	10	$11\frac{1}{2}$	$\frac{1}{2}$	7.35



STANLEY TOOLS

STANLEY "ATHA" CHISELS AND RIPPING BARS

Atha Brand

CUTTING CHISEL

Designed for electricians and carpenters for cutting off the tongue on floor boards. It is also used by many auto mechanics to cut brake lining.

The slender blade can be entered between boards without marring the surface of the wood.

Drop forged from Electric Furnace Chrome Vanadium Alloy Steel, correctly hardened and tempered to cut nails. Polished Finish.



No.	Size of Stock (Inches)	Cutting Edge (Inches)	Length (Inches)	Weight $\frac{1}{3}$ Doz. (Lbs.)	Price Each
210	$\frac{1}{2}$	$2\frac{3}{4}$	8	$2\frac{3}{4}$	\$1.75

FLOOR AND CLAPBOARD CHISEL

Drop forged from high grade hexagon tool steel and will not easily bend or break.

Body baked japan, End bright red, Bit nicely polished.



No.	Stock (In.)	Cutting Edge (In.)	Length (In.)	Weight $\frac{1}{3}$ Doz. (Lbs.)	Price Each
1460	$\frac{3}{4}$	$1\frac{5}{8}$	18	9	\$1.00

RIPPING CHISEL

Drop forged from high grade hexagon tool steel and will not easily bend or break.

Body baked japan, End bright red, Bit nicely polished.



No.	Stock (In.)	Cutting Edge (In.)	Length (In.)	Weight $\frac{1}{3}$ Doz. (Lbs.)	Price Each
1470	$\frac{3}{4}$	2	18	9	\$1.00

GOOSE NECK RIPPING BARS

Drop forged from high grade hexagon tool steel and will not easily bend or break.

Body baked japan, Ends bright red, Bits nicely polished.




No.	Length (Inches)	Stock (Inches)	Weight Each (Lbs.)	Price Each
112	12	$\frac{1}{2}$	1	\$0.50
118	18	$\frac{5}{8}$	$1\frac{3}{4}$.60
124	24	$\frac{3}{4}$	$3\frac{1}{2}$.75
130	30	$\frac{3}{4}$	$4\frac{1}{4}$.90
136	36	$\frac{3}{4}$	5	1.00

BRICK CHISELS

Drop forged from high grade hexagon tool steel and will not easily bend or break.

Body baked japan, Ends bright red, Bits nicely polished.

Catalog size is the width of Bit.



No.	Size (In.)	Length (In.)	Stock (In.)	Weight $\frac{1}{3}$ Doz. (Lbs.)	Price Each
1450	3	7	$\frac{3}{4}$	$4\frac{1}{2}$	\$0.90
	$3\frac{1}{2}$	$7\frac{1}{2}$	$\frac{7}{8}$	6	1.00
	4	$7\frac{1}{2}$	$\frac{7}{8}$	$6\frac{1}{2}$	1.10

Packed 4 in a Box except Ripping Bars (No. 112, etc.), Packed in Bulk



STANLEY TOOLS

STANLEY VISES

Strong serviceable tools, attractively finished.


The Vise Screw (Body, Head and Collar) is of one piece of steel, with a square lathe-cut thread working in a malleable nut. A patented split washer is placed under the head of the screw to take up any wear on Vises with steel jaws.

The Nos. 761, 772 and 752 lines have hardened steel jaws. Both the front and back jaws of all styles are accurately machined and fitted to insure that they meet evenly when closed.

CLAMP BASE


These Vises can be clamped to a board or a bench up to 2 in. thick. The Clamping Screws are of the vise handle type. They are also provided with holes so they may be permanently secured to the bench.

Steel Jaws



No.	Jaws (In.)	Jaws Open (In.)	Wgt. Each (Lbs.)	Price Each
761	1½	1¾	3¼	\$1.95
762	1¾	1⅞	3¾	2.25
763	2	2	4	2.65
764	2¼	2¼	5	3.00
765	2½	2⅜	5¾	3.60
766	3	3	9¾	5.25

Iron Jaws




No.	Jaws (In.)	Jaws Open (In.)	Wgt. Each (Lbs.)	Price Each
741	1½	1¾	3¼	\$1.50
742	1¾	1⅞	3½	1.80
743	2	2	4	2.20
744	2¼	2¼	5	2.65
745	2½	2⅜	5¾	3.00
746	3	3	10	4.75

SWIVEL BASE

Steel Jaws

The base plate is fastened to the bench. The vise rests on this plate and can be turned to the right or left as desired and firmly locked by means of a clamping nut.




No.	Jaws (In.)	Jaws Open (In.)	Wgt. Each (Lbs.)	Price Each
772	1¾	1⅞	3¾	\$2.25
773	2	2	3¾	2.70
774	2¼	2¼	4¾	3.30
775	2½	2⅜	6¼	4.00
776	3	3	10	5.40

STATIONARY BASE

Steel Jaws

The vise itself is permanently secured to the bench and held in a fixed position.



No.	Jaws (In.)	Jaws Open (In.)	Wgt. Each (Lbs.)	Price Each
752	1¾	1⅞	3¼	\$2.25
753	2	2	4	2.70
754	2¼	2⅜	5½	3.30
755	2½	3	8	4.00

All Packed 1 in a Box




STANLEY TOOLS

STANLEY VISES

WOOD WORKERS

This is a practical vise for all woodworking. It is light enough for the carpenter to carry from job to job. Clamped to a carpenter's horse it will hold doors, sashes, etc., or it can be attached to a bench for ordinary work.

The Jaws are machined parallel to hold work firmly. A heavy machine cut screw supported on both ends insures rigidity and easy operation. The steel parts are bright, balance of tool Japanned.




No.	Jaws (In.)	Jaws Open (In.)	Wgt. Each (Lbs.)	Price Each
700	4 $\frac{5}{8}$	4	5 $\frac{1}{2}$	\$3.00

DRILL PRESS VISE

Designed for use on Drill Presses, Milling Machines or for Bench Work. It can be used on sides or end as well as on base.

The Jaws are machined parallel to hold work firmly. Machine cut steel screw insures rigidity and easy operation.

Painted blue on backs of Jaws.




No.	Jaws (In.)	Jaws Open (In.)	Wgt. Each (Lbs.)	Price Each
748	2 $\frac{1}{2}$	3	6 $\frac{1}{4}$	\$3.00

Packed 1 in a Box

STANLEY VISE ASSORTMENTS


Attractive display stands for either window or counter. The stands are strongly constructed and attractively painted to make a pleasing contrast with the color of the vises.

SIX VISES



No.	Assortment	Price
V6	6 Vises 1 each Nos. 741, 743, 762, 763, 764, 765	\$15.30
	Wgt. 32 lbs.	

TWELVE VISES



No.	Assortment	Price
12	12 Vises 1 each Nos. 741, 742, 743, 744, 745, 746, 761, 762, 763, 772	\$28.20
	Wgt. 65 lbs.	


Packed 1 Assortment in a Case



STANLEY TOOLS

SCREW DRIVER BITS

Forged from crucible steel, oil tempered and polished. The points are carefully formed and ground.




No.	Tip (Inches)	Length (Inches)	Weight (Lbs.)	Price Per Doz.
26	$\frac{3}{16}$	$4\frac{1}{2}$	$\frac{7}{8}$ Doz. $\frac{5}{8}$	\$2.65
	$\frac{1}{4}$	$4\frac{1}{2}$	1 Doz. $\frac{3}{4}$	2.75
	$\frac{5}{16}$	$4\frac{3}{4}$	1 Doz. $1\frac{1}{8}$	2.85
	$\frac{3}{8}$	5	1 Doz. $1\frac{1}{2}$	2.95
	$1\frac{1}{2}$	5	1 Doz. $1\frac{5}{8}$	3.10
	$\frac{5}{8}$	5	1 Doz. 2	3.40
	$\frac{3}{4}$	5	1 Doz. $2\frac{1}{8}$	4.00
Asst.	3 Ea. $\frac{1}{4}$ - $\frac{3}{8}$ in. 5 Ea. $\frac{5}{16}$ 1 ea. $\frac{1}{2}$ in.		$1\frac{1}{2}$	\$2.95

COUNTERSINKS

FOR WOOD

The keen cutting edge permits rapid cutting.
Nos. 20 and 24 are furnished with a Depth Gauge—a convenient attachment when uniform and accurate work is required.
Malleable Iron, hardened and tempered, Nickel Plated.



No.	Length (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
18	$4\frac{3}{16}$	$\frac{5}{8}$	\$4.95
20 with Gauge	$4\frac{3}{16}$	$\frac{7}{8}$	5.95

TOOL STEEL, BLUED FINISH

Hardened and tempered



No.	Length (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
23	$4\frac{3}{16}$	$\frac{5}{8}$	\$5.85
24 with Gauge	$4\frac{3}{16}$	$\frac{7}{8}$	6.85

FOR WOOD AND METAL

Rose Type

Forged from a high quality tool steel, hardened and tempered. The cutting edges are clean and sharp. Blued finish.



No.	Cutting Edge (Inches)	Length (Inches)	Weight $\frac{1}{2}$ Doz. (Lbs.)	Price Per Doz.
139	$\frac{3}{4}$ $1\frac{1}{4}$	$4\frac{1}{4}$ $4\frac{1}{4}$	1 $1\frac{3}{8}$	\$5.00 8.00

DOWEL SHARPENER

Malleable Iron, hardened and tempered. Nickel Plated.



No.	Length	Weight Per Doz. (Lbs.)	Price Per Doz.
22	3	$\frac{1}{2}$	\$5.65

All Packed 6 in a Box except No. 26 which is Packed 12 in a Box



STANLEY TOOLS


MISCELLANEOUS TOOLS

ROOFING BRACKETS

Made of spring steel and strongly constructed. Japanned.

FOR WOOD AND COMPOSITION SHINGLES

The shingles can be laid over the bracket; the bracket is later removed by driving it upward to disengage it from the nails.



Showing No. 401 Bracket applied

No.	Weight ½ Doz. (Lbs.)	Price Per Doz. Pairs
401	13½	\$13.20

FOR WOOD SHINGLES

So constructed that any increase of weight from above increases their security by pressing the spurs into the shingles.




Showing No. 1 Bracket applied

No.	Weight ½ Doz. (Lbs.)	Price Per Doz. Pairs
1	8½	\$10.15

BENCH BRACKET


To attach to a bench, the jaw or nose, is put through a hole in the bench front and is automatically held in place. The screw clamp firmly holds the work in place. Body Japanned.

No.	Clamping Capacity (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
203	2½	6¼	\$8.70



PORTABLE BENCH DOG

One or more can be placed to securely hold a board or other work in almost any position required. Blued.



No.	Size (Inches)	Weight ½ Doz. (Lbs.)	Price Per Doz.
202	3⅜ x 3⅜	1⅞	\$3.70

BENCH STOP

It can be inserted in the top of a bench by boring a ⅝-inch hole. Its height is adjustable—a stiff spring holds it in position. Nickel Plated.



No.	Length (Inches)	Weight Each (Lbs.)	Price Per Doz.
207	2⅞	¼	\$6.75

Packed 6 in a Box, except No. 207 which is Packed 1 in a Box



STANLEY TOOLS

STANLEY PLANS AND BOOK

For Amateur Tool Users

Make your store the headquarters for amateur wood workers. They make good customers for tools, paints, varnishes, miscellaneous hardware, etc. The Stanley Book and Plans give you a real opportunity to appeal to and make more of these customers.

The Plans and Books offer the same percentage of profit as the regular tool line.

PLANS

The service includes a complete set of plans for making 25 useful articles. Each was designed by an expert and contains detail drawings, list of lumber, tools, paint, miscellaneous hardware, etc., needed to make the object, and step by step directions that are so clear and concise that the most inexperienced can understand them.



25 Plans

Cost .06 Each
Resale Price .10 Each

No.		No.	
1	Book Rack	14	Sewing Cabinet
2	Candle Stick or Flower Holder	15	Cedar Chest
3	Pipe Rack with Bracket Shelf	16	End Table
4	Flower Box and Fern Stand	17	Tea Wagon
5	Table Lamp	18	Model Sailboat
6	Toy Automobile	19	Combination Sail and Rowboat
7	Sconce	20	Combination Kitchen Seat and Step Ladder
8	Dinner Gong or Chimes	21	Garden Seat
9	Bird Houses, Shelters and Feeding Box	22	Garden Trellis
10	Dog House	S70	Small Tool Chest
11	Book or Magazine Stand	S71	Large Tool Chest
12	Smoking Cabinet	S72	Work Bench
13	Kitchen Cabinet		



BOOK

“HOW TO WORK WITH TOOLS AND WOOD”

This is a real book and a complete woodworking guide. It answers every question that the amateur should know about tools and working with wood. Over 150 illustrations and diagrams make it a valuable guide for the beginner as well as the advanced worker. A complete cross index makes it an instant reference book on the use and care of tools, planing and finishing work and the selection of lumber, paint, varnish, etc.

Contains 185 pages. Durable bound in blue cloth.

No.	Weight Each (Lbs.)	Cost Each	Resale Price
157	1 1/8	\$0.65	\$1.00



STANLEY TOOLS

STANLEY PLAN AND BOOK DISPLAYS AND ASSORTMENTS


These excellent displays are available so that you can tie up your tool department with this real Sales Builder. Every live man and boy in your community is a good prospect for these plans and book.

PLAN ASSORTMENT

This Plan Display holds six Plans. For use on the counter or in the window. Made of heavy cardboard with easel and lithographed in four colors.

Furnished with the following assortments:


No.	Contains	Weight	Cost	Resale Price
"L"	1 Each of 25 Plans	1 $\frac{3}{4}$	\$1.50	\$2.50
"K"	1 Each Nos. 2, 3, 7, 8, 13, 14, 15, 20, 22	4	\$2.25	\$4.20
	2 " " 1, 4, 5, 6, 10, 11, 12, 16, 17, 18,			
	3 " No. 9 19, 21, S70, S71, S72			



BOOK ASSORTMENT

This Book Display holds five books. Can be used either in the window or on the counter. The carton is made of cardboard and attractively lithographed in three colors.


Furnished with each order of five books.



PLAN AND BOOK ASSORTMENT

An attractive metal rack. This compact display is lithographed in four colors and makes a complete selling unit for either window or counter. The display is sturdily built and will last a long time.


No.	Contains	Weight	Cost	Resale Price
"X"	Display Rack 6 Books 105 Plans as follows: 5 Each Nos. 4, 12, 14, 16, 20, 21, 22, S70, S71 10 Each Nos. 1, 9, 11, 18, 19, S72	18	\$11.20	\$16.50



STANLEY TOOLS


MALLETS

ROUND HICKORY




No.	Head (Inches)	Handle (Inches)	Weight Per Doz. (Lbs.)	Price Per Doz.
1	5 x 3	10½	14	\$8.00

ROUND LIGNUMVITAE




No.	Head (Inches)	Handle (Inches)	Weight Per Doz. (Lbs.)	Price Per Doz.
5	5 x 3	10½	19	\$12.50

SQUARE HICKORY




No.	Head (Inches)	Handle (Inches)	Weight Per Doz. (Lbs.)	Price Per Doz.
8	6 x 2½ x 3½	10½	16	\$9.50
9	6½ x 2¾ x 3¾	13	21	12.00
10	7 x 3 x 4	13	25	14.00

SQUARE LIGNUMVITAE




No.	Head (Inches)	Handle (Inches)	Weight Per Doz. (Lbs.)	Price Per Doz.
11	6 x 2½ x 3½	10½	23	\$16.00
12	6½ x 2¾ x 3¾	13	32	20.00
13	7 x 3 x 4	13	37	24.00

ROUND HICKORY, STEEL RINGS



No.	Head (Inches)	Handle (Inches)	Weight Per Doz. (Lbs.)	Price Per Doz.
14½	5½ x 3½	10½	24	\$22.00

MALLEABLE IRON SOCKET HICKORY ENDS




No.	Head (Inches)	Handle (Inches)	Weight Per Doz. (Lbs.)	Price Per Doz.
16	5½ x 3	12	43½	\$36.00

IRON HEAD HICKORY ENDS



No.	Head (Inches)	Handle (Inches)	Weight Per Doz. (Lbs.)	Price Per Doz.
15	4 x 2½	10½	30	\$16.00

TINNERS HICKORY



No.	Head (Inches)	Handle (Inches)	Weight Per Doz. (Lbs.)	Price Per Doz.
4	5½ x 2¼	10½	9	\$4.00
	5½ x 2½	10½	9	4.00

Packed in Bulk



STANLEY TOOLS

TOOL CABINETS

Section Fifteen



STANLEY TOOLS

TOOLS IN SETS


TOOL CABINET NO. 850

This cabinet is made of oak with a rich stain and well varnished. In the finishing, care has been taken to produce a very fine cabinet.

The panelled doors are hung on brass plated hinges and are securely fastened by a brass lock with key.

The drawer at the base of the cabinet is divided into compartments for holding small tools, nails, screws, etc.

Size: $8\frac{1}{2}$ inches deep, $29\frac{1}{4}$ inches high, and $25\frac{3}{8}$ inches wide.



No.	Net Weight (Lbs.)	Shipping Weight (Lbs.)	Price
850	72	130	\$95.00

Contains 48 Tools as follows:

- | | | |
|--|--|--|
| 1 Hammer, 13 oz., No. 15 | 1 Bit Brace, 8 in., No. 921 | 1 Vise, $1\frac{1}{2}$ in. Jaws, No. 741 |
| 1 Hammer, 4 oz., No. 147 | 1 Expansive Bit (Clark's) | 1 Combination Square, 9 in., No. 21 |
| 1 Saw (Hand), 22 in. | 1 Auger Bit, $\frac{1}{4}$ in. | 1 Bevel, 6 in., No. 18 |
| 1 Saw (Rip), 22 in. | 1 Auger Bit, $\frac{5}{16}$ in. | 1 Gauge (Marking & Mortise) No. 98 |
| 1 Saw (Coping), with 6 extra Blades,
No. 10D | 1 Auger Bit, $\frac{3}{8}$ in. | 1 Spoke Shave No. 151 |
| 1 Screw Driver, 6 in., No. 20 | 1 Auger Bit, $\frac{1}{2}$ in. | 1 Plumb & Level, 18 in., No. 36G |
| 1 Screw Driver, 4 in., No. 40 | 1 Gimlet Bit No. 4 | 1 Nail Set, $\frac{3}{32}$ in., No. 11 |
| 1 Screw Driver, 4 in., No. 55 | 1 Gimlet Bit No. 6 | 1 Center Punch, $\frac{5}{64}$ in., No. 10 |
| 1 Screw Driver, 3 in., No. 121 | 1 Screw Driver Bit, $\frac{1}{4}$ in., No. 26 | 1 Hand Drill No. 616 |
| 1 Screw Driver, $1\frac{1}{2}$ in., No. 21 | 1 Screw Driver Bit, $\frac{5}{16}$ in., No. 26 | 1 Hollow Handle Tool Set No. 305 |
| 1 Ratchet Screw Driver, 5 in., No.
215 | 1 Countersink No. 24 | 1 Cornering Tool, $\frac{1}{16}$ x $\frac{1}{8}$ in., No. 28 |
| 1 Rule (Zig Zag), 6 ft., No. 106 | 1 Bit Gauge No. 49 | 1 Pair Pliers |
| 1 Rule (Caliper), 12 in., No. 32 | 1 Chisel, $\frac{1}{4}$ in., No. 40 | 1 Pair Pincers No. 49 |
| 1 Plane (Bench), $11\frac{1}{2}$ in., No. $5\frac{1}{4}$ | 1 Chisel, $\frac{1}{2}$ in., No. 40 | 1 Adjustable Wrench, No. G |
| 1 Plane (Block), 6 in., No. S18 | 1 Chisel, 1 in., No. 40 | 1 Oil Can No. 1603 |
| | 1 Cold Chisel, $\frac{1}{4}$ x 5 in., No. 1A | 1 Carborundum Stone No. 109 |
| | 1 Cold Chisel, $\frac{1}{2}$ x 6 in., No. 1A | 1 Package Wiggle Nails |

Also Plan No. S72, "How to Make a Work Bench."



STANLEY TOOLS

TOOLS IN SETS

TOOL CABINET No. 851

This cabinet is made of oak with a rich stain, and well varnished. In the finishing, care has been taken to produce a very fine cabinet.

The panelled doors are hung on brass-plated hinges and are securely fastened by a brass lock with key.

The drawer is divided into compartments for holding small tools, nails, screws, etc.

Size: $8\frac{1}{8}$ inches deep, $26\frac{3}{8}$ inches high, and $19\frac{1}{2}$ inches wide.



No.	Net Weight (Lbs.)	Shipping Weight (Lbs.)	Price
851	52	100	\$65.00

Contains 33 tools as follows:


- | | | |
|--|--|--|
| 1 Hammer, 13 oz., No. 15 | 1 Scraper No. 80 | 1 Cold Chisel, $\frac{1}{2}$ x 6 in., No. 1A |
| 1 Hammer, 4 oz., No. 147 | 1 Bit Brace, 8 in., No. 915 | 1 Vise, $1\frac{1}{2}$ in. Jaws, No. 741 |
| 1 Saw (Hand), 20 in. | 1 Auger Bit, $\frac{1}{4}$ in. | 1 Gauge (Marking & Mortise) No. 98 |
| 1 Saw (Coping), with 12 extra Blades,
No. 100 | 1 Auger Bit, $\frac{3}{8}$ in. | 1 Combination Square, 9 in., No. 21 |
| 1 Screw Driver, 5 in., No. 20 | 1 Auger Bit, $\frac{1}{2}$ in. | 1 Bevel, 8 in., No. 25 |
| 1 Screw Driver, 4 in., No. 40 | 1 Gimlet Bit No. 6 | 1 Spoke Shave No. 151 |
| 1 Screw Driver, 3 in., No. 50 | 1 Screw Driver Bit, $\frac{5}{16}$ in., No. 26 | 1 Plumb and Level, 12 in., No. 36G |
| 1 Hand Drill, No. 610 | 1 Bit Gauge No. 49 | 1 Nail Set, $\frac{3}{32}$ in., No. 11 |
| 1 Rule (Zig Zag), 5 ft., No. 105 | 1 Chisel, $\frac{1}{4}$ in., No. 40 | 1 Hollow Handle Tool Set No. 305 |
| 1 Plane (Bench), $11\frac{1}{2}$ in., No. $5\frac{1}{4}$ | 1 Chisel, $\frac{1}{2}$ in., No. 40 | 1 Pair Pliers |
| 1 Plane (Block), 6 in., No. 60 | 1 Chisel, 1 in., No. 40 | 1 Carborundum Stone No. 109 |
| | | 1 Package Wiggle Nails |

Also Plan No. S72, "How to Make a Work Bench."



STANLEY TOOLS

TOOLS IN SETS



TOOL CABINET NO. 861

Made of oak, finished in dark stain on the outside and in a light stain on the inside. Joints notched and glued. There are three hinges, two catches and a carrying handle.

The hinged panel on the right, which carries the small tools, closes inside the front and back and makes a very compact cabinet.


Size: 11 $\frac{3}{4}$ inches wide, 7 inches deep, 29 inches high.

No.	Net Wgt. (Lbs.)	Shipping Wgt. (Lbs.)	Price
861	43	62	\$40.00

Contains 32 Stanley Four Square Tools as follows:

- | | | | |
|-------------------------------------|--------------------------------|------------------------------------|-------------------------------|
| 1 Hammer, 14 $\frac{1}{2}$ oz. | 1 Awl, 5 in. | 1 Auger Bit, $\frac{3}{4}$ in. | 1 Chisel, $\frac{3}{4}$ in. |
| 1 Rule (Zig Zag), 4 ft. | 1 Pry Bar, 15 in. | 1 Auger Bit, 1 in. | 1 Chisel, 1 in. |
| 1 Rule (Boxwood), 2 ft. | 1 Hand Axe, 18 in. | 1 Vise | 1 Try and Mitre Square, 7 in. |
| 1 Screw Driver, 5 in. | 1 Bit Brace, 8 in. | 1 Pipe Wrench, 10 in. | 1 Level, 18 in. |
| 1 Screw Driver, 4 in. | 1 Auger Bit, $\frac{1}{4}$ in. | 1 Jack Plane, 11 $\frac{1}{2}$ in. | 1 Mill File, 8 in. |
| 1 Screw Driver, 2 $\frac{1}{2}$ in. | 1 Auger Bit, $\frac{3}{8}$ in. | 1 Block Plane, 6 $\frac{1}{2}$ in. | 1 Slim Taper File, 6 in. |
| 1 Screw Driver, 1 $\frac{1}{2}$ in. | 1 Auger Bit, $\frac{1}{2}$ in. | 1 Chisel, $\frac{3}{8}$ in. | 1 Putty Knife |
| 1 Saw (Hand), 24 in. | 1 Auger Bit, $\frac{5}{8}$ in. | 1 Chisel, $\frac{1}{2}$ in. | |
| 1 Pair Pliers, 6 $\frac{1}{2}$ in. | | | |

Also Stanley Plan No. S72 "How to Make a Work Bench"



TOOL CABINET NO. 862

Made of oak, finished in a dark stain and varnished. Sides set in. Joints notched and glued. There are three hinges, a lock and a carrying handle.

Size: 14 inches wide, 6 $\frac{1}{2}$ inches deep, 24 inches high.

No.	Net Wgt. (Lbs.)	Shipping Wgt. (Lbs.)	Price
862	23	42	\$35.00

Contains 20 Tools as follows:

- | | | |
|-------------------------------------|---|---------------------------------------|
| 1 Hammer, 13 oz. No. 15 | 1 Try and Mitre Square, 9 in., No. 21 | 1 Gimlet Bit No. 6 |
| 1 Screw Driver, 5 in., No. 20 | 1 Screw Driver Bit, $\frac{1}{4}$ in., No. 26 | 1 Nail Set, $\frac{1}{2}$ in., No. 11 |
| 1 Screw Driver, 3 in., No. 50 | 1 Spoke Shave No. 151 | 1 Pair Pliers |
| 1 Rule (Zig Zag), 4 ft., No. 04 | 1 Bit Brace, 8 in., No. 945 | 1 Saw (Hand), 18 in. |
| 1 Plane (Bench), 8 in., No. 3 | 1 Auger Bit, $\frac{1}{4}$ in. | 1 Vise No. 741 |
| 1 Chisel, $\frac{1}{4}$ in., No. 40 | 1 Auger Bit, $\frac{3}{8}$ in. | 1 Hollow Handle Tool Set No. 306 |
| 1 Chisel, $\frac{3}{4}$ in., No. 40 | 1 Auger Bit, $\frac{1}{2}$ in. | 1 Package Wiggle Nails |

Also Stanley Plan No. S72—"How to Make a Work Bench"



STANLEY TOOLS

TOOLS IN SETS


COMBINATION WORK BENCH AND TOOL CABINET

All wooden parts are made of spruce. Finished in dark stain on the outside and light stain on the inside. The cabinet, apron and lower shelf are made and finished with the same care that distinguishes the line of Stanley Tool Chests. The top of the bench is made from particularly selected lumber. The steel legs and braces were especially designed and constructed by us in order to produce a sturdy, serviceable work bench.

The tool cabinet can be closed by raising the top of the bench; the cabinet is also equipped with a special hinge hasp and staple so it can be locked.

The whole Work Bench is so constructed that it will fold against the back. This is a distinct advantage—when not in use it can be folded back against the wall and out of the way.

The Work Bench is 47½ inches high overall, 48 inches long, and 15¾ inches deep or wide. The height to top of bench when in position is 32¾ inches.



No. 860

No.	Net Wgt. (Lbs.)	Shipping Wgt. (Lbs.)	Price
860	108½	190	\$50.00

Contains 34 Stanley Four Square Tools as follows:

- | | | |
|-------------------------|-----------------------|-------------------------------|
| 1 Hammer, 14½ oz. | 1 Bit Brace, 8 in. | 1 Chisel, ⅜ in. |
| 1 Rule (Zig Zag), 4 ft. | 1 Auger Bit, ¼ in. | 1 Chisel, ½ in. |
| 1 Rule (Boxwood), 2 ft. | 1 Auger Bit, ⅜ in. | 1 Chisel, ¾ in. |
| 1 Screw Driver, 1½ in. | 1 Auger Bit, ½ in. | 1 Chisel, 1 in. |
| 1 Screw Driver, 2½ in. | 1 Auger Bit, ⅝ in. | 1 Try and Mitre Square, 7 in. |
| 1 Screw Driver, 4 in. | 1 Auger Bit, ¾ in. | 1 Mill File, 8 in. |
| 1 Screw Driver, 5 in. | 1 Auger Bit, 1 in. | 1 Slim Taper File, 6 in. |
| 1 Saw (Hand), 24 in. | 1 Vise | 1 Level, 18 in. |
| 1 Pair Pliers, 6½ in. | 1 Pipe Wrench, 10 in. | 1 Putty Knife |
| 1 Awl, 5 in. | 1 Jack Plane, 11½ in. | 1 Bench Stop No. 207 |
| 1 Pry Bar, 15 in. | 1 Block Plane, 6½ in. | 2 Bench Brackets No. 203 |

Also Stanley Plan No. 1—"How to Make a Book Rack"

No. 859

No.	Net Wgt. (Lbs.)	Shipping Wgt. (Lbs.)	Price
859	108	190	\$75.00

Contains 35 tools as follows:

- | | | |
|--------------------------------|--------------------------|--------------------------------------|
| 1 Hammer No. 15, 13 oz. | 1 Auger Bit, ½ in. | 1 Countersink No. 20 |
| 1 Boxwood Rule No. 61A | 1 Auger Bit, ⅝ in. | 1 Screw Driver Bit No. 26, ⅝ in. |
| 1 Screw Driver No. 121, 1½ in. | 1 Auger Bit, ¾ in. | 1 Pry Bar |
| 1 Screw Driver No. 40, 4 in. | 1 Auger Bit, 1 in. | 1 Chisel No. 40, ½ in. |
| 1 Screw Driver No. 20, 5 in. | 1 Vise No. 745 | 1 Chisel No. 40, ¾ in. |
| 1 Chisel No. 99, ½ in. | 1 Plane No. 5¼ | 1 Chisel No. 40, 1 in. |
| 1 Saw, 22 in. | 1 Block Plane No. S18 | 1 Try and Mitre Square No. 21, 9 in. |
| 1 Pair Pliers | 1 Hand Drill No. 616 | 1 Mill File, 8 in. |
| 1 Brad Awl No. 17, 1¼ in. | 1 Gauge No. 97 | 1 Slim Taper File, 6 in. |
| 1 Bit Brace No. 923, 8 in. | 1 Nail Set No. 11, ⅝ in. | 1 Level No. 104, 18 in. |
| 1 Auger Bit, ¼ in. | 1 Scraper Blade No. 0 | 1 Bench Stop No. 207 |
| 1 Auger Bit, ⅜ in. | 3 x 5 in. | 2 Bench Brackets No. 203 |

Also Stanley Plan No. 1—"How to Make A Book Rack"



STANLEY TOOLS

TOOLS IN SETS

TOOL CHEST No. 902

Made of oak, finished in a beautiful green, varnished. Tops and bottoms set in. Joints notched and glued. There are three hinges, two catches and a carrying handle. Size: 10 $\frac{3}{4}$ inches wide, 4 $\frac{3}{8}$ inches deep, 25 inches long.



No.	Net Weight (Lbs.)	Shipping Weight (Lbs.)	Price
902	21	35	\$25.00


Contains 20 tools as follows:

- | | |
|--|-------------------------------------|
| 1 Hammer, 13 oz., No. 12 | 1 Vise No. 741 |
| 1 Rule (Zig Zag), 4 ft., No. 04 | 1 Chisel, $\frac{1}{4}$ in., No. 50 |
| 1 Screw Driver, 5 in., No. 20 | 1 Chisel, $\frac{3}{4}$ in., No. 50 |
| 1 Screw Driver, 3 in., No. 50 | 1 Pair Pliers |
| 1 Try and Mitre Square, 7 $\frac{1}{2}$ in., No. 2 | 1 Awl No. 6 |
| 1 Screw Driver Bit, $\frac{5}{16}$ in., No. 26 | 1 Spoke Shave No. 51 |
| 1 Nail Set, $\frac{3}{16}$ in., No. 11 | 1 Bit Brace, 8 in., No. 945 |
| 1 Plane (Bench), 8 in., No. 3 | 1 Auger Bit, $\frac{1}{4}$ in. |
| 1 Saw (Hand), 20 in. | 1 Auger Bit, $\frac{3}{8}$ in. |
| 1 Marking Gauge No. 62 | 1 Gimlet Bit, No. 6 |
| | 1 Package Wiggie Nails |

Also Stanley Plan No. S72—"How to Make a Work Bench."

TOOL CHEST No. 903

Made of oak, finished in a beautiful green, varnished. Tops and bottoms set in. Joints notched and glued. There are three hinges, two catches and a carrying handle. Size: 11 $\frac{3}{8}$ inches wide, 4 $\frac{3}{8}$ inches deep, 21 $\frac{1}{2}$ inches long.



No.	Net Weight (Lbs.)	Shipping Weight (Lbs.)	Price
903	18	28	\$23.00


Contains 17 Tools as follows:

- | | |
|--|---|
| 1 Hammer, 13 oz., No. 12 | 1 Chisel, $\frac{3}{4}$ in., No. 50 |
| 1 Screw Driver, 5 in., No. 20 | 1 Bit Brace, 8 in., No. 945 |
| 1 Screw Driver, 3 in., No. 50 | 1 Auger Bit, $\frac{1}{4}$ in. |
| 1 Rule (Zig Zag), 4 ft., No. 04 | 1 Auger Bit, $\frac{3}{8}$ in. |
| 1 Saw (Hand), 16 in. | 1 Gimlet Bit No. 6 |
| 1 Try and Mitre Square, 7 $\frac{1}{2}$ in., No. 2 | 1 Screw Driver Bit, $\frac{1}{4}$ in., No. 26 |
| 1 Marking Gauge No. 62 | 1 Awl, 1 $\frac{1}{4}$ in. |
| 1 Plane (Block), 7 in., No. 220 | 1 Vise No. 741 |
| 1 Chisel, $\frac{1}{4}$ in., No. 50 | 1 Package Wiggie Nails |

Also Stanley Plan No. S72—"How to Make a Work Bench."

TOOL CHEST No. 904

Made of oak, finished in a beautiful green, varnished. Tops and bottoms set in. Joints notched and glued. There are three hinges, two catches and a carrying handle. Size: 11 $\frac{3}{8}$ inches wide, 4 $\frac{1}{2}$ inches deep, 19 $\frac{1}{2}$ inches long.



No.	Net Weight (Lbs.)	Shipping Weight (Lbs.)	Price
904	15	24	\$15.00

Contains 12 Tools as follows:

- | | |
|---|-------------------------------------|
| 1 Hammer, 10 oz., No. 12 | 1 Chisel, $\frac{1}{2}$ in., No. 50 |
| 1 Screw Driver, 4 in., No. 70 | 1 Bit Brace, 8 in., No. 966 |
| 1 Rule, 2 ft., No. 68A | 1 Auger Bit, $\frac{1}{4}$ in. |
| 1 Saw (Hand), 14 in. | 1 Auger Bit, $\frac{3}{8}$ in. |
| 1 Try Square, 4 $\frac{1}{2}$ in., No. 20 | 1 Vise No. 741 |
| 1 Marking Gauge No. 61 | 1 Package Wiggie Nails |
| 1 Plane (Block), 5 $\frac{1}{2}$ in., No. 102 | |

Also Stanley Plan No. S72—"How to Make a Work Bench."



STANLEY TOOLS

TOOLS IN SETS

TOOL CHEST No. 914 *The Ideal Assortment for a Boy*

Made of light wood, painted a bright blue and yellow. Strongly constructed. Joints are nailed and glued. Fitted with a hasp for a padlock. Size: 20 $\frac{3}{8}$ inches long, 8 $\frac{3}{8}$ inches wide, 4 $\frac{3}{8}$ inches deep.

No.	Net Weight (Lbs.)	Shipping Weight (Lbs.)	Price
914	9	14	\$10.00

Contains 10 Tools as follows:

- | | |
|-------------------------------|--|
| 1 Block Plane No. 102 | 1 Gauge No. 61 |
| 1 Hammer No. 12, 10 oz. | 1 Try Square No. 20, 4 $\frac{1}{2}$ in. |
| 1 Screw Driver No. 170, 4 in. | 1 Awl No. 3 |
| 1 Rule No. 68A | 1 Auger Bit, $\frac{3}{8}$ in. |
| 1 Bit Brace No. 966, 8 in. | 1 Panel Saw, 14 in. |

Also Stanley Plan No. 9—"How to Make Bird Houses."



TOOL ASSORTMENT No. 906

Twelve tools in an attractive cardboard display box.

The display box is 18 $\frac{1}{2}$ inches long, 7 $\frac{1}{2}$ inches wide, 3 inches deep, and is packed in a corrugated board container for protection in handling and shipping.

No.	Net Weight (Lbs.)	Shipping Weight (Lbs.)	Price
906	6	8	\$10.00

Contains 12 Tools as follows:

- | | |
|--|---|
| 1 Hammer, 13 oz., No. 12 | 1 Try Square, 4 $\frac{1}{2}$ in., No. 20 |
| 1 Rule, 2 ft., No. 68A | 1 Marking Gauge No. 61 |
| 1 Screw Driver, 4 in., No. 70 | 1 Bit Brace, 8 in., No. 965N |
| 1 Chisel, $\frac{3}{8}$ in., Socket, No. 440 | 1 Auger Bit, $\frac{1}{4}$ in. |
| 1 Chisel, $\frac{3}{4}$ in., Socket, No. 440 | 1 Auger Bit, $\frac{3}{8}$ in. |
| 1 Saw (Hand), 14 in. | 1 Package Stanley Wiggle Nails |
| 1 Plane (Block), 7 in., No. 220 | 1 Pair Stanley Hinges with Screws |

Also Stanley Plan No. S70—"How to Make a Tool Chest."



TOOL ASSORTMENT No. 907

Seven tools in an attractive cardboard display box.


The display box is 18 $\frac{1}{2}$ inches long, 7 $\frac{1}{2}$ inches wide, 3 inches deep, and is packed in a corrugated board container for protection in handling and shipping.

No.	Net Weight (Lbs.)	Shipping Weight (Lbs.)	Price
907	4	6	\$5.00

Contains 7 Tools as follows:

- | | |
|--------------------------------|-----------------------------------|
| 1 Hammer, 10 oz., No. 12 | 1 Marking Gauge, No. 61 |
| 1 Rule, 2 ft., No. 68A | 1 Package Stanley Wiggle Nails |
| 1 Screw Driver, 4 in., No. 70 | 1 Pair Stanley Hinges with Screws |
| 1 Saw (Hand), 14 in. | |
| 1 Bit Brace, 8 in., No. 966 | |
| 1 Auger Bit, $\frac{3}{8}$ in. | |

Also Stanley Plan No. S70—"How to Make a Tool Chest."



STANLEY TOOLS

ATHA TOOLS

Under the Atha Horseshoe Brand we make a quality line of Handled Hammers, Sledges, Wedges and Mauls, Blacksmith Anvil Tools, etc. The following listing gives a cross section of this line. *These tools are shown in a separate catalog No. 25 which will be mailed on request.*

ANVIL TOOLS—

Blacksmiths

BARS

Connecting
Ripping

CHISELS—

Blacksmiths, Hot and Cold
Brick
Cape, Round and Diamond Point
Clapboard and Floor
Cold
Electricians Cutting
Ripping
Stone Cutters

CONCRETE OR BULL POINTS

COOPERS TOOLS

HAMMERS, HANDLED

Blacksmiths Hand
Bricklayers
Coopers
Engineers
Farriers
Machinists Pein
Nail
Prospecting
Riveting
Tack, Magnetic
Tinner
Trimmers
Upholsterers
Masons
Striking and Drilling

HAMMERS, HEAVY NOT HANDLED

Blacksmiths Hand
Hand Drilling or
Stone Cutters

MAULS—

R. R. Track
Wood Choppers

PICKS—

Boiler
Prospecting
Machinists

PUNCHES—

Backing Out

RAILROAD TRACK TOOLS

ROCK DRILL SHARPENING TOOLS

SLEDGES—

Blacksmiths
Horseshoers Turning
Stone

STONE CUTTERS TOOLS


STRUCTURAL IRON WORKERS TOOLS

TONGS—

Blacksmiths
Bridge Builders Rivet

WEDGES—

Bucking
Rock
Saw
Stave
Stone
Tie
Wood Choppers



STANLEY TOOLS

STANLEY-ATHA TOOLS

FOR

The Automotive Mechanic

We make a line of quality hand tools especially for the Automotive Mechanic under the brand name

STANLEY-ATHA

THIS LINE INCLUDES
Chisels and Punches

made from Electric Furnace Alloy Steel and

Body and Fender Repair Tools

forged from selected steel

These Tools are illustrated and described in a separate catalog No. 26. This catalog will be mailed on request




STANLEY TOOLS


PRICE LIST OF PLANE IRONS

FOR "BED ROCK" AND "BAILEY" IRON, CIRCULAR AND WOOD PLANES

The Single Irons of the same size are identical; thus a 2⁵/₈ in. Single Iron fits all Planes that take a 2⁵/₈ in. plane iron. The Cap Iron (which combined with Single Iron makes the Double Iron), however, is not the same in all cases on the Iron, Wood and Circular Planes and is therefore not interchangeable. In ordering be sure to give the number of the plane, size of Iron and state whether Single or Double Irons are required.



SINGLE



DOUBLE

Size Inches	Used in Planes Nos.	Single Price Each	Double Price Each	Cap Price Each
1 ¹ / ₄	1	\$0.45	\$0.80	\$0.35
1 ⁵ / ₈	2, 2C, 602	.50	.85	.35
1 ³ / ₄	3, 3C, 5 ¹ / ₄ , 5 ¹ / ₄ C, 603, 603C, 605 ¹ / ₄	.55	.90	.35
1 ³ / ₄	113	.55	.90	.35
1 ³ / ₄	20	.55	.90	.35
1 ³ / ₄	22	.55	.90	.35
2	4, 4C, S4, A4, 5, 5C, S5, A5, 604, 604C, 605, 605C	.60	.95	.35
2	9	.60	.95	.35
2	24, 26, 35	.60	.95	.35
2 ¹ / ₈	10, 10 ¹ / ₄ , 10 ¹ / ₂	.65	1.00	.35
2 ¹ / ₄	5 ¹ / ₂ , 5 ¹ / ₂ C, 605 ¹ / ₂ , 605 ¹ / ₂ C	.70	1.10	.40
2 ¹ / ₄	27 ¹ / ₂	.70	1.10	.40
2 ³ / ₈	4 ¹ / ₂ , 4 ¹ / ₂ C, 6, 6C, A6, 7, 7C, 604 ¹ / ₂ , 604 ¹ / ₂ C, 606, 606C, 607, 607C, 51	.75	1.20	.45
2 ³ / ₈	11	.75	1.20	.45
2 ³ / ₈	28, 31, 36	.75	1.20	.45
2 ⁵ / ₈	8, 8C, 608, 608C	.75	1.20	.45
2 ⁵ / ₈	32	.80	1.30	.50

FOR "GAGE" IRON PLANES




Size (Inches)	Used in Planes Nos.	Price Each
1 ³ / ₄	G3, G3C	\$0.55
2	G4, G4C, G5, G5C	.60
2 ¹ / ₄	G6, G6C	.70
2 ¹ / ₂	G7, G7C	.80

FOR STANLEY AND "BAILEY" BLOCK PLANES

In ordering specify size and whether adjustable or non-adjustable cutters are wanted.



NON-ADJUSTABLE



ADJUSTABLE

Size (Inches)	Used in Planes Nos.	Price Per Doz.
1	100, 101	\$1.50
1 ³ / ₈	60, 60 ¹ / ₂ , 61, 203	5.00
1 ³ / ₈	102	2.50
1 ³ / ₈	103	2.50
1 ⁵ / ₈	9 ¹ / ₂ , 15, 16, 17, 18, S18, A18, 19, 63, 65, 65 ¹ / ₂ , 120, 131, 220	5.00
1 ⁵ / ₈	110, 130	3.80
1 ³ / ₄	140	6.00
2	62, 164	13.45


All Packed 6 in a Box



STANLEY TOOLS

PRICES OF PLANE PARTS

STANLEY "BAILEY" IRON PLANES



No.	Name of Part	No. of Plane	1 2 2C	3 3C	S4 A4 4 4C	4 1/2 4 1/2C	S5 A5 5 5C	5 1/4 5 1/4C	5 1/2 5 1/2C	A6 6 6C	7 7C	8 8C
3	Cap Screw		\$.10									
4	Lever Cap		.50									
5	" " Screw		.10									
6	Frog Complete		.70									
7	"Y" Adjusting Lever		.10									
8	Adjusting Nut		.20									
9	Lateral Adjusting Lever		.20									
10	Frog Screw		.10									
11	Plane Hand		.40									
12	" " Knob		.30									
13	Handle Bolt and Nut		.20									
14	Knob		.20									
15	Handle Toe Screw					\$.10	\$.10	\$.10	\$.10	\$.10	\$.10	\$.10
16	Plane Bottom		1.70	\$2.00	\$2.00	2.40	2.40	2.40	2.40	3.30	4.70	5.70
46	Frog Adjusting Screw		.10	.10	.10	.10	.10	.10	.10	.10	.10	.10

The price is the same for all numbers


Add 10 per cent. for Corrugated Bottoms.
 Add 30 per cent. for Bottoms and Frogs for Planes A4, A5, A6.
 Add 10 per cent. for Bottoms and Frogs for Planes S4 and S5.

In ordering be sure to specify **number and name of Part** and **number of Plane**, thus: No. 4 Lever Cap for No. 5 Plane.



STANLEY TOOLS

PRICES OF PLANE PARTS "BED ROCK" PLANES



No.	Name of Part	No. of Plane	602	603 603C	604 604C	604½ 604½C	605 605C 605¼	605½ 605½C	606 606C	607 607C	608 608C
3	Cap Screw.....		\$.10								
4	Lever Cap.....		.60								
5	" " Screw.....		.10								
6	Frog Complete.....		1.00								
7	"Y" Adjusting Lever.....		.10								
8	Adjusting Nut.....		.20								
9	Lateral Adjusting Lever.....		.20								
11	Plane Handle.....		.40								
12	" " Knob.....		.30								
13	Handle Bolt and Nut.....		.20								
14	Knob " " ".....		.20								
15	Handle Toe Screw.....										
16	Plane Bottom.....		2.20	\$2.50	\$2.50	\$3.00	\$3.00	\$3.20	\$4.40	\$6.20	\$7.00
44	Frog Pin.....		.20	.20	.20	.20	.20	.20	.20	.20	.20
45	" " Clamping Screw.....		.10	.10	.10	.10	.10	.10	.10	.10	.10
46	" " Adjusting ".....		.10	.10	.10	.10	.10	.10	.10	.10	.10

Price is the same for all numbers.


Add 10 per cent. for Corrugated Bottoms.

In ordering be sure to specify **number and name of Part** and **number of Plane**, thus: No. 4 Lever Cap for No. 604 Plane.



STANLEY TOOLS

PRICES OF PLANE PARTS GAGE SELF-SETTING PLANES



No.	Name of Part	No. of Plane	G3 G3C G4 G4C	G5 G5C	G6 G6C	G7 G7C
2	Steel Cap.....		\$0.35	Price is the same for all numbers.		
3	Cap Screw.....		.10			
4	Lever Cap.....		.30			
5	Lever Cap Screw.....		.10			
8	Cutter Adjusting Screw.....		.30			
11	Plane Handle.....		.40	\$.30	\$.30	\$.30
12	Plane Knob.....		.30	.40	.40	.40
13	Handle Bolt and Nut.....		.20	.30	.30	.30
14	Knob Bolt and Nut.....		.20	.20	.20	.20
15	Handle Toe Screw.....		.20	.20	.20	.20
16	Plane Bottom.....		*2.70	.10	.10	.10
86	Frog Screw.....		*3.10			
88	Cutter Adjustment Slide.....		*4.00			
89	Clamp Plate.....		*5.40			
90	Clamp Plate Screw.....					

Price is the same for all numbers.

Price is the same for all numbers.

*Prices of Bottoms include Frogs.


In ordering be sure to specify **number and name of Part** and **number of Plane**, thus: No. 4 Lever Cap for No. G4 Plane.



STANLEY TOOLS

PRICES OF PLANE PARTS

STANLEY "BAILEY" WOOD PLANES



No.	Name of Part	No. of Plane	22	24	35	26	27½	28	31	32	36
3	Cap Screw.....		\$0.10								
4	Lever Cap.....		.40								
5	" " Screw.....		.10								
6	Frog Complete.....		.60								
7	"Y" Adjusting Lever.....		.10								
8	Adjusting Nut.....		.20								
9	Lateral Adjusting Lever.....		.20								
10	Frog Screw and Bushing.....		.20								
11	Plane Handle.....			\$0.20	\$0.20	\$0.20	\$0.20	\$0.20	\$0.20	\$0.20	\$0.20
12	" Knob.....		.20	.20	.20	.20	.20	.20	.20	.20	.20
13	Handle Bolt and Nut.....		.20	.20	.20	.20	.20	.20	.20	.20	.20
14	Knob Screw.....		.10	.10	.10	.10	.10	.10	.10	.10	.10
16	Plane Bottom.....		.80	.80	.80	1.00	1.00	1.40	1.60	1.70	1.00
17	Top Casting.....		.40	.40	.40	.40	.40	.40	.40	.40	.40

Price is the same for all numbers.
Specify size of Plane for which part is wanted.


In ordering be sure to specify number and name of Part and number of Plane, thus: No. 4 Lever Cap for No. 22 Plane.



STANLEY TOOLS

PRICES OF PLANE PARTS


STANLEY "BAILEY" AND STANLEY BLOCK PLANES



No.	Name of Part	No. of Plane	9½	15	16 17	S18 A18 18 19	60 60½	62	61 63	65	65½	164
4	Lever.....		\$0.20	\$0.20	\$0.30	\$0.60	\$0.30	\$0.30	\$0.30	\$0.75	\$0.20	\$0.25
5	" Screw.....		.10	.10	.10	.10	.10	.10	.10	.10	.10	.10
6	Frog.....						.20	.20	.20	.20	.20	.20
7	Adjusting Lever.....		.10	.10	.10	.10						
8	" Nut.....		.20	.20	.20	.20	.20	.20	.20	.20	.20	.20
9	Lateral Adjusting Lever.....		.20	.20	.20	.20						
11	Plane Handle.....							.60				.40
16	" Bottom.....		1.40	1.50	1.50	1.50	1.20	3.50	1.00	1.50	1.50	3.00
21	Eccentric Plate.....		.20	.20	.20	.20	.20	.20		.20	.20	.20
22	Finger Rest Knob.....		.20	.20	.20	.20	.20	.30	.20	.20	.20	.30

Add 30 per cent. for Bottom, for Plane A18.

Add 10 per cent. for Bottom, for Plane S18.



No.	Name of Part	No. of Plane	100 101	102 *103	110	120	130	131	140	203	220
4	Lever.....		\$0.10	\$0.20	\$0.20	\$0.20	\$0.20	\$0.20	\$0.30	\$0.20	\$0.20
5	" Screw.....						.10	.10	.10	.10	.10
6	Frog Complete.....			*.30		.30		.30	.20	.20	.20
8	Adjusting Nut.....						.20	.20	.20	.20	.20
12	Plane Knob.....				.20	.20	.20	.30	.30	.30	.30
16	" Bottom.....		.20	.40	.50	.60	.70	1.40	1.50	.50	.60
18	Detachable Side.....								.50		
19	Side Screw (Pair).....								.20		


In ordering be sure to specify **number and name of Part** and **number of Plane**, thus: No. 4 Lever Cap for No. 9½ Plane.



STANLEY TOOLS

PRICES OF PLANE PARTS

CARRIAGE, CIRCULAR, SCRUB, SHOOT AND FLOOR PLANES




No.	Name of Part	No. of Plane	10	10½	10¼	11	113	20	40	40½	51
1A	Double Plane Iron.....		\$1.15	\$1.15	\$1.15	\$1.25	\$1.00	\$1.00	\$1.25
1	Single " ".....		.70	.70	.70	.80	.60	.60	.40	.50	.80
2	Plane Iron Cap.....		.45	.45	.45	.45	.40	.4045
3	Cap Screw.....		.10	.10	.10	.10	.10	.1010
4	Lever Cap.....		.50	.50	.50	.50	.50	.50	.20	.20	.50
5	" " Screw.....		.10	.10	.10	.10	.10	.10	.10	.10	.10
6	Frog Complete.....		.70	.70	.7070	.7070
7	"Y" Adjusting Lever.....		.10	.10	.10	.10	.10	.1010
8	Adjusting Nut.....		.20	.20	.20	.20	.20	.2020
9	Lateral Adjusting Lever.....		.20	.20	.2020	.2020
10	Frog Screw.....		.10	.10	.1010	.1010
11	Plane Handle.....		.40	.40	.80	.6020	.20	.40
12	" Knob.....		.30	.30	.60	1.0020	.20
13	Handle Bolt and Nut.....		.20	.20	.2020	.20	.20
14	Knob " " ".....		.20	.20	.2020	.20
16	Plane Bottom.....		3.30	3.30	3.00	2.60	1.20	1.20	1.40	2.00	6.00
17	Top Casting.....		2.00	3.00
26	Frog Seat.....		1.00
35	Bottom Adjusting Screw.....		1.00	.50
36	" " Nut.....	50

In ordering be sure to specify number and name of Part and number of Plane, thus: No. 4 Lever Cap for No. 10 Plane.



STANLEY TOOLS

PRICES OF PLANE PARTS COMBINATION PLANES



No.	Name of Part	No. of Plane	A45 45	46	444	50	55	143
1	Cutters.....	Per Set	\$7.00	\$4.00	\$2.50	\$3.50	\$12.00	\$4.00
16	Main Stock or Bottom.....		5.00	5.00	5.00	2.50	6.00	6.00
23	Cutter Bolt.....		.30	.30	.30	.30	.30	
24	“ “ Wing Nut.....		.30	.30	.30	.30	.30	
25	“ “ Clip and Screw.....		.10	.10	.10		.10	
27	“ “ Adjusting Screw.....		.20				.20	
28	“ “ “ Wheel.....		.20				.20	
30	Sliding Section.....		3.00	3.00	3.00	.60	1.50	
32	Thimble.....						.30	
33	“ Check Nut.....						.30	
34	Adjustable Bottom.....						2.50	
37	“ “ Screw.....						.40	
40	Auxiliary Center Bottom.....						.60	
42	Angle Iron and Adjusting Screws.....						.60	
50	Left Fence.....		1.50	1.50	2.00	1.50	2.70	2.00
52	Tilting Guard Plate (Wood).....						.40	
53	“ Iron with Swivel.....						.80	
54	Left Fence Adjusting Screw.....						.40	
56	Right Fence.....				2.50		2.00	
57	“ “ Tilting Plate.....						.40	
60	Long Arms.....	Per Pair	1.00	1.00	1.00	1.00	1.00	1.00
61	Short Arms.....	“ “	.50	.50	.50		.50	
70	Adjusting Depth Gauge.....		.40	.40	.40	.40	.40	.40
73	“ Beading Stop.....		.40				.60	
75	Slitting Cutter Stop.....		.20	.20	.20	.20	.20	
77	Sliding Section Depth Gauge.....		.40					
80	Cam Stop.....		.80				.80	
85	Spurs with Screws.....		.10	.10	.10	.10	.10	
88	Runner Adjusting Screw.....					.20		

Screws, Nos. 29, 31, 41, 43, 51, 58, 71, 76, 81, 86 and 87, .20 each.
Add 30 per cent for parts 16, 30 and 50 for Plane A45.


In ordering be sure to specify **numbers and name of part and number of Plane**, thus: No. 23 Cutter Bolt for No. 50 Plane.



STANLEY TOOLS


PRICES OF PLANE PARTS

RABBET AND ROUTER PLANES



No.	Name of Part	No. of Plane	90 92	93	94	196	98 99	79	71 71½	271	75	95	97
1	Plane Iron.....		\$.60	\$.60	\$.60	\$.50	\$.40	\$.40	\$.60	\$.60	\$.40	\$.40	\$.90
4	Lever.....		.30	.30	.30	.20	.20	.20			.20	.20	.30
5	Thumb Screw.....						.10	.10		.10			
12	Plane Knob.....						.30		.30				.30
14	Knob Bolt and Nut.....								.20				.20
16	Plane Bottom.....		3.00	4.00	4.50	2.40	1.20	1.30	2.00	.35	.60	1.60	2.00
27	Cutter Bolt Adjusting Screw.....		.40	.40	.40								
47	Extra Attachment.....								.50				
48	Collar.....								.50				

RABBET, MATCHING AND DADO PLANES



No.	Name of Part	No. of Plane	39	48 49	78 A78	378	146 to 148	171	190 to 192	238	239	278	289	144
1	Plane Iron.....		\$.40	\$.40	\$.40	...	\$1.30†	\$.80	\$.40	\$.50**	\$.50	\$.60	\$.60	\$.50
4	Lever.....		.20	.20	.20	\$.20	.302020	.20	...
5	Cutter Holding Screws.....		.1010	.1010	.1010	.10	...
7	Adjusting Lever and Screw.....													
16	Plane Bottom.....		2.40	4.00	2.00	2.50	3.00	1.80	1.80	2.50	3.00	2.00	2.40	1.00
50	Fence.....		1.00	1.00	.50	.506080	.80	.50	.40	...
51	“ Thumb Screw.....				.10	.101010	.10	.10	.10	...
61	“ Arm.....				.20	.204020†	.20	.20	.20	...
62	Fence Stop Collars and Screws.....			1515
70	Adjusting Depth Gauge.....		.4040	.40*40	.40	.40	.40	.40	...
71	Depth Gauge Thumb Screw.....		.2020	.2020	.10	.10	.20	.20	...
85	Spurs with Screws.....		.20101050	.10	.10	...

Add 30 per cent. for Bottom and Fence for Plane A78.

* Specify inside or outside. ** Specify size. † Specify long or short arm. ‡ Groove Cutter \$1.00—Match Cutter \$0.30.


In ordering be sure to specify number and name of Part and number of Plane, thus: No. 4 Lever Cap for No. 39 Plane.



STANLEY TOOLS

PRICES OF PLANE PARTS

SCRAPER, CHAMFER AND CORE BOX PLANES




No.	Name of Part	No. of Plane	12	12½	12¼	112	85	57	72
1	Plane Iron.....		\$.50	\$.50	\$.50	\$.50	\$.50	\$.60	\$.45
4	Lever.....		.50	.50	.50	.40	.40	.30	.25
5	" Screw.....		.10	.10	.10	.10	.10	.10	.10
6	Frog Complete.....		1.40	1.40	1.20	.70	.60		
8	Adjusting Nut.....		.20	.20	.20	.20			
10	Frog Screw.....						.10		
11	Plane Handle.....		1.00	1.00	1.00	.40	.50	.20	.40
12	" Knob.....					.30	.40	.20	.20
13	Handle Bolt and Nut.....					.20	.20	.20	.30
14	Knob " ".....					.20	.20	.20	.20
15	Plane Handle Screw.....		.10	.10	.10				
16	" Bottom.....		2.40	2.40	1.60	2.40	2.00	5.00	2.10

In ordering be sure to specify **number and name of Part** and **number of Plane**, thus: No. 12 Knob for No. 72 Plane.



STANLEY TOOLS

PRICES OF PARTS
BIT BRACE



All parts listed can be readily put into the Brace by the user. Other parts can be supplied if required, but should any piece be wanted that is not shown, it is better that the Brace be returned to the factory for repairs. Some parts having the same name differ in design in the different Braces. We show different cuts bearing the same number to illustrate the different designs. Heads and quills are shown in section to make difference of construction clear. In ordering, be sure to specify **number and name of part** and **number of Brace**.

No.	Name of Part	810	811	813	901	903	903A	913	915	916	919	921	923
401	Screw End.....	\$0.70	\$0.70	\$0.80	\$0.70	\$0.70	\$0.70	\$0.80	\$0.50	\$0.40	\$0.70	\$0.80
402	Plug Screw.....	.20	.20	.20	.20	.20	.20	.20	.20	.2020	.20
404	Shell.....	1.80	1.80	1.80	1.00	1.00	1.00	.80	.70	.7080	.80
407	Clutch Gear.....505050
409	Clutch.....808080
410	Pawls.....	.10	.40	.40	.40	.40	.40	.40	.304040
411	Clutch Spring.....20	.10	.20	.10	.10	.1010	.20	.10
412	Pawl Spring.....	.10
416	Jaws.....	.50	.50	.50	.50	.50	.50	.50	.40	.40	.50	.50	.50
430	Head.....	.70	.70	.70	.70	.70	.90	.70	.30	.30	.70	.70	.70
432	Quill.....	.90	.90	.90	.90	.60	.60	.90	.80	.80	.90	.60	.60


No.	Name of Part	924	929	945	946	955	956	965	965N	966	975	975N
401	Screw End.....	\$0.50	\$0.80	\$0.50	\$0.40	\$0.50	\$0.40	\$0.50	\$0.50	\$0.40	\$0.50	\$0.50
402	Plug Screw.....20
404	Shell.....	.80	.80	.70	.70	.60	.60	.60	.70	.60	.60	.70
408	Ratchet Gear.....303030	.3030	.30
410	Pawls.....40	.303030	.3030	.30
416	Jaws.....	.50	.70	.30	.30	.30	.30	.20	.20	.20	.20	.20
430	Head.....	.70	.90	.30	.30	.30	.30	.30	.30	.30	.30	.30
432	Quill.....	.60	.60	.40	.40	.30	.30	.30	.40	.30	.30	.40



STANLEY TOOLS

PRICES OF PARTS

MITRE BOX



No.	Name of Part	No. of Box	50½	240 242	244 246	346 358	460	A358
101	Frame.....		\$6.00	\$7.00	\$7.00	\$8.40	\$11.20	\$10.90
102	Frame Board.....		.60	.60	.60	.60	1.00	.60
104	“ Leg.....		.60	.60	.60	.70	.80	.90
106	Stock Guide.....			.50	.50	.50	.50	.65
110	Swivel Arm.....		1.50	2.50	2.50	2.80	3.30	3.65
111	“ Bushing.....		.30	.30	.30	.30	.30	.30
112	“ Bushing Screw.....		.30	.30	.30	.30	.30	.30
113	Index Clamping Lever.....		.20	.40	.40	.40	.50	.50
122	Swivel Complete (50½).....		2.00					
123	“ “ (240 to 460).....			5.00	5.00	5.50	6.00	7.15
124	“T” Base.....		.50	1.50	1.50	1.50	1.50	1.95
124½	Uprights (each).....		.30	.40	.40	.50	.50	.65
126	Saw Guide Cap.....			.10	.10	.10	.10	.15
132	“ Tie Bar.....			.20	.20	.30	.30	.40
133	Left Saw Guide Stop and Screw.....		.30	.30	.30	.30	.30	.30
134	Right “ “ “ “.....			.40	.40	.40	.40	.40
136	Saw Guide Cylinder.....		.50	.70	.70	.70	.70	.90
137	“ Plate.....		.10	.10	.10	.10	.10	.10
138	Trip Lever (back).....			.30	.30	.30	.30	.30
139	“ (front).....			.30	.30	.30	.30	.30
141	Leveling Screw.....			.20	.20	.20	.20	.20
142	Trip Clamp and Screw.....			.30	.30	.30	.30	.30
146	“T” Base Clamp Screw.....			.20	.20	.20	.20	.20
147	Length Stop Stand.....			.50	.50	.50	.50	.65
148	“ Coupling.....			.20	.20	.20	.20	.25


Parts Nos. 103, 105, 107, 108, 109, 114, 115, 116, 117, 119, 120, 121, 123½, 127, 128, 129, 130, 135, 143, 144, 145, 149, .10 each.

In ordering be sure to specify **number and name of Part** and number of box, thus: No. 101 Frame Leg, for No. 50½.



STANLEY TOOLS

PRICES OF PARTS NO. 150 MITRE BOX



No.	Name of Part	Each
150	Frame.....	\$3.00
151	Frame Board.....	.60
152	Saw Yoke.....	1.25
153	Right Saw Guide.....	.25
154	Left Saw Guide.....	.25
155	Saw Guide Lever.....	.15
156	Saw Guide Thumb Screw.....	.10
157	Saw Guide Pin.....	.10
158	Saw Guide Spring.....	.10
159	Saw Guide Adjusting Screw.....	.10
160	Swivel.....	1.50
161	Yoke Clamping Lever.....	.10
162	Yoke Clamping Lever Thumb Screw.....	.10
163	Yoke Clamping Lever Pin.....	.10
164	Roller.....	.10
165	Roller Screw.....	.10
166	Swivel Pivot Screw.....	.10
167	Swivel Pivot Check Screw.....	.10
168	Latch.....	.25
169	Latch Fastening Screw.....	.10
170	Latch Pivot Screw.....	.10
171	Latch Pivot Set Screw.....	.10
172	Latch Spring.....	.10
173	Length Stop.....	.15
174	Length Stop Wing Nut.....	.10
175	Length Stop Screw.....	.10



Published by
ROGER K. SMITH
1444 N. Main St.
Lancaster, Mass. 01523
June 1977

Reprint by
COLLEGE PRESS
So. Lancaster, Mass. 01561

